according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Sodium Dodecyl Sulfate

Manufacturer/Supplier Article number: DU409264

Recommended uses of the product and restrictions on use: Laboratory chemicals

Manufacturer Details:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647

Emergency telephone number:

Emergency Phone No. (800) 255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:

Not classified for physical or health hazards under GHS.

Signal word: None

Hazard statements:

None

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 7732-18-5	Deionized Water	99 %		
CAS 151-21-3	Sodium Dodecyl Sulfate, ACS	1 %		
		Percentages are	by weight	

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Use NIOSH-approved respiratory protection/breathing apparatus. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13. Refer to Section 8. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate

handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection





Control parameters:

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes and clothing. Before re-wearing,

wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear colorless liquid		Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Approx. (-6)-0°C	Solubilities:	Soluble.
Boiling point/Boiling range:	IANNINY IIIII	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate					
Flammability (solid, gaseous):	Not determined	I VIECOEITV:	a. Kinematic: Not determined b. Dynamic: Not determined		
Density at 20°C:	Not determined				

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials.

Incompatible materials: None

Hazardous decomposition products: None

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

LD50 Rabbit 580 mg/kg 151-21-3.

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Fish (acute 151-21-3): , 96 Hr LC50 Pimephales promelas: 8 - 12.5 mg/L [static] (fry); 96 Hr LC50 Pimephales promelas: 15 - 18.9 mg/L [static] (juvenile); 96 Hr LC50 Pimephales promelas: 22.1 - 22.8 mg/L [static] (adult); 96 Hr LC50 Oncorhynchus mykiss: 4.3 - 8.5 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 4.62 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 4.2 mg/L; 96 Hr LC50 Brachydanio rerio: 7.97 mg/L [flow-through]; 96 Hr LC50 Brachydanio rerio: 9.9 - 20.1 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: 4.06 - 5.75 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 4.5 mg/L; 96 Hr LC50 Pimephales promelas: 5.8 - 7.5 mg/L [static]; 96 Hr LC50 Pimephales promelas: 10.2 - 22.5 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 6.2 - 9.6 mg/L; 96 Hr LC50 Poecilia reticulata: 13.5 - 18.3 mg/L [semi-static]; 96 Hr LC50 Poecilia reticulata: 10.8 - 16.6 mg/L [static]; 96 Hr LC50 Cyprinus carpio: 1.31 mg/L [semi-static].

Crustacea (acute 151-21-3): , 48 Hr EC50 Daphnia magna: 1.8 mg/L.

Algae (acute 151-21-3), 72 Hr EC50 Desmodesmus subspicatus: 53 mg/L; 96 Hr EC50 Desmodesmus

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate

subspicatus: 30 - 100 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 117 mg/L; 96 Hr EC50

Pseudokirchneriella subcapitata: 3.59 - 15.6 mg/L [static]. **Persistence and degradability**: No additional information.

Bioaccumulative potential:

SDS will not bio concentrate.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA Not Regulated.

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not Regulated. Proper shipping Name: Not Regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 0-0-0 **HMIS**: 0-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Sodium Dodecyl Sulfate

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.