# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Г

Revision: February 22, 2019

· Product identi	fier
Trade name: Po     Product code: F	tassium Hydroxide 6N PH9346SS
· Recommended	<b>use and restriction on use use:</b> Laboratory chemicals <b>use:</b> No relevant information available.
Details of the s     Manufacturer/Su     AquaPhoenix Sci     860 Gitts Run Rc     Hanover, PA 173     Phone: (717)632     Toll-Free: (866)6     info@aquaphoen	ientific, Inc. bad 31 -1291 32-1291
• Emergency tele ChemTel Inc. (800)255-3924 ( +1 (813)248-0588	North America)
2 Hazard(s) ide	ntification
· Classification	of the substance or mixture
	290 May be corrosive to metals.
	302 Harmful if swallowed.
	314 Causes severe skin burns and eye damage. 318 Causes serious eye damage.
· Label element	
· GHS label eleme	
•••••••••••••••	assified and labeled according to the Globally Harmonized System (GHS). <b>ms:</b>
The product is cla • Hazard pictogra	
The product is cla • Hazard pictogra • GHS05 GHS07 • Signal word: Da • Hazard statement H290 May be corr H302 Harmful if so H314 Causes set • Precautionary so	Inger nts: rrosive to metals. swallowed. vere skin burns and eye damage. tatements:
The product is cla • Hazard pictogra GHS05 GHS07 • Signal word: Da • Hazard statement H290 May be corr H302 Harmful if s H314 Causes ser • Precautionary s P234 P260	Inger nts: rrosive to metals. swallowed. vere skin burns and eye damage. tatements: Keep only in original container. Do not breathe spray.
The product is cla Hazard pictogra GHS05 GHS07 Signal word: Da Hazard statement H290 May be corr H302 Harmful if s H314 Causes set Precautionary s P234	Inger nts: rrosive to metals. swallowed. vere skin burns and eye damage. tatements: Keep only in original container.

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

(Cont'd. on page 2)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

#### Trade name: Potassium Hydroxide 6N

(Cont'd. of page 1) P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P363 Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. P390 P405 Store locked up. Store in corrosive resistant container with a resistant inner liner. P406 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. \_\_\_\_\_

· Other hazards There are no other hazards not otherwise classified that have been identified.

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

	nts:		
1310-58-3	Potassium hydroxide	Met. Corr.1, H290; Skin Corr. 1A, H314 Acute Tox. 4, H302	33.66%
7732-18-5	Water		66.34%

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### **4 First-aid measures**

<ul> <li>Description of first aid measures</li> <li>General information: No special measures required.</li> <li>After inhalation: Supply fresh air; consult doctor in case of complaints.</li> <li>After skin contact: <ul> <li>Immediately remove any clothing soiled by the product.</li> <li>Immediately rinse with water.</li> <li>If skin irritation continues, consult a doctor.</li> <li>Seek immediate help for blistering or open wounds.</li> </ul> </li> <li>After eye contact: <ul> <li>Protect unharmed eye.</li> <li>Remove contact lenses if worn.</li> <li>Rinse opened eye for several minutes under running water. Then consult a doctor.</li> </ul> </li> <li>After swallowing: <ul> <li>Rinse out mouth and then drink plenty of water.</li> <li>Do not induce vomiting; immediately call for medical help.</li> </ul> </li> <li>Most important symptoms and effects, both acute and delayed:</li> <li>Strong caustic effect on skin and mucous membranes.</li> <li>Danger of severe eye injury.</li> </ul>	
Danger of severe eye injury. Gastric or intestinal disorders when ingested.	
· Danger:	(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

Trade name: Potassium Hydroxide 6N

(Cont'd. of page 2)

Danger of gastric perforation. Causes serious eye damage. Harmful if swallowed.

• Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

#### • Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### · Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard. For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard. Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- · Precautions for safe handling:
- Avoid splashes or spray in enclosed areas.
- Prevent formation of aerosols.
- Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.

(Cont'd. on page 4)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

Trade name: Potassium Hydroxide 6N

(Cont'd. of page 3)

• Conditions for safe storage, including any incompatibilities • Requirements to be met by storerooms and receptacles:

Store only in the original receptacle. Unsuitable material for receptacle: steel. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: glass or ceramic.

• Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with acids.

• Further information about storage conditions: Keep containers tightly sealed.

• **Specific end use(s)** No relevant information available.

#### 8 Exposure controls/personal protection

#### · Control parameters

· Components with limit values that require monitoring at the workplace:

#### 1310-58-3 Potassium hydroxide

REL (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
	Ceiling limit value: 2 mg/m <sup>3</sup>

LMPE (Mexico) Ceiling limit value: 2 mg/m<sup>3</sup>

#### · Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

Material of gloves
Nitrile rubber, NBR
Neoprene gloves
PVC gloves
Natural rubber, NR
Sensibilization by the components in the glove materials is possible.

Not suitable are gloves made of the following materials: PVA gloves

· Eye protection:

(Cont'd. on page 5)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

#### Trade name: Potassium Hydroxide 6N

(Cont'd. of page 4)

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

• Body protection: Alkaline resistant protective clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical prope	erties
· Information on basic physical a	and chemical properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	>13
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	105-1115 °C (221-2039 °F)
· Flash point:	The product is not flammable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
<ul> <li>Oxidizing properties:</li> </ul>	Non-oxidizing.
· Vapor pressure:	Not determined.
<ul> <li>Density at 20 °C (68 °F):</li> </ul>	1.35 g/cm³ (11.27 lbs/gal)
<ul> <li>Relative density:</li> </ul>	Not determined.
<ul> <li>Vapor density:</li> </ul>	Not determined.
· Evaporation rate:	Not determined.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
<ul> <li>Other information</li> </ul>	No relevant information available.

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

#### Trade name: Potassium Hydroxide 6N

(Cont'd. of page 5)

#### **10 Stability and reactivity**

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions
- Strong exothermic reaction with acids.
- Corrosive action on metals.
- Attacks materials containing glass and silicate.
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products
- Under fire conditions only: Possible in traces.

#### 11 Toxicological information

#### · Information on toxicological effects

- · Acute toxicity: Harmful if swallowed.
- · LD/LC50 values that are relevant for classification:
- ATE (Acute Toxicity Estimate)

Oral LD50 811 mg/kg (rat)

#### 1310-58-3 Potassium hydroxide

- Oral LD50 273 mg/kg (rat)
- Primary irritant effect:
- $\cdot$  On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### • NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### Probable route(s) of exposure: Ingestion. Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.

Harmful if swallowed.

· Repeated dose toxicity: No relevant information available.

(Cont'd. on page 7)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

Trade name: Potassium Hydroxide 6N

(Cont'd. of page 6)

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

#### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

#### 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

#### **14 Transport information**

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA

UN1814

(Cont'd. on page 8)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

Trade name: Potassium Hydroxide 6N

	(C	Cont'd. of page	
<ul> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· ADR/RID/ADN, IMDG, IATA</li> </ul>	Potassium hydroxide, solution POTASSIUM HYDROXIDE SOLUTION		
· Transport hazard class(es)			
· DOT			
· Class	8		
· Label	8		
· ADR/RID/ADN			
1 A A A A A A A A A A A A A A A A A A A			
· Class	8 (C5)		
· Label	8		
1 Alexandree			
· Class	8		
· Label	8		
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	II		
· Environmental hazards	Not applicable.		
· Special precautions for user	Warning: Corrosive substances		
Danger code (Kemler):	80		
• EMS Number:	F-A,S-B		
Segregation groups	Alkalis		
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.		
· Transport/Additional information:			
· DOT			
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L		

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture (Cont'd. on page 9)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: February 22, 2019

Trade name:	Potassium	Hydroxide 6N
-------------	-----------	--------------

	(Cont'd. of pa
· United States (USA)	
SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL) (Substances not listed.):	
All ingredients are listed.	

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

(Cont'd. on page 10)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

#### Printing date: March 04, 2019

Revision: February 22, 2019

#### Trade name: Potassium Hydroxide 6N

(Cont'd. of page 9)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 • Sources

Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1205 North Elorida Avenue

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com