according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

## Triethanolamine, 50%v/v

# SECTION 1: Identification of the substance/mixture and of the supplier

**Product name**: Triethanolamine, 50%v/v

Manufacturer/Supplier Article number: TR7250SS

# Recommended uses of the product and restrictions on use:

#### **Manufacturer Details:**

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

# **Emergency telephone number:**

## ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture:



Eye dam. 2.

Signal word: Warning

# **Hazard statements:**

Causes serious eye irritation.

## **Precautionary statements:**

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

#### Other Non-GHS Classification: None

# **SECTION 3: Composition/information on ingredients**

# Ingredients:

Ingredients:		
CAS 102-71-6	Triethanolamine	56.5 %
CAS 7732-18-5	Deionized water	43.5 %

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

#### Triethanolamine, 50%v/v

Percentages are by weight

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

# After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

#### After eve contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

#### After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

## Most important symptoms and effects, both acute and delayed:

Headache. Nausea. Shortness of breath. Irritating to eyes. May cause skin and respiratory tract irritation. May cause and allergic skin reaction. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause adverse liver and kidney effects.

## Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

#### **SECTION 5: Firefighting measures**

# **Extinguishing media**

#### Suitable extinguishing agents:

Carbon dioxide. Dry chemical powder. Alcohol foam. Polymer foam. Halons. Water spray.

# Unsuitable extinguishing agents:

Water or ordinary type foam may cause frothing.

# Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

#### Advice for firefighters:

#### **Protective equipment:**

Wear protective eyeware, gloves, and clothing. Use NIOSH-approved respiratory protection/breathing apparatus. Refer to Section 8.

# Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

## **Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

#### Triethanolamine, 50%v/v

## Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal. Refer to Section 8.

# **Reference to other sections:** None **SECTION 7: Handling and storage**

# Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

# Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated area. Keep under nitrogen. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Segregate from acids and acid forming substances. Suitable materials for containers: carbon steel (iron), Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), glass, Low density polyethylene (LDPE).

# **SECTION 8: Exposure controls/personal protection**





**Control parameters:** 102-71-6, Triethanolamine., ACGIH TLV-TWA: 5 mg/m³ TWA.

**Appropriate engineering controls:** Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

**Respiratory protection:** Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

**Protection of skin:** Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

**Eye protection:** Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

**General hygienic measures:** Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes and clothing. Before re-wearing, wash contaminated clothing. No eating, drinking, smoking in the work

area or when handling this material.

## **SECTION 9: Physical and chemical properties**

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

Triethanolamine, 50%v/v				
Appearance (physical state, color):		Explosion limit lower: Explosion limit upper:	Not determined Not determined	
Odor:	Ammonia Like	Vapor pressure at 20°C:	< 0.01 mmHg at 20°C	
Odor threshold:	Not determined	Vapor density:	5.14 (Air = 1.0)	
pH-value:	10.5 15 g/G water	Relative density:	1.125	
Melting/Freezing point:	21°C / 69.8°F	Solubilities:	miscible with water at 25°C	
Boiling point/Boiling range:	360°C / 680°F	Partition coefficient (noctanol/water):	Not determined	
Flash point (closed cup):	190°C / 374°F	Auto/Self-ignition temperature:	Not determined	
Evaporation rate:	Not determined	Decomposition temperature:	Not determined	
Flammability (solid, gaseous):	Combustible	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined	
Density at 20°C:	1.125 g/cm3 at 20 °C			
Additional property:	Hygroscopic			
Specific Gravity:	1.125			

# **SECTION 10: Stability and reactivity**

# **Reactivity:**

Nonreactive under normal conditions.

## **Chemical stability:**

Stable under normal conditions. Hygroscopic. Air sensitive.

#### Possible hazardous reactions:

None under normal processing. Reacts with acids, oxidizing agents, acid chlorides, and halogenated compounds. The progress of reaction is exothermic.

#### **Conditions to avoid:**

Incompatible materials. Oxidizing agents, nitrosating agents, acids, acid forming substances.

#### **Incompatible materials:**

Incompatible with acid chlorides and acid anhydrides.

# **Hazardous decomposition products:**

Carbon oxides, nitrogen oxides, nitrous gases. Hydrogen cyanide, formaldehyde.

# **SECTION 11: Toxicological information**

## **Acute Toxicity**:

## Dermal:

LD50 dermal rabbit >20 mL/kg.

Chronic Toxicity: No additional information.

**Skin corrosion/irritation**: No additional information. **Serious eye damage/irritation**: No additional information. **Respiratory or skin sensitization**: No additional information.

Carcinogenicity:

IARC: Group 3 (Not Classifiable) Monograph 77 [2000] (02-71-6)

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

#### Triethanolamine, 50%v/v

**Germ cell mutagenicity**: No additional information. **Reproductive Toxicity**: No additional information.

**STOT-single and repeated exposure**: No additional information.

Additional toxicological information:

No additional information.

# **SECTION 12: Ecological information**

# **Ecotoxicity:**

Freshwater Algae, 72 Hr EC50 Desmodesmus subspicatus: 216 mg/L; 96 Hr EC50 Desmodesmus subspicatus: 169 mg/L.

Freshwater Fish, 96-Hr LC50 Pimephales promelas: 10600 - 13000 mg/L [flow-through]; 96-Hr LC50 Pimephales promelas: > 1000 mg/L [static]; 96-Hr LC50 Lepomis macrochirus: 450 - 1000 mg/L [static].

#### Persistence and degradability:

Readily biodegradable.

## **Bioaccumulative potential:**

< 3.9 Bioconcentration Factor (BCF) method: OECD 305C (Triethanolamine 102-71-6).

# Mobility in soil:

-2.53.

Other adverse effects: No additional information.

## **SECTION 13: Disposal considerations**

# Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

#### **SECTION 14: Transport information**

#### **US DOT**

**UN Number:** 

ADR, ADN, DOT, IMDG, IATA Not Regulated

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

**Proper shipping Name:** Not Regulated. **Proper shipping Name:** Not Regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

#### Triethanolamine, 50%v/v

# **SECTION 15: Regulatory information**

## **United States (USA)**

# SARA Section 311/312 (Specific toxic chemical listings):

Acute

#### SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

#### RCRA (hazardous waste code):

None of the ingredients are listed.

#### TSCA (Toxic Substances Control Act):

All ingredients are listed.

# CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

## Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients are listed.

# Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

# Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

## Canada

#### Canadian Domestic Substances List (DSL):

All ingredients are listed.

#### **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**NFPA**: 0-0-0 **HMIS**: 0-0-0

GHS Full Text Phrases: None

# **Abbreviations and Acronyms:**

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.09.2015

	Triethanolamine, 50%v/v
CFR	Code of Federal Regulations (USA)
SARA	Superfund Amendments and Reauthorization Act (USA).
RCRA.	Resource Conservation and Recovery Act (USA).
TSCA.	Toxic Substances Control Act (USA).
NPRI	National Pollutant Release Inventory (Canada).
DOT	US Department of Transportation.
IATA	International Air Transport Association.
GHS	${\bf Globally\ Harmonized\ System\ of\ Classification\ and\ Labelling\ of\ Chemicals.}$
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service (division of the American Chemical Society).
NFPA	National Fire Protection Association (USA).
HMIS	Hazardous Materials Identification System (USA).
WHMIS	Workplace Hazardous Materials Information System (Canada).
DNEL	Derived No-Effect Level (REACH).