Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Γ

Revision: February 27, 2019

· Product id	entifier
	: Methyl Red Stock Solution
· Product co	le: MR6200SS
· Recommen	ded use and restriction on use
· Recommen	ded use: Laboratory chemicals
· Restrictions	s on use: No relevant information available.
· Details of t	he supplier of the Safety Data Sheet
· Manufactur	
	x Scientific, Inc.
860 Gitts Ru	
Hanover, PA	
Phone: (717	
Toll-Free: (8	66)632-1291
	noenixsci.com
·Emergency	telephone number:
ChemTel Inc	
	24 (North America)
	-0585 (International)
2 Hazard(s)	identification
. Classificat	ion of the substance or mixture
	ion of the substance or mixture
Flam. Liq. 2	H225 Highly flammable liquid and vapor.
Flam. Liq. 2	
Flam. Liq. 2	H225 Highly flammable liquid and vapor.H319 Causes serious eye irritation.
Flam. Liq. 2 Eye Irrit. 2A	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
Flam. Liq. 2 Eye Irrit. 2A · Label elem · GHS label e	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. eents lements
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
Flam. Liq. 2 Eye Irrit. 2A · Label elem · GHS label e	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms:
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms:
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • GHS02 GHS	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms:
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms:
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • GHS02 GHS • Signal word • Hazard stat	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms:
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word • Hazard stat H225 Highly H319 Cause	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms: 007 I: Danger ements: flammable liquid and vapor. s serious eye irritation.
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word • Hazard stat H225 Highly H319 Cause • Precautiona	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms: 007 I: Danger ements: flammable liquid and vapor. s serious eye irritation. Hy statements:
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word • Hazard stat H225 Highly H319 Cause • Precautiona P210	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms: 007 I: Danger ements: flammable liquid and vapor. s serious eye irritation. Hy statements: Keep away from heat/sparks/open flames/hot surfaces No smoking.
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word • Hazard stat H225 Highly H319 Cause • Precautiona P210 P233	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). Ograms: 007 I: Danger ements: flammable liquid and vapor. s serious eye irritation. Hy statements: Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed.
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word • Hazard stat H225 Highly H319 Cause • Precautiona P210 P233 P240	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 07 H: Danger ements: flammable liquid and vapor. s serious eye irritation. Iry statements: Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment.
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal worc • Hazard stat H225 Highly H319 Cause • Precautiona P210 P233 P240 P241	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 07 H: Danger ements: flammable liquid and vapor. s serious eye irritation. Irry statements: Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal worc • Hazard stat H225 Highly H319 Cause • Precautiona P210 P233 P240 P241 P242	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hand Series Serious eye irritation. Hand Series Serious eye irritation. Hand Series Series System (GHS). Hand Series Series System (GHS). Hand Series Series System (GHS). Hand Series Series Series Serie
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal worc • Hazard stat H225 Highly H319 Cause • Precautiona P210 P233 P240 P241 P242 P243	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. Hammable liquid and labeled according to the Globally Harmonized System (GHS). H307 H: Danger Hammable liquid and vapor. I: Danger Hammable liquid and vapor. I: Serious eye irritation. Hy statements: Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal worc • Hazard stat H225 Highly H319 Cause • Precautiona P210 P233 P240 P241 P242	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hand Series Serious eye irritation. Hand Series Serious eye irritation. Hand Series Series System (GHS). Hand Series Series System (GHS). Hand Series Series System (GHS). Hand Series Series Series Serie

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 1)

	regulations.
P501	Dispose of contents/container in accordance with local/regional/national/international
P403+P235	Store in a well-ventilated place. Keep cool.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P337+P313	If eye irritation persists: Get medical advice/attention.
	present and easy to do. Continue rinsing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	water/shower.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

• Other hazards There are no other hazards not otherwise classified that have been identified.

P202, P261, P262 If an akin (or bair), Take off immediately all contaminated elething

3 Composition/information on ingredients

· Chemical characterization: Mixtures

	nts:		
64-17-5		🚸 Flam. Liq. 2, H225	51.802%
		🚯 Eye Irrit. 2A, H319	
7732-18-5	Water		48.084%
845-10-3	sodium 2-(p-(dimethylamino)phenylazo)benzoate		0.114%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- Provide oxygen treatment if affected person has difficulty breathing.
- · After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

- · After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; immediately call for medical help.

\cdot Most important symptoms and effects, both acute and delayed:

Causes eye irritation. Breathing difficulty

Coughing

Causes mild skin irritation.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Dizziness

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 2) Acidosis Disorientation Unconsciousness · Danger: May cause neurotoxic effects. Danger of impaired breathing. Indication of any immediate medical attention and special treatment needed: If medical advice is needed, have product container or label at hand. 5 Fire-fighting measures · Extinguishing media · Suitable extinguishing agents: Alcohol resistant foam Water fog / haze Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder · For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. · Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. · Additional information: Eliminate all ignition sources if safe to do so. Use large quantities of foam as it is partially destroyed by the product. Cool endangered receptacles with water in flooding quantities. 6 Accidental release measures · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Environmental precautions Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. · Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Prevent formation of aerosols.
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: Highly flammable liquid and vapor. Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Store away from oxidizing agents.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

 Components w 	rith limit values that require monitoring at the workplace:	
64-17-5 Ethano	I	
PEL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm	
REL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm	
TLV (USA)	Short-term value: 1880 mg/m ³ , 1000 ppm	
EL (Canada)	Short-term value: 1000 ppm	
EV (Canada)	Long-term value: 1,900 mg/m ³ , 1,000 ppm	
LMPE (Mexico)	Long-term value: 1000 ppm A3	
The usual preca Keep away from Immediately ren Wash hands be Do not inhale du • Engineering co	tive and hygienic measures: autionary measures for handling chemicals should be followed. a foodstuffs, beverages and feed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ust / smoke / mist. ontrols: Provide adequate ventilation.	
· Breathing equi	pment: Not required under normal conditions of use.	(Cont'd, on page 5

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

 Material of gloves Laminated film gloves. Nitrile rubber, NBR Neoprene gloves

Butyl rubber, BR

- Not suitable are gloves made of the following materials:
- PVC gloves

PVA gloves

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Solvent resistant protective clothing
- \cdot Limitation and supervision of exposure into the environment
- No relevant information available.

chemical properties Liquid Light yellow Like alcohol Not determined. Not determined. Not determined. Not determined.
Light yellow Like alcohol Not determined. Not determined. Not determined.
Light yellow Like alcohol Not determined. Not determined. Not determined.
Like alcohol Not determined. Not determined. Not determined.
Not determined. Not determined. Not determined.
Not determined. Not determined.
Not determined.
Not determined
Not determined.
13-22 °C (55.4-71.6 °F)
Not applicable.
Not determined.
Not determined.
Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Not determined.
Not determined.
Not determined.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

		(Cont'd. of page
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.87-0.90 g/cm³ (7.26-7.51 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
- Reacts violently with oxidizing agents.
- Highly flammable liquid and vapor.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

· Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

· Incompatible materials No relevant information available.

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 Ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4h 20,000 mg/l (rat)

Primary irritant effect:

· On the skin:

(Cont'd. on page 7)

1

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution (Cont'd. of page 6) Based on available data, the classification criteria are not met. Causes mild skin irritation. On the eye: Irritating effect. · Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): 64-17-5 Ethanol · NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. · Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes. Causes mild skin irritation. · Repeated dose toxicity: No relevant information available. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met.

- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 7)

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	UN1170	
UN proper shipping name DOT ADR/RID/ADN, IMDG IATA	Ethanol ETHANOL (ETHYL ALCOHOL) ETHANOL	
Transport hazard class(es)		
DOT		
A CONTRACTOR OF		
Class Label	3 3	
ADR/RID/ADN		
Class	3 (F1)	
Label	3	
IMDG, IATA		
Class	3	
Label	3	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II	
Environmental hazards	Not applicable.	
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 33	

(Cont'd. of page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

· EMS Number:

F-E,S-D

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. All ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. All ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 10)

1

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 01, 2019

Revision: February 27, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 9) Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com