Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

1 Identificati	on	
· Product ide	ntifier	
 Trade name: Product code 		
· Recommend	ed use and restriction on use ed use: Laboratory chemicals on use: No relevant information available.	
Manufacture AquaPhoenix 860 Gitts Run Hanover, PA Phone: (717) Toll-Free: (86 info@aquapho Distributor:	Scientific, Inc. Road 17331 632-1291 6)632-1291 Denixsci.com Scientific, Inc. Road 17331	
_		
ChemTel Inc. (800)255-392 +1 (813)248-0	elephone number: 4 (North America) 9585 (International)	
ChemTel Inc. (800)255-392 +1 (813)248-0	4 (North America)	
ChemTel Inc. (800)255-392 +1 (813)248-0 2 Hazard(s) i · Classificatio	4 (North America) 9585 (International)	
ChemTel Inc. (800)255-392 +1 (813)248-0 2 Hazard(s) i • Classificatio Met. Corr.1 H Skin Irrit. 2 H	4 (North America) 585 (International) dentification on of the substance or mixture 1290 May be corrosive to metals. 1315 Causes skin irritation.	
ChemTel Inc. (800)255-392 +1 (813)248-0 2 Hazard(s) i • Classificatio Met. Corr.1 H Skin Irrit. 2 H Eye Irrit. 2A H • Label eleme • GHS label eleme	4 (North America) 585 (International) dentification on of the substance or mixture 1290 May be corrosive to metals. 1315 Causes skin irritation. 1319 Causes serious eye irritation. 1319 Causes serious eye irritation. ents ements classified and labeled according to the Globally Harmonized	System (GHS).
ChemTel Inc. (800)255-392 +1 (813)248-0 2 Hazard(s) i • Classificatio Met. Corr.1 H Skin Irrit. 2 H Eye Irrit. 2A H • Label eleme • GHS label ele The product is	4 (North America) 585 (International) dentification on of the substance or mixture 1290 May be corrosive to metals. 1315 Causes skin irritation. 1319 Causes serious eye irritation. 1319 Causes serious eye irritation. ents ements classified and labeled according to the Globally Harmonized	System (GHS).
ChemTel Inc. (800)255-392 +1 (813)248-0 2 Hazard(s) i • Classificatio Met. Corr.1 H Skin Irrit. 2 H Eye Irrit. 2A H • Label eleme • GHS label eleme • GHS label eleme • Hazard picto GHS05 • Signal word: • Hazard state H290 May be H315 Causes	4 (North America) 0585 (International) dentification on of the substance or mixture 1290 May be corrosive to metals. 1315 Causes skin irritation. 1319 Causes serious eye irritation. 1319 Causes serious eye irritation. 1318 ements a classified and labeled according to the Globally Harmonized grams: Warning ments: corrosive to metals. skin irritation. serious eye irritation.	I System (GHS).

>85%

9.8-15%

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

	(Cont'd. of page 1)
P280	Wear protective gloves and eye protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.
• Other hazards	There are no other hazards not otherwise classified that have been identified

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5 Water

7664-93-9 Sulfuric acid

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Acidosis

- Causes skin and eye irritation.
- · Indication of any immediate medical attention and special treatment needed:
- No relevant information available.

5 Fire-fighting measures

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

(Cont'd. of page 2)

• Extinguishing media • Suitable extinguishing agents: The product is not flammable.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: No relevant information available.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

[•] Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Water

Dispose of the collected material according to regulations.

[•] Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

• **Precautions for safe handling:** Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Avoid contact with the eyes and skin. Open and handle receptacle with care.

[•] Conditions for safe storage, including any incompatibilities

 Requirements to be met by storerooms and receptacles: Store in cool, dry conditions in well sealed receptacles. Store only in the original receptacle. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: steel.
 Information about storage in one common storage facility: Store away from foodstuffs.

(Cont'd. on page 4)

(Cont'd. of page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

Do not store together with alkalis (caustic solutions). Store away from metals. Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:

•	
7664-93-9 Sulfu	ıric acid
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 0.2* mg/m ³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m ³
LMPE (Mexico)	Long-term value: 0.2* mg/m ³ A2;*fracción torácica

Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: For large spills, respiratory protection may be advisable.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Material of gloves
- Neoprene gloves Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Laminated film gloves.
- Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • **Body protection:** Acid resistant protective clothing.

(Cont'd. on page 5)

(Cont'd. of page 4)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

· Limitation and supervision of exposure into the environment No relevant information available.

· Risk management measures No relevant information available.

	chemical properties
Form: L	Clear
	Clear
· Odor threshold:	Not determined.
	Not determined.
	Not determined.
 Boiling point/Boiling range: 1 	105-110 ℃ (221-230 ℉)
· Flash point: 7	The product is not flammable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion: F	Product does not present an explosion hazard.
· Explosion limits	
	Not determined.
	Not determined.
Oxidizing properties:	Not determined.
· Vapor pressure at 20 °C (68 °F): 2	23 hPa (17.3 mm Hg)
· Density:	
	1.05-1.15
	Not determined.
•	Not determined.
• Solubility in / Miscibility with	
Water: F	Fully miscible.
· Partition coefficient (n-octanol/water): N	Not determined.
· Viscosity	
	Not determined.
	Not determined.
• Other information	No relevant information available.

10 Stability and reactivity

· Reactivity:

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

(Cont'd. of page 5)

Corrosive action on metals. Toxic fumes may be released if heated above the decomposition point. · Chemical stability: Stable under normal temperatures and pressures. · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with certain metals. Reacts with alkali (lyes). Reacts with oxidizing agents. Conditions to avoid Excessive heat. Incompatible materials Metals. Alkalis Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid. Hazardous decomposition products Sulfur oxides (SOx) Sulfur dioxide

11 Toxicological information

- Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Causes serious eye irritation.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

· OSHA-Ca (Occupational Safety & Health Administration):

- None of the ingredients are listed. • Probable route(s) of exposure:
- Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

Κ

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

(Cont'd. of page 6)

12 Ecological information

- [.] Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- [•] Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADR/RID/ADN, IMDG, IATA	UN3264
[.] UN proper shipping name	
·DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid)
· ADR/RID/ADN, IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (SULPHURIC ACID)
·IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Sulphuri acid)
· Transport hazard class(es)	

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

	(Cont'd. of	f page
·DOT		
Class	8	
·Label	8	
· ADR/RID/ADN		
• Class	8 (C1)	
· Label	8	
· IMDG, IATA		
· Class	8	
·Label	8	
· Packing group		
· DOT, ADR/RID/ADN, IMDG, IATA	III	
· Environmental hazards		
· Marine pollutant:	No	
· Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
· Segregation groups	Acids	
[•] Transport in bulk according to Annex	c II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA

• Section 302 (extremely hazardous substances): None of the ingredients are listed. • Section 355 (extremely hazardous substances): 7664-93-9 Sulfuric acid

Section 313 (Specific toxic chemical listings):

(Cont'd. on page 9)

(Cont'd. of page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

7664-93-9 Sulfuric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

(Cont'd. on page 10)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid

(Cont'd. of page 9)

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com