according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

Xylenol Orange

Manufacturer/Supplier Article number: XO4550SS

Recommended uses of the product and restrictions on use: Laboratory

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924 +1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:

Corrosive



Serious eye damage, category 1 Corrosive to metals, category 1 Skin corrosion, category 1B



Irritant Specific target organ toxicity following single exposure, category 3

Corr. Metals 1. Corr. Skin 1B. Eye Damage 1. STOT. SE 3.

Signal word: Danger

Hazard statements:

May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statements:

If medical advice is needed have product container or label at hand. Keep out of reach of children. Read label before use. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Keep only in original container. Do not get in eyes, on skin, or on clothing. Wash skin thoroughly after handling. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Store in corrosive resistant stainless steel container with a resistant inner liner.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 7647-01-0	Hydrochloric Acid, ACS	42.9 %		
CAS 7732-18-5	Water	46.9 %		
CAS 3618-43-7	Xylenol Orange, Na Salt, ACS	0.2 %		
CAS 5470-11-1	Hydroxylammonium Chloride	10 %		
Percentages are by weight				

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical attention if irritation or coughing persists.

After skin contact:

Wash affected area with soap and water. Immediately remove contaminated clothing and shoes. Rinse thoroughly with plenty of water for at least 15 minutes. Immediately seek medical attention.

After eye contact:

Protect unexposed eye. Flush thoroughly with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Continue rinsing eyes during transport to hospital.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Inhalation may cause irritation to nose and upper respiratory tract, ulceration, coughing, chest tightness and shortness of breath. Higher concentrations cause tachypnoea, pulmonary oedema and suffocation. Ingestion may cause corrosion of lips, mouth, esophagus and stomach, dysphagia and vomiting. Pain, eye ulceration, conjunctival irritation, cataracts and glaucoma may occur following eye exposure. Erythema and skin irritation, as well as chemical burns to skin and mucous membranes may arise following skin exposure. Potential sequelae following ingestion of hydrochloric acid include perforation, scarring of the esophagus or stomach and stricture formation causing dysphagia or gastric outlet obstruction. In some cases, RADS may develop. Respiratory symptoms may take up to 36 hrs. to develop. Symptoms of burning sensation, cough, wheezing,

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange

laryngitis, shortness of breath, spasm, inflammation, edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Indication of any immediate medical attention and special treatment needed:

Provide SDS to Physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. If in contact with metals toxic fumes may be released.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Wear respiratory protection.

Additional information (precautions):

Thermal decomposition can produce poisoning chlorine. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing. Hydrochloric acid reacts also with many organic materials with liberation of heat.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Soak up with inert absorbent material and dispose of as hazardous waste. Cover spill with suitable absorbing agent. Mix and add water to form slurry. Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Prevent contact with skin, eyes, and clothing. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Store away from incompatible materials. Provide ventilation for containers. Keep container tightly closed. Containers for hydrochloric acid must be made from corrosion resistant materials: glass, polyethylene, polypropylene, and polyvinyl chloride, carbon steel lined with rubber or ebonite.

SECTION 8: Exposure controls/personal protection

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange					
Control parameters:	7647-01-0, Hydrochloric Acid, ACGIH: 2 ppm Ceiling. 7647-01-0, Hydrochloric Acid, NIOSH: 5 ppm Ceiling; 7 mg/m³ Ceiling.				
Appropriate engineering controls:	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of handling.				
Respiratory protection:	Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.				
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.				
Eye protection:	Face shield (8-inch minimum). Tightly fitting safety goggles.				
General hygienic measures:	Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Before rewearing wash contaminated clothing.				

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Greenish yellow liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Slightly pungent odor	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	Not determined	Solubilities:	Miscible.
Boiling point/Boiling range:	Not determined	Partition coefficient (n- octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		
Hydrochloric Acid	MW is36.46		

SECTION 10: Stability and reactivity

Reactivity:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange

Reacts violently with bases and is corrosive.

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Attacks many metals in the presence of water forming flammable/explosive gas (hydrogen). Reacts violently with oxidants forming toxic gas (chlorine).

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Most metals, alkalis, active metals, cyanides, sulfides, sulfites, metal oxides, formaldehydes.

Hazardous decomposition products:

Fumes of hydrogen chloride and hydrogen in contact with metals. Chloride gas from oxidizers.

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

LD50 Rabbit >5010 mg/kg 7647-01-0.

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

Skin - rabbit Result: Causes burns. 7647-01-0.

Serious eye damage/irritation:

Eyes - rabbit Result: Corrosive to eyes 7647-01-0.

Respiratory or skin sensitization: No additional information. **Carcinogenicity**: No additional information.

Germ cell mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

STOT-single and repeated exposure:

7647-01-0: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

7647-01-0, Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid).

Persistence and degradability: No additional information.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange

Waste disposal recommendations:

Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

US DOT

UN Number: ADR, ADN, DOT, IMDG, IATA

Limited Quantity Exception:

Bulk: RQ (if applicable): None Proper shipping Name: Corrosive Liquid , N.O.S. , (Hydrochloric Acid Solution). Hazard Class: 8 Packing Group: II. Marine Pollutant (if applicable): No additional information. Comments: None 1760

None

Non Bulk: RQ (if applicable): None Proper shipping Name: Corrosive Liquid , N.O.S. , (Hydrochloric Acid Solution). Hazard Class: 8 Packing Group: II. Marine Pollutant (if applicable): No additional information. Comments: None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

7647-01-0 Hydrochloric Acid.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7647-01-0 Hydrochloric Acid 5000 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Xylenol Orange

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-1 HMIS: 3-0-1 GHS Full Text Phrases: None

Abbreviations and Acronyms:

- IMDG International Maritime Code for Dangerous Goods.
- PNEC. Predicted No-Effect Concentration (REACH).
- CFR Code of Federal Regulations (USA)
- SARA Superfund Amendments and Reauthorization Act (USA).
- RCRA. Resource Conservation and Recovery Act (USA).
- TSCA. Toxic Substances Control Act (USA).
- NPRI National Pollutant Release Inventory (Canada).
- DOT US Department of Transportation.
- IATA International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemicals.
- ACGIH American Conference of Governmental Industrial Hygienists
- CAS Chemical Abstracts Service (division of the American Chemical Society).
- NFPA National Fire Protection Association (USA).
- HMIS Hazardous Materials Identification System (USA).
- WHMIS Workplace Hazardous Materials Information System (Canada).
- DNEL Derived No-Effect Level (REACH).