Page: 1/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

1 Identification

· Product identifier

· Trade name: <u>Nitrite Titrant</u> · Product code: ND2280SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS07

· Signal word: Danger

· Hazard statements:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements:

P234 Keep only in original container.
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

(Cont'd. on page 2)

Page: 2/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

(Cont'd. of page 1)

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

	· Components:		
Γ	7732-18-5	Water	65.18%
Γ		Sulfuric acid	11.72%
		♦ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
Γ	16774-21-3	diammonium hexanitratocerate	23.10%
		🚸 Ox. Sol. 2, H272	
		Met. Corr.1, H290; Skin Corr. 1C, H314; Eye Dam. 1, H318	
		Acute Tox. 4, H302; Skin Sens. 1A, H317	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

(Cont'd. of page 2)

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Allergic reactions

Caustic effect on skin and mucous membranes.

Eve damage.

Gastric or intestinal disorders when ingested.

Acidosis

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

Harmful if swallowed.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

(Cont'd. of page 3)

Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

Store away from organic solvents.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
7664-93-9 Sulfu	7664-93-9 Sulfuric acid			
PEL (USA)	Long-term value: 1 mg/m ³			
REL (USA)	Long-term value: 1 mg/m ³			
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction			
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1			
EV (Canada)	Long-term value: 0.2 mg/m ³			
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica			

· Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

(Cont'd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Fluorocarbon rubber (Viton)

Butyl rubber, BR

Natural rubber, NR

Nitrile rubber, NBR

Neoprene gloves

Sensibilization by the components in the glove materials is possible.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Acid resistant protective clothing.
- · Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

of hysical and elicinical properties			
· Information on basic physical and chemical properties			
· Appearance:			
Form:	Liquid		
Color:	Light orange color		
· Odor:	Not determined.		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Melting point/Melting range:	Not determined.		
· Boiling point/Boiling range:	105-110 °C (221-230 °F)		
· Flash point:	The product is not flammable.		
· Flammability (solid, gaseous):	Not applicable.		
· Auto-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
· Oxidizing properties:	Not determined.		

(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

		(Cont'd. of page
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.12 g/cm³ (9.35 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Corrosive action on metals.

Reacts with certain metals.

Reacts with strong oxidizing agents.

- · Conditions to avoid No relevant information available.
- · Incompatible materials

Alkalis

Metals.

Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.

· Hazardous decomposition products

Sulfur oxides (SOx)

Toxic metal compounds

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed.
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1200-2500 mg/kg (rat)

16774-21-3 diammonium hexanitratocerate

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

(Cont'd. of page 6)

Oral LD50 301-2000 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: Caustic effect on skin and mucous membranes.
- On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye damage.

Harmful if swallowed.

- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity

16774-21-3 diammonium hexanitratocerate

LC50 0.14 mg/l (Oncorhynchus mykiss) (96h)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

Page: 8/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

(Cont'd. of page 7)

(Cont'd. on page 9)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Ac
· ADR/RID/ADN	Solution) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	ENVIRONMENTALLY HAZARDOUS (SULFURI
· IMDG	ACID SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
· INIDG	MARINE POLLUTANT (SULFURIC ACID SOLUTION
·IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(SULFURIC ACID SOLUTION)
· Transport hazard class(es)	
· DOT	
COORDINATE Y	
· Class	8
· Label	8
· ADR/RID/ADN	
¥2>	
· Class	8 (C1)
· Label	8
· IMDG	
¥2>	

Page: 9/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

	(Cont'd. of page 8	
· Class · Label	8 8	
· IATA		
· Class	8	
· Label	8	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	III	
· Environmental hazards	Product contains environmentally hazardous substances: diammonium hexanitratocerate	
· Marine pollutant:	Yes (DOT) Symbol (fish and tree)	
· Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
· EMS Number:	F-A,S-B	
· Segregation groups	Acids	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

· Section 302	(extremely	/ hazardous	substances):
---------------	------------	-------------	------------	----

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7664-93-9 Sulfuric acid

· Section 313 (Specific toxic chemical listings):

16774-21-3 diammonium hexanitratocerate

7664-93-9 Sulfuric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 20, 2018 Revision: December 20, 2018

Trade name: Nitrite Titrant

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

16774-21-3 diammonium hexanitratocerate | II

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

16 Other information

All ingredients are listed.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Canadian Domestic Substances List (DSL) (Substances not listed.):

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Ox. Sol. 2: Oxidizing solids - Category 2

Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com