according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Fluorescent Ink **Manufacturer/Supplier Article number**: FL2200SS

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable Liquids Cat. 2.

Signal word: Danger

Hazard statements:

Highly flammable liquid and vapour.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep container tightly closed.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire, use agents recommended in section 5 for extinction.

Store in a well ventilated place. Keep cool.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink				
Ingredients:				
CAS 64-17-5	Ethanol	99.18 %		
CAS 92-70-6	3-Hydroxy-2-naphthoic Acid	0.63 %		
CAS 1310-73-2	Sodium Hydroxide	0.19 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. If breathing is difficult give oxygen. Seek medical attention if cough or respiratory irritation develops.

After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Rinse or flush exposed eye gently using water for 15-20 minutes. Consult a physician if irritation persists.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Dilute mouth with water or milk after rinsing. Immediately get medical assistance.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. Water spray can keep containers cool.

Unsuitable extinguishing agents:

Water may be ineffective on fire.

Special hazards arising from the substance or mixture:

Flashback along vapor trail may occur. Vapors are heavier than air. Be aware of vapor accumulating in low-lying areas. Remove sources of ignition. Vapor may explode if ignited in an enclosed area.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway.

Methods and material for containment and cleaning up:

Refer to Section 8. Wear protective eyeware, gloves, and clothing. Absorb with suitable material and place in chemical waste container. Ventilate area of spill. Dispose of empty containers as unused product. Refer to Section 13.

Reference to other sections: None SECTION 7: Handling and storage

Precautions for safe handling:

Wear protective eyeware, gloves, and clothing. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Refer to Section 8.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from heat and sources of ignition. Provide ventilation for containers. Keep container tightly closed. Store with like hazards.

SECTION 8: Exposure controls/personal protection









Control parameters: 64-17-5, Ethanol, ACGIH TLV: 1880 mg/m³. 64-17-5, Ethanol, OSHA PEL: 1900 mg/m³.

1310-73-2, Sodium Hydroxide, ACGIH TLV TWA 2mg/m3. 1310-73-2, Sodium Hydroxide, OSHA PEL TWA 2mg/m3.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Ensure adequate ventilation to ensure the Lower Explosive Limit (LEL) and Occupational Exposure Limits

(OEL) are not reached.

Respiratory protection: Use suitable respiratory protective device when high concentrations are

present. If exposure limit is exceeded, a full-face respirator with organic

cartridge may be worn.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Wear

protective clothing.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: Wash hands before breaks and at the end of work. Perform routine

housekeeping to prevent dust generation. Before re-wearing, wash contaminated clothing. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	, , ,	Explosion limit lower: Explosion limit upper:	3.3 18.0
Odor:	Alcohol	Vapor pressure at 20°C:	48 mm Hg
Odor threshold:	Not determined	Vapor density:	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink				
pH-value:	Not determined	Relative density:	Approx. 0.8	
Melting/Freezing point:	- 90C	Solubilities:	Infinite solubility.	
Boiling point/Boiling range:	77C	Partition coefficient (noctanol/water):	Not determined	
Flash point (closed cup):	15.5C	Auto/Self-ignition temperature:	362.8C	
Evaporation rate:	3.6	Decomposition temperature:	Not determined	
Flammability (solid, gaseous):	Flammable	Viscosity:	a. Kinematic: Not determinedb. Dynamic: Not determined	
Density at 20°C:	Not determined			

SECTION 10: Stability and reactivity

Reactivity:

Flammable vapor may form explosive mixtures with air.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None known. None under normal processing.

Conditions to avoid:

Incompatible materials. Excess heat and ignition sources. No smoking. Avoid accumulation of static charge.

Incompatible materials:

Strong oxidizers, heat, sparks, open flames, platinum, sodium, bromine pentafluoride, potassium dioxide, acetyl bromide, & acetyl chloride.

Hazardous decomposition products:

Carbon oxides (CO, CO2). Acrid and irritating fumes.

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

LD50 Dermal-rabbit: 15800 mg/kg Ethanol.

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

Rabbit: Causes severe burns - 24 hr (Sodium Hydroxide).

Serious eye damage/irritation:

Rabbit: Corrosive 24 hr (Sodium Hydroxide).

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Aquatic Tox., Ethanol has a slight acute and chronic toxicity to aquatic life.

Toxicity to fish, LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h (Sodium hydroxide).

Toxicity to fish, LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h (Sodium hydroxide).

Toxicity to daphnia and other aquatic invertebrates, Immobilization EC50 - Daphnia (water flea) - 40.38 mg/l - 48 h (Sodium hydroxide).

Persistence and degradability: No additional information. **Bioaccumulative potential**: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Do not dispose of down drain or into waterways.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA UN1170

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Ethanol. Proper shipping Name: Ethanol.

Hazard Class: 3
Packing Group: ||.
Packing Group: ||.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information.

Comments: None Comments: None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute,Fire

SARA Section 313 (Specific toxic chemical listings):

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

1310-73-2 Sodium Hydroxide 1000 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 Ethanol.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0 **HMIS**: 2-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.06.2015

Fluorescent Ink				
IATA	International Air Transport Association.			
GHS	Globally Harmonized System of Classification and Labelling of Chemicals.			
ACGIH	American Conference of Governmental Industrial Hygienists			
CAS	Chemical Abstracts Service (division of the American Chemical Society).			
NFPA	National Fire Protection Association (USA).			
HMIS	Hazardous Materials Identification System (USA).			
WHMIS	Workplace Hazardous Materials Information System (Canada).			
DNEL	Derived No-Effect Level (REACH).			