

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015**Phenolphthalein Indicator 1****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Phenolphthalein Indicator 1**Manufacturer/Supplier Article number:** PH1605K12SS**Recommended uses of the product and restrictions on use:** Laboratory Chemicals**Manufacturer Details:**

AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331
1-717-632-1291

Emergency telephone number:**ChemTel: (24-hour)**

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification**Classification of the substance or mixture:****Flammable**

Flammable liquids, category 2

**Irritant**Specific target organ toxicity following single exposure, category 3
Eye irritation, category 2A

Flammable liq. 2.

Eye Irrit. 2.

Stot SE. 3.

Signal word: Danger**Hazard statements:**

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep container tightly closed.

Wash skin thoroughly after handling.

Use explosion-proof electrical/ventilating/light/equipment.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015**Phenolphthalein Indicator 1**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire, use agents recommended in section 5 for extinction.

Store in a well ventilated place. Keep container tightly closed.

Store in a well ventilated place. Keep cool.

Store locked up.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None**SECTION 3: Composition/information on ingredients****Ingredients:**

Ingredients:		
CAS 67-63-0	Isopropanol	<19.65 %
CAS 77-09-8	Phenolphthalein	<0.42 %
CAS 64-17-5	Ethanol, 95%, ACS	<9.8625 %
CAS 7732-18-5	Deionized Water	>60.17 %
CAS 67-56-1	Methanol	<9.8975 %
Percentages are by weight		

SECTION 4: First aid measures**Description of first aid measures****After inhalation:**

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Rinse or flush eye gently with water for at least 15-20 minutes, lifting upper and lower lids. Seek immediate medical attention (ophthalmologist).

After swallowing:

Induce vomiting. Dilute mouth with water or milk after rinsing. Immediately get medical assistance.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Headache. May cause burning and stinging irritation and possible damage to cornea and conjunctiva. Results in cracking and burning which may lead to secondary infections and dermatitis. May cause nausea, vomiting, cramps, and diarrhea; approximately 250mL (Isopropanol) is the lethal dose for a human adult. May cause mild irritation of the mucous membrane and upper respiratory tract. Irritation- all routes of exposure. Phenolphthalein is a possible cancer hazard. Prolong exposure may cause adverse reproductive effects. May cause kidney injury. May cause allergic skin reaction. Ethanol: Central nervous system depression, narcosis, Damage to the hear t., To the best of our knowledge, the chemical, physical, and toxicological

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015**Phenolphthalein Indicator 1**

properties have not been thoroughly investigated. Ethanol: Stomach - Irregularities - Based on Human Evidence.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. Water spray can be used to dilute spills to nonflammable mixtures.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Vapors can flow to distant ignition sources and flashback. Use water spray to cool fire exposed containers, and flush non-ignited spills or vapors away from fire.

Advice for firefighters:**Protective equipment:**

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not inhale gases, fumes, dust, mist, vapor, and aerosols. Water can be used to dilute to nonflammable mixtures.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Keep away from ignition sources. Protect from heat.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Should not be released into environment.

Methods and material for containment and cleaning up:

Use spark-proof tools and explosion-proof equipment. Have fire extinguishing agent available in case of fire. Always obey local regulations. Refer to Section 13. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. Remove all sources of ignition. Contain spill then collect. Do not flush to sewer. Absorb with a noncombustible absorbent material such as sand or earth and containerize for disposal. Ventilate area of spill.

Reference to other sections: None

SECTION 7: Handling and storage**Precautions for safe handling:**

Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Empty containers retain product residue and can be dangerous.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Store securely in flammable storage area away from sources of ignition. Store locked up. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Keep container tightly closed. Protect from freezing and physical damage. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 1**Control parameters:**

67-63-0, Isopropanol, ACGIH: 400 ppm STEL; 200 ppm TWA.
 67-63-0, Isopropanol, NIOSH: 500 ppm STEL; 1225 mg/m³ STEL.
 67-63-0, Isopropanol, NIOSH: 400 ppm TWA; 980 mg/m³ TWA.
 64-17-5, Ethanol, TWA 1,000 ppm USA. ACGIH.
 64-17-5, Ethanol, TWA 1,000 ppm 1,900 mg/m³ USA. OSHA.
 64-17-5, Ethanol, TWA 1,000 ppm 1,900 mg/m³ USA. NIOSH.
 67-56-1, Methanol., TWA 200 ppm USA. ACGIH.
 67-56-1, Methanol., TWA 200 ppm 260 mg/m³ USA. OSHA.
 67-56-1, Methanol., TWA 200 ppm 260 mg/m³ USA. NIOSH.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation.

Eye protection:

Safety glasses with side shields or goggles.

General hygienic measures:

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Perform routine housekeeping. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear colorless liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Mild alcohol	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	2.1
pH-value:	Not determined	Relative density:	Not determined
Melting/Freezing point:	-88°C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Approx. 82°C	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	2.88	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity**Reactivity:**

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015**Phenolphthalein Indicator 1**

None under normal processing.

Chemical stability:

No decomposition if used and stored according to specifications. Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Strong oxidizers, heat, sparks, open flames. Will attack some forms of rubber, plastics and coatings. May react with metallic aluminum and generate hydrogen gas. Aldehydes. Metallic oxides may cause ignition.

Hazardous decomposition products:

Acrid and irritating fumes, including toxic oxides of carbon will heat to combustion.

SECTION 11: Toxicological information**Acute Toxicity:****Dermal:**

LD50 Dermal - rabbit - 17,100 mg/kg 67-56-1.

LD50 Oral - Rat - 5,045 mg/kg 67-63-0.

LD50 Dermal - Rabbit - 12,800 mg/kg 67-63-0.

Chronic Toxicity: No additional information.**Skin corrosion/irritation:**

LD50 Dermal - Rabbit - 12,800 mg/kg 67-63-0.

Skin - Rabbit Result : No skin irritation - 24 h 64-17-5.

Serious eye damage/irritation:

Eyes - Rabbit Result: Eye irritation - 24 h 67-63-0.

Eyes - Rabbit Result : Mild eye irritation - 24 h 64-17-5.

Respiratory or skin sensitization: No additional information.**Carcinogenicity:****64-17-5:** Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease.**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:**

64-17-5: Reproductive toxicity - Human - female - Oral Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.

STOT-single and repeated exposure:

67-63-0: Inhalation, Oral - May cause drowsiness or dizziness.

Additional toxicological information:

No additional information.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015**Phenolphthalein Indicator 1****SECTION 12: Ecological information****Ecotoxicity:**

- 67-63-0, LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h.
 67-63-0, EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h.
 67-63-0, Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h.
 67-63-0, EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h.
 67-63-0, EC50 - Algae - > 1,000.00 mg/l - 24 h.
 67-56-1, mortality LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h.
 67-56-1, NOEC - Oryzias latipes - 7,900 mg/l - 200 h.
 67-56-1, EC50 - Daphnia magna (Water flea) - > 10,000.00 mg/l - 48 h.
 67-56-1, Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 22,000.0 mg/l - 96 h.

Persistence and degradability:

67-56-1: aerobic Result : 72 % - rapidly biodegradable. 67-56-1: Bioaccumulation Cyprinus carpio (Carp) - 72 d at 20 °C Bioconcentration factor (BCF) : 1.

Bioaccumulative potential:

67-56-1: Biochemical Oxygen Demand (BOD) 600 - 1,120 mg/g. 67-56-1: Chemical Oxygen Demand (COD) 1,420 mg/g.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects:

Isopropanol has acute toxicity with effects of death in animals and low growth rates and death in plants. Chronic toxic effects, may be shortened life span, lower fertility, reproductive problems, and changes in appearance and/or behavior in animals.

SECTION 13: Disposal considerations**Waste disposal recommendations:**

Soak up with inert absorbent material. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Do not flush to sewer. Have fire extinguishing agent available in case of fire. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

SECTION 14: Transport information**US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA 1993

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Flammable Liquids , N.O . S. , (Isopropanol).

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Flammable Liquids , N.O . S. , (Isopropanol).

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 1**Hazard Class:** 3**Packing Group:** II.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**Hazard Class:** 3**Packing Group:** II.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

67-63-0 Isopropanol.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada**Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015**Phenolphthalein Indicator 1**

incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0**HMIS:** 1-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:**

- IMDG International Maritime Code for Dangerous Goods.
- PNEC. Predicted No-Effect Concentration (REACH).
- CFR Code of Federal Regulations (USA)
- SARA Superfund Amendments and Reauthorization Act (USA).
- RCRA. Resource Conservation and Recovery Act (USA).
- TSCA. Toxic Substances Control Act (USA).
- NPRI National Pollutant Release Inventory (Canada).
- DOT US Department of Transportation.
- IATA International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemicals.
- ACGIH American Conference of Governmental Industrial Hygienists
- CAS Chemical Abstracts Service (division of the American Chemical Society).
- NFPA National Fire Protection Association (USA).
- HMIS Hazardous Materials Identification System (USA).
- WHMIS Workplace Hazardous Materials Information System (Canada).
- DNEL Derived No-Effect Level (REACH).