Page: 1/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

1 Identification

· Product identifier

· Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

· Product code: SA1965SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

· Signal word: Danger

Hazard statements:
 H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P234 Keep only in original container.
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

Page: 2/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

P310 P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Store locked up. P405

Store in corrosive resistant container with a resistant inner liner. P406

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
7664-93-9	Sulfuric acid	50%
	♦ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
7664-38-2	Phosphoric acid	50%
	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	1

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Seek immediate medical advice.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Coughing

Acidosis

· Danger:

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 2)

Danger of gastric perforation.

Causes serious eye damage.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Water

Dispose of the collected material according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 3)

Store only in the original receptacle.

Store in a cool location.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

Store away from organic solvents.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
7664-93-9 Sulfuric acid				
PEL (USA)	Long-term value: 1 mg/m³			
REL (USA)	Long-term value: 1 mg/m³			
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction			
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1			
EV (Canada)	Long-term value: 0.2 mg/m³			
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica			
7664-38-2 Phos	7664-38-2 Phosphoric acid			
PEL (USA)	Long-term value: 1 mg/m³			
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
TLV (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
EL (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
EV (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			
LMPE (Mexico)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³			

- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 4)

Avoid breathing mist, vapors, or spray.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Neoprene gloves

Nitrile rubber, NBR

Strong gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Acid resistant protective clothing.
- · Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

· Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Light yellow	
· Odor:	Acidic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Melting point/Melting range: 	Not determined.	
 Boiling point/Boiling range: 	213 °C (415.4 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
		(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

		(Cont'd. of page 5
Explosion limits Lower: Upper: Oxidizing properties:	Not determined. Not determined. Non-oxidizing.	
Vapor pressure at 20 °C (68 °F):	0 hPa (0 mm Hg)	
Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate:	1.86 g/cm³ (15.52 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity Dynamic: Kinematic:	Not determined. Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with organic substances.

Corrosive action on metals.

Reacts with heavy metals.

Reacts with alkali (lyes).

Reacts with certain metals.

· Conditions to avoid

Direct sunlight.

Excessive heat.

· Incompatible materials

Metals.

Alkalis

Organic materials

Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.

· Hazardous decomposition products

Sulfur oxides (SOx)

Phosphorus compounds

11 Toxicological information

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 6)

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

Page: 8/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3264
· UN proper shipping name · DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric ac Phosphoric acid solution)
· ADR/RID/ADN, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (SULPHURIC ACID, PHOSPHORIC ACID SOLUTION)
· Transport hazard class(es)	
· DOT	
CORMANYE	
· Class	8
· Label 	8
· ADR/RID/ADN	
· Class	8 (C1)
· Label 	8
· IMDG, IATA	
· Class	8
· Label	8

Page: 9/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

		(Cont'd. of page 8)		
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	I			
· Environmental hazards	Not applicable.			
· Special precautions for user	Warning: Corrosive substances			
Danger code (Kemler):	88			
· EMS Number:	F-A,S-B			
· Segregation groups	Acids			
· Transport in bulk according to Annex II of				
MARPOL73/78 and the IBC Code	Not applicable.			

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7664-93-9 Sulfuric acid

· Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

Page: 10/10

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 24, 2019 Revision: January 24, 2019

Trade name: Sulfuric Acid/Phosphoric Acid Solution, 1:1

(Cont'd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com