

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Acetone-Naphthalene****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Acetone-Naphthalene**Manufacturer/Supplier Article number:** NP5900SS**Recommended uses of the product and restrictions on use:****Manufacturer Details:**

AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331
1-717-632-1291

Emergency telephone number:**ChemTel: (24-hour)**

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification**Classification of the substance or mixture:****Flammable**

Flammable liquids, category 2

**Irritant**

Eye irritation, category 2A

Specific target organ toxicity following single exposure, category 3

**Health hazard**

Carcinogenicity, category 2

**Environmentally Damaging**

Acute hazards to the aquatic environment, category 1

Chronic hazards to the aquatic environment, category 1

Flam. Liq. 2.

Eye Irrit. 2A.

STOT SE 3.

Carcinogenicity 2.

Acute aquatic toxicity 1.

Chronic aquatic toxicity 1.

Signal word: Danger**Hazard statements:**

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Suspected of causing cancer.

Very toxic to aquatic life with long lasting effects.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Acetone-Naphthalene**

Keep out of reach of children.
 Read label before use.
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Do not eat, drink or smoke when using this product.
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Use personal protective equipment as required.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/light/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
 Continue rinsing.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 If eye irritation persists get medical advice/attention.
 In case of fire, use agents recommended in section 5 for extinction.
 IF exposed or concerned: Get medical advice/attention.
 Store in a well ventilated place. Keep container tightly closed.
 Store in a well ventilated place. Keep cool.
 Store locked up.
 Protect from sunlight.
 Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None**SECTION 3: Composition/information on ingredients****Ingredients:**

Ingredients:		
CAS 67-64-1	Acetone	82.3101 %
CAS 91-20-3	Naphthalene	17.6899 %
Percentages are by weight		

SECTION 4: First aid measures**Description of first aid measures****After inhalation:**

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Acetone-Naphthalene****After eye contact:**

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

Use Dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents:

Water may be ineffective.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides. Vapors can flow to distant ignition sources and flashback.

Advice for firefighters:**Protective equipment:**

Wear protective eyewear, gloves, and clothing. Use NIOSH-approved respiratory protection/breathing apparatus. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation. Ensure that air-handling systems are operational. Avoid contact with eyes, skin, and clothing. Remove all sources of ignition.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13. Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Refer to Section 8. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections: None**SECTION 7: Handling and storage****Precautions for safe handling:**

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use under a chemical fume hood. Use explosion proof equipment. Refer to Section 13.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Acetone-Naphthalene**Conditions for safe storage, including any incompatibilities:**

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Keep away from open flames, hot surfaces and sources of ignition. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection**Control parameters:**

67-64-1, Acetone, ACGIH TLV TWA 1,200 mg/m³.
67-64-1, Acetone, OSHA PEL TWA 2,400 mg/m³.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a chemical fume hood.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

Eye protection:

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Before re-wearing, wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, weak-gold colored liquid	Explosion limit lower:	2.5 vol %
		Explosion limit upper:	12.8 vol %
Odor:	Characteristic	Vapor pressure at 20°C:	231 mm Hg @ 25C
Odor threshold:	Not determined	Vapor density:	2.0
pH-value:	7	Relative density:	0.78
Melting/Freezing point:	-94 °C (-137 °F)	Solubilities:	Miscible in water.
Boiling point/Boiling range:	56 °C (133 °F)	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	40C	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	1.0	Decomposition temperature:	Not determined

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Acetone-Naphthalene			
Flammability (solid, gaseous):	Flammable liquid	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity**Reactivity:**

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

Acetone reacts violently with phosphorous oxychloride. Vapours may form explosive mixture with air.

Conditions to avoid:

Incompatible materials. Heat, Sparks, Open Flames. Direct Sunlight.

Incompatible materials:

Strong oxidizing agents. Strong reducing agents. Strong Bases. Nitric acid. sulfur dichloride potassium tert-butoxide. hexachloromelamine. chloroform. alkali, sulfuric acid.

Hazardous decomposition products:

Carbon oxides.

SECTION 11: Toxicological information**Acute Toxicity:** No additional information.**Chronic Toxicity:** No additional information.**Skin corrosion/irritation:**

Rabbit: Mild Skin Irritation - 24 h. 67-64-1 (acetone).

Serious eye damage/irritation:

Rabbit: Mild Eye Irritation - 24 - h. 67-64-1 (acetone).

Respiratory or skin sensitization:

guinea pig - Does not cause skin sensitisation.

Carcinogenicity:**Not listed as a carcinogen (ACGIH, IARC, NTP):** 67-64-1 (acetone)**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:** No additional information.**STOT-single and repeated exposure:**

May cause drowsiness or dizziness.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Acetone-Naphthalene****Ecotoxicity:**

Fish LC50 - Oncorhynchus mykiss (rainbow trout) - 5,540 mg/l - 96 h, 67-64-1 (acetone).
 Invertebrates EC50 - Daphnia magna (Water flea) - 8,800 mg/l - 48 h, 67-64-1 (acetone).

Persistence and degradability:

Readily biodegradable.

Bioaccumulative potential:

Not expected to bio accumulate.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects:

None identified.

SECTION 13: Disposal considerations**Waste disposal recommendations:**

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information**US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA 1090

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Acetone.

Hazard Class: 3

Packing Group: II.

Marine Pollutant (if applicable): No additional information.

Comments: None

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Acetone.

Hazard Class: 3

Packing Group: II.

Marine Pollutant (if applicable): No additional information.

Comments: None

**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Acute, Chronic, Fire

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Acetone-Naphthalene****SARA Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

RCRA (hazardous waste code):

67-64-1 Acetone - U002.

91-20-3 Naphthalene - U165.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

67-64-1 Acetone 5000 lb.

91-20-3 Naphthalene 100.

Proposition 65 (California):**Chemicals known to cause cancer:**

91-20-3 Naphthalene.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada**Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0**HMIS:** 2-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:**

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Acetone-Naphthalene**

NFPA	National Fire Protection Association (USA).
HMIS	Hazardous Materials Identification System (USA).
WHMIS	Workplace Hazardous Materials Information System (Canada).
DNEL	Derived No-Effect Level (REACH).
PNEC.	Predicted No-Effect Concentration (REACH).
CFR	Code of Federal Regulations (USA)
SARA	Superfund Amendments and Reauthorization Act (USA).
RCRA.	Resource Conservation and Recovery Act (USA).
TSCA.	Toxic Substances Control Act (USA).
NPRI	National Pollutant Release Inventory (Canada).
DOT	US Department of Transportation.