According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 1 of 10

Acetone-Naphthalene Solution

SECTION 1: Identification

Product identifier

Product name: Acetone-Naphthalene Solution

Product code: NP5900SS

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

Canada

ChemTel: (24-hour) +1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 3

Specific target organ toxicity - single exposure, category 3, central nervous system

Carcinogenicity, category 2

Chronic aquatic hazard, category 3

Label elements

Hazard pictograms:







Signal word: Warning Hazard statements:

H226 Flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 2 of 10

Acetone-Naphthalene Solution

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 67-64-1	Acetone propan-2-one propanone	>98
CAS number: 91-20-3	Naphthalene	<2

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed Acute symptoms and effects:

Not determined or not applicable.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 3 of 10

Acetone-Naphthalene Solution

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Vapors can flow to distant ignition sources and flashback

Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Beware of vapors accumulating to form explosive concentrations

Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 4 of 10

Acetone-Naphthalene Solution

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

Use only non-sparking tools.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Naphthalene	91-20-3	ACGIH TLV TWA 10.0 ppm
	Acetone propan-2-one propanone	67-64-1	ACGIH TWA 500.0 ppm
	Acetone propan-2-one propanone	67-64-1	ACGIH STEL 750.0 ppm
	Naphthalene	91-20-3	ACGIH TLV STEL 15.0 ppm
NIOSH	Naphthalene	91-20-3	NIOSH REL ST 15.0 ppm
	Naphthalene	91-20-3	NIOSH REL ST 75.0 mg/m ³
	Acetone propan-2-one propanone	67-64-1	NIOSH REL TWA 250.0 ppm (590.0 mg/m³)
	Naphthalene	91-20-3	NIOSH REL TWA 10.0 ppm
	Naphthalene	91-20-3	NIOSH REL TWA 50.0 mg/m ³
United States (OSHA)	Acetone propan-2-one propanone	67-64-1	OSHA PEL TWA 1,000 ppm (2,400 mg/m³)
	Naphthalene	91-20-3	OSHA PEL TWA 10.0 ppm
	Naphthalene	91-20-3	OSHA PEL TWA 50.0 mg/m ³

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 5 of 10

Acetone-Naphthalene Solution

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, weak-gold colored liquid
Odor	Characteristic
Odor threshold	Not available
рН	7
Melting point/freezing point	-94°C
Initial boiling point/range	56°C
Flash point (closed cup)	40°C
Evaporation rate	1.0
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	12.8 vol %
Lower flammability/explosive limit	2.5 vol %
Vapor pressure	231 mmHg @ 25°C
Vapor density	2.0
Density	Not available
Relative density	0.78
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	465°C
Decomposition temperature	Not available
Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 6 of 10

Acetone-Naphthalene Solution

Excess heat, ignition source or flames.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Naphthalene	oral	LD50 - Mouse - 316 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Acetone propan-2-one	Causes serious eye irritation.
propanone	

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Suspected of causing cancer

Product data: No data available.

Substance data:

Name	Species	Result
Naphthalene	Suspected of causing cancer.	

International Agency for Research on Cancer (IARC):

Name	Classification
Naphthalene	Group 2B - Possibly carcinogenic to humans

National Toxicology Program (NTP):

Name	Classification
Naphthalene	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 7 of 10

Acetone-Naphthalene Solution

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Specific target organ toxicity (single exposure)
Assessment: May cause drowsiness or dizziness

Product data: No data available.

Substance data:

Name	Result
Acetone propan-2-one	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or
propanone	dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result	
Naphthalene	LC50 - Opossum Shrimp - 0.85 mg/L - 96 h	
	LC50 - Melanotaenia fluviatilis (Crimson-Spotted Rainbowfish) - 0.213 mg/L - 96 h	

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 8 of 10

Acetone-Naphthalene Solution

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN1090	
UN proper shipping name	Acetone	
UN transport hazard class(es)	3	PLIMOMETE COSTS
Packing group	II	
Environmental hazards	None	·
Special precautions for user	None	

International Maritime Dangerous Goods (IMDG)

UN number	UN1090	
UN proper shipping name	Acetone	
UN transport hazard class(es)	3	
Packing group	II .	
Environmental hazards	None	
Special precautions for user	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN1090
UN proper shipping name	Acetone
UN transport hazard class(es)	3
Packing group	II
Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

United States regulations Inventory listing (TSCA):

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 9 of 10

Acetone-Naphthalene Solution

91-20-3	Naphthalene	Listed
67-64-1	Acetone propan-2-one propanone	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

Acetone propan-2-one propanone

SARA Section 313 toxic chemicals:

	91-20-3	Naphthalene		Listed
CE	RCLA:			
	91-20-3	Naphthalene	Listed	100
	67-64-1	Acetone propan-2-one propanone	Listed	5000
RC	RA:			,
	91-20-3	Nanhthalene	Listed	

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

67-64-1

67-64-1	Acetone propan-2-one propanone	Listed
91-20-3	Naphthalene	Listed

Listed

New Jersey Right to Know:

67-64-1		Not Listed
91-20-3	Naphthalene	Listed

New York Right to Know:

	67-64-1	Acetone propan-2-one propanone	Listed
ſ	91-20-3	Naphthalene	Listed

Pennsylvania Right to Know:

67-64-1	Acetone propan-2-one propanone	Listed
91-20-3	Naphthalene	Listed

California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause cancer.

	•	
I۵	1 20 2	INanhthalene
19	1-20-3	Naphthalene
1-		

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-3-0 **HMIS:** 1-3-0

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2017 Page 10 of 10

Acetone-Naphthalene Solution

Initial preparation date: 02.27.2017

End of Safety Data Sheet