according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Phenolphthalein Indicator 2

Manufacturer/Supplier Article number: PH1610SS

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable

Flammable liquids, category 2



Irritant

Specific target organ toxicity following single exposure, category 3 Eye irritation, category 2A

Flammable liq. 2.

Eve Irrit. 2.

Stot SE. 3.

Signal word: Danger

Hazard statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep container tightly closed.

Wash skin thoroughly after handling.

Use explosion-proof electrical/ventilating/light/equipment.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire, use agents recommended in section 5 for extinction.

Store in a well ventilated place. Keep container tightly closed.

Store in a well ventilated place. Keep cool.

Store locked up.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

| Ingredients: | | | |
|--------------|-------------------|---------------------------|--|
| CAS 67-63-0 | Isopropanol | <99.67 % | |
| CAS 77-09-8 | Phenolphthalein | <0.0033 % | |
| CAS 64-17-5 | Ethanol, 95%, ACS | <0.331 % | |
| | | Percentages are by weight | |

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Rinse or flush eye gently with water for at least 15-20 minutes, lifting upper and lower lids. Seek immediate medical attention (ophthalmologist).

After swallowing:

Induce vomiting. Dilute mouth with water or milk after rinsing. Immediately get medical assistance.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Headache. May cause burning and stinging irritation and possible damage to cornea and conjunctiva. Results in cracking and burning which may lead to secondary infections and dermatitis. May cause nausea, vomiting, cramps, and diarrhea; approximately 250mL (Isopropanol) is the lethal dose for a human adult. May cause mild irritation of the mucous membrane and upper respiratory tract. Irritation- all routes of exposure. Phenolphthalein is a possible cancer hazard. Prolong exposure may cause adverse reproductive effects. May cause kidney injury. May cause allergic skin reaction. Ethanol. Ethanol. Central nervous system depression, narcosis, damage to the heart. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach -. Irregularities -. Based on Human Evidence.

Indication of any immediate medical attention and special treatment needed:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. Water spray can be used to dilute spills to nonflammable mixtures.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Vapors can flow to distant ignition sources and flashback. Use water spray to cool fire exposed containers, and flush non-ignited spills or vapors away from fire.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not inhale gases, fumes, dust, mist, vapor, and aerosols. Water can be used to dilute to nonflammable mixtures.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep away from ignition sources. Protect from heat.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Should not be released into environment.

Methods and material for containment and cleaning up:

Use spark-proof tools and explosion-proof equipment. Have fire extinguishing agent available in case of fire. Always obey local regulations. Refer to Section 13. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. Remove all sources of ignition. Contain spill then collect. Do not flush to sewer. Absorb with a noncombustible absorbent material such as sand or earth and containerize for disposal. Ventilate area of spill.

Reference to other sections: None SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Empty containers retain product residue and can be dangerous.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Store securely in flammable storage area away from sources of ignition. Store locked up. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Keep container tightly closed. Protect from freezing and physical damage. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection







according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Control parameters:

Phenolphthalein Indicator 2
67-63-0, Isopropanol, ACGIH: 400 ppm STEL; 200 ppm TWA.

67-63-0, Isopropanol , NIOSH: 500 ppm STEL; 1225 mg/m³ STEL. 67-63-0, Isopropanol , NIOSH: 400 ppm TWA; 980 mg/m³ TWA.

64-17-5, Ethanol, TWA 1,000 ppm USA. ACGIH.

64-17-5, Ethanol, TWA 1,000 ppm 1,900 mg/m3 USA. OSHA. 64-17-5, Ethanol, TWA 1,000 ppm 1,900 mg/m3 USA. NIOSH.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: Wash hands before breaks and at the end of work. Avoid contact with the

eyes and skin. Perform routine housekeeping. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices.

SECTION 9: Physical and chemical properties

| Appearance (physical state, color): | Clear colorless liquid | Explosion limit lower: Explosion limit upper: | Not determined Not determined |
|-------------------------------------|------------------------|--------------------------------------------------|------------------------------------------------------------|
| Odor: | Mild alcohol | Vapor pressure at 20°C: | Not determined |
| Odor threshold: | Not determined | Vapor density: | 2.1 |
| pH-value: | Approx. 7.0 | Relative density: | Not determined |
| Melting/Freezing point: | Below -88°C | Solubilities: | Soluble in water. |
| Boiling point/Boiling range: | Approx. 82°C | Partition coefficient (noctanol/water): | Not determined |
| Flash point (closed cup): | Not determined | Auto/Self-ignition temperature: | Not determined |
| Evaporation rate: | 2.88 | Decomposition temperature: | Not determined |
| Flammability (solid, gaseous): | Not determined | Viscosity: | a. Kinematic: Not determined b. Dynamic: Not determined |
| Density at 20°C: | Not determined | | |

SECTION 10: Stability and reactivity

Reactivity:

None under normal processing.

Chemical stability:

No decomposition if used and stored according to specifications. Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

Strong oxidizers, heat, sparks, open flames. Will attach some forms of rubber, plastics and coatings. May react with metallic aluminum and generate hydrogen gas. Aldehydes. Metallic oxides may cause ignition.

Hazardous decomposition products:

Acrid and irritating fumes, including toxic oxides of carbon will heat to combustion.

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

LD50 Oral - Rat - 5,045 mg/kg 67-63-0.

LD50 Dermal - Rabbit - 12,800 mg/kg 67-63-0.

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

LD50 Dermal - Rabbit - 12,800 mg/kg 67-63-0.

Skin - Rabbit Result: No skin irritation - 24 h 64-17-5.

Serious eye damage/irritation:

Eyes - Rabbit Result: Eye irritation - 24 h 67-63-0.

Eyes - Rabbit Result: Mild eye irritation - 24 h 64-17-5.

Respiratory or skin sensitization: No additional information.

Carcinogenicity:

64-17-5: Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Liver:Tumors. Blood:Lymphomas including Hodgkin's disease.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure:

67-63-0: Inhalation, Oral - May cause drowsiness or dizziness.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

67-63-0, LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h.

67-63-0, EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h.

67-63-0, Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h.

67-63-0, EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h.

67-63-0, EC50 - Algae - > 1,000.00 mg/l - 24 h.

Persistence and degradability: No additional information.

Bioaccumulative potential: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects:

Isopropanol has acute toxicity with effects of death in animals and low growth rates and death in plants.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

Chronic toxic effects, may be shortened life span, lower fertility, reproductive problems, and changes in appearance and/or behavior in animals.

SECTION 13: Disposal considerations

Waste disposal recommendations:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Remove all sources of ignition. Do not flush to sewer. Have fire extinguishing agent available in case of fire. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 1219

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None **RQ** (if applicable): None

Proper shipping Name: Flammable Liquids , N.O. S. , (Isopropanol). **Proper shipping Name:** Flammable Liquids , N.O. S. , (Isopropanol).

Hazard Class: 3

Packing Group: II.

N.O. S., (Isopropanol).

N.O. S., (Isopropanol).

Packing Group: II.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information.

Comments: None

additional information.

Comments: None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

67-63-0 Isopropanol.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 1-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 01.08.2015

Phenolphthalein Indicator 2

DNEL Derived No-Effect Level (REACH).