According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

SECTION 1: Identification

Product identifier

Product name: Chromatography Solution C **Product code:** S25253

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:	Supplier:
United States	United States
AquaPhoenix Scientific	Fisher Science Education
860 Gitts Run Road	6771 Silver Crest Road
Hanover	Nazareth
PA 17331	PA 18064
(717) 632-1291	800 955-1177

Emergency telephone number: United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 2 Eye irritation, category 2A Aspiration hazard, category 1 Carcinogenicity, category 1B Germ cell mutagenicity, category 1B

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

H350 May cause cancer.

H340 May cause genetic defects.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash skin thoroughly after handling.

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P331 Do not induce vomiting.

P301+P310 If swallowed: Immediately call a poison center or doctor/physician.

P308+P313 If exposed or concerned: Get medical advice/attention.

P403+P235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 67-64-1	Acetone	10
CAS number: 8032-32-4	Petroleum Ether	90

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes Remove contact lens(es) if able to do so during rinsing Seek medical attention if irritation persists or if concerned

After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Do not use a water stream as an extinguisher

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors Vapors can flow to distant ignition sources and flashback Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Shut off sources of ignition Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing Beware of vapors accumulating to form explosive concentrations Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Use spark-proof tools and explosion-proof equipment Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

Use only non-sparking tools.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Acetone	67-64-1	ACGIH TWA 500.0 ppm
	Acetone	67-64-1	ACGIH STEL 750.0 ppm
United States (OSHA)	Acetone	67-64-1	OSHA PEL TWA 1,000 ppm (2,400 mg/m ³)
NIOSH	Acetone	67-64-1	NIOSH REL TWA 250.0 ppm (590.0 mg/m³)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid
Odor	Natural gas odor
Odor threshold	Not available
pH	Not available
Melting point/freezing point	-73°C (Petroleum Ether)
Initial boiling point/range	38°C
Flash point (closed cup)	17.8°C
Evaporation rate	6.82 (Petroleum Ether)
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Approx. 5.9% (Petroleum Ether)
Lower flammability/explosive limit	Approx. 1.1% (Petroleum Ether)
Vapor pressure	Not available
Vapor density	2.5 (Petroleum Ether)
Density	Not available
Relative density	0.6 (Petroleum Ether)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	288°C (550.4°F)
Decomposition temperature	Not available
Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Excess heat, ignition source or flames.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Page 5 of 9

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data: No data available.

Substance data:

Name	Result
Acetone	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: May cause cancer

Product data: No data available.

Substance data:

Name	Species	Result
Petroleum Ether		Suspected of causing cancer

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: May cause genetic defects

Product data: No data available.

Substance data:

Name	Result
Petroleum Ether	Suspected of causing genetic defects

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: May be fatal if swallowed and enters airways

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available. Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met. **Product data:** No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available. Substance data: No data available.

Persistence and degradability

Product data: No data available. Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1993	
UN proper shipping name	Flammable Liquid, N.O.S., (Petroleum Ether, Acetone)	
UN transport hazard class(es)	3	PLANMAEL LOGIO
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

International Maritime Dangerous Goods (IMDG)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

UN number	1993	
UN proper shipping name	Flammable Liquid, N.O.S., (Petroleum Ether, Acetone)	
UN transport hazard class(es)	3	PLANMATE LIGHT
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1993	
UN proper shipping name	Flammable Liquid, N.O.S., (Petroleum Ether, Acetone)	
UN transport hazard class(es)	3	PLANMAIL LUGID
Packing group	П	
Environmental hazards	None	
Special precautions for user	None	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

8032-32-4	Petroleum Ether	Listed
67-64-1	Acetone	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals: Not determined.

CERCLA:

	67-64-1	Acetone	Listed	5000		
RCRA:						
	67-64-1	Acetone	Listed			
Section 112(r) of the Clean Air Act (CAA): Not determined.						
Massachusetts Right to Know:						

67-64-1	Acetone	Listed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Chromatography Solution C

803	32-32-4	Petroleum Ether	Not Listed
New Je	now:		
67-	-64-1	Acetone	Not Listed
803	32-32-4	Petroleum Ether	Not Listed

New York Right to Know:

	67-64-1	Acetone	Listed		
	8032-32-4	Petroleum Ether	Listed		
Pennsylvania Right to Know:					
	67-64-1	Acetone	Listed		
	8032-32-4	Petroleum Ether	Listed		

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-3-0

HMIS: 1-3-0

Initial preparation date: 04.26.2017

End of Safety Data Sheet

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

Page 9 of 9