According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

## **Bismuth Nitrate 0.03M**

#### **SECTION 1: Identification**

## **Product identifier**

Product name: Bismuth Nitrate 0.03M Product code: DUMTK-675-02

## Recommended use of the product and restriction on use Relevant identified uses: Laboratory chemicals Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

## Manufacturer or supplier details

| Manufacturer: Supplier: |                       |
|-------------------------|-----------------------|
| United States           | United States         |
| AquaPhoenix Scientific  | Dubois Chemicals Inc. |
| 860 Gitts Run Road      | 3630 East Kemper Rd   |
| Hanover                 | Cincinnati            |
| PA 17331                | OH 45241              |
| (717) 632-1291          | (800) 438-2647        |

## Emergency telephone number: United States

Emergency Phone No. (800) 255-3924

#### **SECTION 2: Hazard identification**

#### **GHS classification:**

Skin corrosion, category 1A Serious eye damage, category 1

## Label elements

## **Hazard pictograms:**



Signal word: Danger

## Hazard statements:

H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

#### **Precautionary statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

According to Canadian Hazardous Products Regulations and WHMIS 2015

## Initial preparation date: 04.26.2017

#### Bismuth Nitrate 0.03M

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

## Hazards not otherwise classified: None

## **SECTION 3: Composition/information on ingredients**

| Identification            | Name               | Weight % |
|---------------------------|--------------------|----------|
| CAS number:<br>12027-67-7 | Ammonium Molybdate | <100     |
| CAS number:<br>7732-18-5  | Water              | <100     |
| CAS number:<br>7697-37-2  | Nitric Acid        | <100     |
| CAS number:<br>10035-06-0 | Bismuth Nitrate    | <10      |

## Additional Information: None

#### **SECTION 4: First-aid measures**

#### **Description of first-aid measures**

#### **General notes:**

Not determined or not available.

#### After inhalation:

Move exposed individual to fresh air Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

Immediately call a POISON CONTROL CENTER or seek medical attention

#### After skin contact:

Immediately remove all contaminated clothing Wash affected area with soap and water Immediately call a POISON CONTROL CENTER or seek medical attention

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes Remove contact lens(es) if able to do so during rinsing Immediately call a POISON CONTROL CENTER or seek medical attention

#### After ingestion:

Immediately call a POISON CONTROL CENTER or seek medical attention Do not induce vomiting

Rinse mouth and then drink plenty of water

## Most important symptoms and effects, both acute and delayed

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

## **Bismuth Nitrate 0.03M**

#### Acute symptoms and effects:

Not determined or not available.

## **Delayed symptoms and effects:**

Not determined or not available.

## Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not available.

## Notes for the doctor:

Not determined or not available.

## **SECTION 5: Fire-fighting measures**

## **Extinguishing media**

## Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

## Unsuitable extinguishing media:

Not determined or not applicable.

## Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

## Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing Refer to Section 8 Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

#### Special precautions:

Heating causes a rise in pressure, risk of bursting and combustion Shut off sources of ignition Carbon monoxide and carbon dioxide may form upon combustion

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

#### **Environmental precautions:**

Should not be released into the environment Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

#### **Reference to other sections:**

Not determined or not applicable.

## **SECTION 7: Handling and storage**

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

## **Bismuth Nitrate 0.03M**

#### Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances. Avoid breathing mist or vapor. Use only with adequate ventilation.

## Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area. Store away from foodstuffs.

#### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

| Country (Legal Basis) | Substance          | Identifier | Permissible concentration  |
|-----------------------|--------------------|------------|--|
| ACGIH                 | Ammonium Molybdate | 12027-67-7 | ACGIH TLV 0.5 mg/m <sup>3</sup> , as Mo<br>(respirable fraction) |
|                       | Nitric Acid        | 7697-37-2  | ACGIH TLV TWA 2 ppm  |
|                       | Nitric Acid        | 7697-37-2  | ACGIH TLV STEL 4 ppm   |
| NIOSH                 | Nitric Acid        | 7697-37-2  | NIOSH REL TWA 2 ppm  |
|                       | Nitric Acid        | 7697-37-2  | NIOSH REL TWA 5 mg/m <sup>3</sup>                                |
|                       | Nitric Acid        | 7697-37-2  | NIOSH REL ST 4 ppm   |
|                       | Nitric Acid        | 7697-37-2  | NIOSH REL ST 10 mg/m <sup>3</sup>                                |
|                       | Ammonium Molybdate | 12027-67-7 | NIOSH IDLH 1,000 mg/m <sup>3</sup> , as Mo                       |
| United States (OSHA)  | Ammonium Molybdate | 12027-67-7 | OSHA PEL 5 mg/m <sup>3</sup> , as Mo                             |
|                       | Nitric Acid        | 7697-37-2  | OSHA PEL TWA 2 ppm   |
|                       | Nitric Acid        | 7697-37-2  | OSHA PEL TWA 5 mg/m <sup>3</sup>                                 |

## **Occupational Exposure limit values:**

## Biological limit values:

No biological exposure limits noted for the ingredient(s).

## Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

## Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

#### **Respiratory protection:**

When necessary, use NIOSH-approved breathing equipment.

#### General hygienic measures:

Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

## Bismuth Nitrate 0.03M

Perform routine housekeeping. Wash contaminated clothing before reusing.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

| Appearance (physical state, color):      | Clear, colorless liquid          |
|--|----------------------------------|
| Odor:                                    | Odorless                         |
| Odor threshold:                          | Not available                    |
| pH-value:                                | Not available                    |
| Melting/Freezing point:                  | Approx. 0°C                      |
| Boiling point/range:                     | Approx. 100°C                    |
| Flash point:                             | Not available                    |
| Evaporation rate:                        | Not available                    |
| Flammability (solid, gaseous):           | Not available                    |
| Explosion limit upper:                   | Not available                    |
| Explosion limit lower:                   | Not available                    |
| Vapor pressure:                          | Not available                    |
| Vapor density:                           | Not available                    |
| Density:                                 | Not available                    |
| Relative density:                        | Approx. 1                        |
| Solubilities:                            | Soluble in water.                |
| Partition coefficient (n-octanol/water): | Not available                    |
| Auto/Self-ignition temperature:          | Not available                    |
| Decomposition temperature:               | Not available                    |
| Dynamic viscosity:                       | Not available                    |
| Kinematic viscosity:                     | Not available                    |
| Explosive properties                     | Not determined or not available. |
| Oxidizing properties                     | Not determined or not available. |

#### **Other information**

## **SECTION 10: Stability and reactivity**

#### **Reactivity:**

Does not react under normal conditions of use and storage.

## **Chemical stability:**

Stable under normal conditions of use and storage.

# Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### Conditions to avoid:

None known.

## Incompatible materials:

None known.

#### Hazardous decomposition products:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

#### Bismuth Nitrate 0.03M

None known.

#### **SECTION 11: Toxicological information**

## Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

## Substance data:

| Name            | Result                                   |  |
|-----------------|--|--|
| Nitric Acid     | Causes severe skin burns and eye damage. |  |
| Bismuth Nitrate | Causes skin irritation                   |  |

## Serious eye damage/irritation

Assessment: Causes serious eye damage Product data: No data available. Substance data: No data available.

## **Respiratory or skin sensitization**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

#### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## **International Agency for Research on Cancer (IARC):** None of the ingredients are listed. **National Toxicology Program (NTP):** None of the ingredients are listed.

#### Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

#### **Reproductive toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

#### Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

## **Bismuth Nitrate 0.03M**

## **Aspiration toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

## Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

## **SECTION 12: Ecological information**

#### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met. Product data: No data available.

Substance data: No data available.

## Chronic (long-term) toxicity

Product data: No data available. Substance data: No data available.

## Persistence and degradability

Product data: No data available. Substance data: No data available.

#### **Bioaccumulative potential**

Product data: No data available. Substance data: No data available.

#### Mobility in soil

Product data: No data available. Substance data: No data available.

Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

#### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

#### **SECTION 14: Transport information**

## Canadian Transportation of Dangerous Goods (TDG)

| UN number                     | UN 3264  |  |
|-------------------------------|--|--|
| UN proper shipping name       | Corrosive Liquid, Acidic, Inorganic, N.O.S. (Nitric Acid Solution) |  |
| UN transport hazard class(es) | 8  |  |
| Packing group                 | П  |  |
| Environmental hazards         |  |  |
| Special precautions for user  | None   |  |

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

Page 8 of 9

#### **Bismuth Nitrate 0.03M**

## International Maritime Dangerous Goods (IMDG)

| UN number                     | UN 3264  |  |
|-------------------------------|--|--|
| UN proper shipping name       | Corrosive Liquid, Acidic, Inorganic, N.O.S. (Nitric Acid Solution) |  |
| UN transport hazard class(es) | 8  |  |
| Packing group                 | II   |  |
| Environmental hazards         |  |  |
| Special precautions for user  | None   |  |

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN number                     | UN 3264  |  |
|-------------------------------|--|--|
| UN proper shipping name       | Corrosive Liquid, Acidic, Inorganic, N.O.S. (Nitric Acid Solution) |  |
| UN transport hazard class(es) | 8  |  |
| Packing group                 | П  |  |
| Environmental hazards         |  |  |
| Special precautions for user  | None   |  |

| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code |      |
|---|------|
| Bulk Name   | None |
| Ship type   | None |
| Pollution category  | None |

## SECTION 15: Regulatory information

## Canada regulations

#### **Domestic substances list (DSL):**

| 12027-67-7 | Ammonium Molybdate | Listed        |
|------------|--------------------|---------------|
| 7732-18-5  | Water              | Listed        |
| 7697-37-2  | Nitric Acid        | Listed        |
| 10035-06-0 | Bismuth Nitrate    | Not<br>Listed |

Non-domestic substances list (NDSL): Not determined.

## **SECTION 16: Other information**

#### Abbreviations and Acronyms: None

#### **Disclaimer:**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 04.26.2017

## Bismuth Nitrate 0.03M

and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-0

HMIS: 3-0-0

Initial preparation date: 04.26.2017

**End of Safety Data Sheet** 

Page 9 of 9