

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.23.2015**Fluoride Standard,1mg/L(ppm)****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Fluoride Standard,1mg/L(ppm)**Manufacturer/Supplier Article number:** KZFS6001-Q**Recommended uses of the product and restrictions on use:** Laboratory Chemicals**Manufacturer Details:**

Aqua Analytics  
245 Matheson Blvd East, Units 1 & 2 Mississauga, Ontario Canada L4Z 3C9  
(888) 712-4000

**Emergency telephone number:**

Emergency Phone No. (613) 996-6666

**SECTION 2: Hazards identification****Classification of the substance or mixture:****Corrosive**

Skin corrosion, category 1A  
Serious eye damage, category 1

Skin corr. 1A.

Eye damage 1.

**Signal word:** Danger**Hazard statements:**

Causes severe skin burns and eye damage.

**Precautionary statements:**

If medical advice is needed have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Immediately call a POISON CENTER or doctor/physician.  
Specific treatment (see supplemental first aid instructions on this label).  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.  
Continue rinsing.  
Store locked up.  
Dispose of contents and container as instructed in Section 13.

**Other Non-GHS Classification:** None**SECTION 3: Composition/information on ingredients**

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.23.2015

**Fluoride Standard,1mg/L(ppm)****Ingredients:**

<b>Ingredients:</b>		
CAS 7732-18-5	Deionized Water	>82 %
CAS 64-19-7	Acetic Acid	<6 %
CAS 1310-73-2	Sodium Hydroxide	<5 %
CAS 13291-61-7	Cyclohexanediaminetetraacetic Acid	<1 %
CAS 7681-49-4	Sodium Fluoride	<0.5 %
CAS 7647-14-5	Sodium Chloride	<6 %
Percentages are by weight		

**SECTION 4: First aid measures****Description of first aid measures****After inhalation:**

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

**After skin contact:**

Wash hands and exposed skin with soap and plenty of water. Immediately seek medical attention.

**After eye contact:**

Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Immediately seek medical attention.

**After swallowing:**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Dilute with water or milk. Get medical attention.

**Most important symptoms and effects, both acute and delayed:**

Irritation. Shortness of breath. Headache. Nausea. Dizziness.

**Indication of any immediate medical attention and special treatment needed:**

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

**SECTION 5: Firefighting measures****Extinguishing media****Suitable extinguishing agents:**

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

**Unsuitable extinguishing agents:** None**Special hazards arising from the substance or mixture:**

Thermal decomposition can lead to release of irritating gases and vapors.

**Advice for firefighters:****Protective equipment:**

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

**Additional information (precautions):**

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.23.2015

**Fluoride Standard,1mg/L(ppm)****SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation. Ensure that air-handling systems are operational.

**Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

**Methods and material for containment and cleaning up:**

Wear protective eyewear, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Refer to Section 8.

**Reference to other sections:** None

**SECTION 7: Handling and storage****Precautions for safe handling:**

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

**Conditions for safe storage, including any incompatibilities:**

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

**SECTION 8: Exposure controls/personal protection****Control parameters:**

64-19-7, Acetic acid, TWA 10.000000 ppm USA. ACGIH.  
 1310-73-2, Sodium hydroxide, C 2 mg/m<sup>3</sup> USA. NIOSH.  
 7681-49-4, Sodium fluoride, TWA 2.500000 mg/m<sup>3</sup> USA. OSHA.  
 7681-49-4, Sodium fluoride, TWA 2.500000 mg/m<sup>3</sup> USA. NIOSH.  
 7681-49-4, Sodium fluoride, TWA 2.500000 mg/m<sup>3</sup> USA. ACGIH.  
 64-19-7, Acetic acid, TWA 10.000000 ppm 25.000000 mg/m<sup>3</sup> USA. NIOSH.  
 64-19-7, Acetic acid, TWA 10.000000 ppm 25.000000 mg/m<sup>3</sup> USA. OSHA.  
 1310-73-2, Sodium hydroxide, C 2 mg/m<sup>3</sup> USA. OSHA.  
 1310-73-2, Sodium hydroxide, C 2 mg/m<sup>3</sup> USA. ACGIH.

**Appropriate engineering controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

**Respiratory protection:** Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

**Protection of skin:** Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.23.2015**Fluoride Standard,1mg/L(ppm)**

<b>Eye protection:</b>	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.
<b>General hygienic measures:</b>	Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Before re-wearing, wash contaminated clothing.

**SECTION 9: Physical and chemical properties**

<b>Appearance (physical state, color):</b>	Clear colorless liquid	<b>Explosion limit lower:</b>	Not determined
		<b>Explosion limit upper:</b>	Not determined
<b>Odor:</b>	Odorless	<b>Vapor pressure at 20°C:</b>	Not determined
<b>Odor threshold:</b>	Not determined	<b>Vapor density:</b>	Not determined
<b>pH-value:</b>	Not determined	<b>Relative density:</b>	Not determined
<b>Melting/Freezing point:</b>	Approximately 0°C	<b>Solubilities:</b>	Soluble in water.
<b>Boiling point/Boiling range:</b>	Approximately 100°C	<b>Partition coefficient (n-octanol/water):</b>	Not determined
<b>Flash point (closed cup):</b>	Not determined	<b>Auto/Self-ignition temperature:</b>	Not determined
<b>Evaporation rate:</b>	Not determined	<b>Decomposition temperature:</b>	Not determined
<b>Flammability (solid, gaseous):</b>	Not determined	<b>Viscosity:</b>	a. Kinematic: Not determined b. Dynamic: Not determined
<b>Density at 20°C:</b>	Not determined		

**SECTION 10: Stability and reactivity****Reactivity:**

Nonreactive under normal conditions.

**Chemical stability:**

Stable under normal conditions.

**Possible hazardous reactions:**

None under normal processing.

**Conditions to avoid:**

Incompatible materials.

**Incompatible materials:**

Oxidizing Agents.

**Hazardous decomposition products:**

Hydrogen fluoride fumes.

**SECTION 11: Toxicological information****Acute Toxicity:****Dermal:**

LD50 Dermal - rabbit - &gt; 10,000 mg/kg 7647-14-5.

LD50 Dermal - Rabbit - 1,112 mg/kg 64-19-7.

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.23.2015**Fluoride Standard,1mg/L(ppm)****Chronic Toxicity:** No additional information.**Skin corrosion/irritation:**

Skin - Rabbit Result : Causes severe burns. - 24 h 1310-73-2.

Skin corrosion/irritation Irritating to skin. 7681-49-4.

**Serious eye damage/irritation:**

Eyes - Rabbit Result: Corrosive to eyes 64-19-7.

Eyes - Rabbit Result : Corrosive - 24 h 1310-73-2.

Eyes - Rabbit Result: Eye irritation - 24 h Remarks: Moderate eye irritation 7681-49-4.

**Respiratory or skin sensitization:** No additional information.**Carcinogenicity:** No additional information.**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:** No additional information.**STOT-single and repeated exposure:** No additional information.**Additional toxicological information:**

No additional information.

**SECTION 12: Ecological information****Ecotoxicity:**

64-19-7, semi - static test LC50 - Oncorhynchus mykiss (rainbow trout) - &gt; 1,000 mg/l - 96 h.

7681-49-4, LC50 - Oncorhynchus mykiss (rainbow trout) - 200 mg/l - 96 h.

7681-49-4, EC50 - Daphnia magna (Water flea) - 98 mg/l - 48 h.

64-19-7, EC50 - Daphnia magna (Water flea) - &gt; 300.82 mg/l - 48 h.

1310-73-2, LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h.

1310-73-2, LC50 - Oncorhynchus mykiss (rainbow trout) - 45.4 mg/l - 96 h.

1310-73-2, Immobilization EC50 - Daphnia (water flea) - 40.38 mg/l - 48 h.

7647-14-5, LC50 - Lepomis macrochirus (Bluegill) - 5,840 mg/l - 96 h.

7647-14-5, NOEC - Daphnia - 1,500 mg/l - 7 d.

7647-14-5, LC50 - Daphnia magna (Water flea) - 1,661 mg/l - 48 h.

7681-49-4, mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 500 mg/l - 96 h.

**Persistence and degradability:**

64-19-7: aerobic - Exposure time 30 d Result : 99 % - Readily biodegradable Remarks : Expected to be biodegradable. 64-19-7: Biochemical Oxygen Demand (BOD) 880 mg/g.

**Bioaccumulative potential:**

7681-49-4: Salmo trutta - 10 d - 5 mg/l Bioconcentration factor (BCF): 2.3.

**Mobility in soil:** No additional information.**Other adverse effects:** No additional information.**SECTION 13: Disposal considerations****Waste disposal recommendations:**

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.23.2015**Fluoride Standard,1mg/L(ppm)**

national hazardous waste regulations. Ensure complete and accurate classification. Dilute with water.

**SECTION 14: Transport information****US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA

Not Regulated

**Limited Quantity Exception:**

None

**Bulk:****RQ (if applicable):** None**Proper shipping Name:** Not Regulated.**Hazard Class:** None**Packing Group:** Not Regulated.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**Non Bulk:****RQ (if applicable):** None**Proper shipping Name:** Not Regulated.**Hazard Class:** None**Packing Group:** Not Regulated.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

None of the ingredients are listed.

**SARA Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**RCRA (hazardous waste code):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) :**

All ingredients are listed.

**CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):**

64-19-7 Acetic Acid 5000 lb.

1310-73-2 Sodium Hydroxide 1000 lb.

**Proposition 65 (California):****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**Canada**

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.23.2015**Fluoride Standard,1mg/L(ppm)****Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

**SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**NFPA:** 1-0-0**HMIS:** 1-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:** None