according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

1 Identification

· Product identifier

· Trade name: Sulfuric Acid, 50% v/v (1:1)

· Product code: BHSA1940-P

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AguaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291

Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Distributor:

Dubois Chemicals Inc. 3630 East Kemper Rd Cincinnati, OH 45241 (800) 438-2647

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

· Signal word: Danger · Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P234 Keep only in original container.
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

P405 Store locked up.

P310

P363 P390

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7732-18-5	Water	<25%	
7664-93-9	Sulfuric acid	75-100%	
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318		

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eve contact:

Protect unharmed eve.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Eye damage.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 2)

Acidosis

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 3)

Avoid contact with the eyes and skin. Open and handle receptacle with care.

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Store only in the original receptacle.
Unsuitable material for receptacle: steel.
Unsuitable material for receptacle: aluminium.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:			
7664-93-9 Sulfuric acid			
PEL (USA)	Long-term value: 1 mg/m³		
REL (USA)	Long-term value: 1 mg/m³		
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction		
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1		
EV (Canada)	Long-term value: 0.2 mg/m³		
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica		

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 4)

Neoprene gloves Natural rubber, NR Laminated film gloves.

- · Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Liquid Color: Colorless · Odor: Characteristic · Odor threshold: Not determined. · pH-value at 20 °C (68 °F): < 2.0 Not determined. · Melting point/Melting range: · Boiling point/Boiling range: Not determined. · Flash point: The product is not flammable. · Flammability (solid, gaseous): Not applicable. · Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. · Explosion limits Lower: Not determined. Not determined. Upper: Oxidizing properties: Not determined. · Vapor pressure: Not determined. · Density: 1.15-1.30 Relative density: Vapor density: Not determined. **Evaporation rate:** Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. (Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 5)

· Viscosity

Dynamic: Not determined. Kinematic: Not determined.

• Other information No relevant information available.

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals.

Reacts with certain metals.

Reacts with alkali (lyes).

Reacts with oxidizing agents.

- · Conditions to avoid No relevant information available.
- · Incompatible materials

Metals.

Alkalis

Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.

· Hazardous decomposition products Sulfur oxides (SOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 6)

- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR/RID/ADN, IMDG, IATA UN1830

UN proper shipping name

· **DOT** Sulfuric acid

· ADR/RID/ADN, IMDG SULPHURIC ACID

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

	(Cont'd. of page 7)		
· IATA	Sulphuric acid		
· Transport hazard class(es)	· Transport hazard class(es)		
· DOT			
COMPOSITE COMPOS			
· Class · Label	8 8		
· ADR/RID/ADN			
Class	8 (C1)		
· Label			
· IMDG, IATA			
Class	8		
· Label	8		
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	II		
· Environmental hazards · Marine pollutant:	No		
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups 	Warning: Corrosive substances 80 F-A,S-B Acids		
	Transport in bulk according to Annex II of		
· Transport/Additional information:			
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L		
· Hazardous substance:	1000 lbs, 454 kg		

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

Page: 9/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 8)

- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7664-93-9 Sulfuric acid

· Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid

· TSCA (Toxic Substances Control Act)

7664-93-9 Sulfuric acid

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL): (Substances not listed.)

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Sources

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 08, 2019

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 9)

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com