Revision: August 28, 2019

1 Identification	
· Product identifie	er
 Trade name: <u>Acet</u> Product code: S25 	:o-Orecein, 2% Aqueous 5121A
· Recommended us	se and restriction on use se: Laboratory chemicals se: No relevant information available.
 Manufacturer/Sup AquaPhoenix Scier 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-12 Toll-Free: (866)632 info@aquaphoenixs Distributor: Fisher Science Edu 6771 Silver Crest R Nazareth, PA 1806 (800) 955-1177 	ntific, Inc. d 1 291 2-1291 sci.com Jucation Road
 Emergency teleph ChemTel Inc. (800)255-3924 (No +1 (813)248-0585 (orth America)
2 Hazard(s) ident	tification
2 Hazard(s) ident	
· Classification of	f the substance or mixture
Classification of Met. Corr.1 H29	
Classification of Met. Corr.1 H29 Skin Corr. 1B H31	f the substance or mixture 0 May be corrosive to metals.
 Classification of Met. Corr.1 H29 Skin Corr. 1B H314 Eye Dam. 1 H314 Label elements GHS label elemen 	 f the substance or mixture 0 May be corrosive to metals. 4 Causes severe skin burns and eye damage. 8 Causes serious eye damage. nts sified and labeled according to the Globally Harmonized System (GHS).
 Classification of Met. Corr. 1 H299 Skin Corr. 1B H314 Eye Dam. 1 H314 Label elements GHS label elemen The product is clas Hazard pictogram GHS05 Signal word: Dang Hazard statements H290 May be corro H314 Causes seve Precautionary stat P234 P260 	f the substance or mixture 0 May be corrosive to metals. 4 Causes severe skin burns and eye damage. 8 Causes serious eye damage. ts sified and labeled according to the Globally Harmonized System (GHS). Is: ger s: psive to metals. ere skin burns and eye damage.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2019

Trade name: Aceto-Orecein, 2% Aqueous

(Cont'd. of page 1)

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
	Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

64-19-7	Acetic acid	♦ Flam. Liq. 3, H226 ♦ Met. Corr.1, H290; Skin Corr. 1A, H314	30-40%
1400-62-0	Orcein	Acute Tox. 4, H302	1-3%
7732-18-5	Water		60-70%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

• Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

After skin contact:

Immediately rinse with water.

Seek immediate help for blistering or open wounds.

If skin irritation continues, consult a doctor.

After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2019

	(Cont'd. of pag
Most important symptoms and effects, both acute and delayed:	
Strong caustic effect on skin and mucous membranes.	
Danger of severe eye injury.	
Gastric or intestinal disorders when ingested.	
Nausea in case of ingestion.	
Coughing	
Acidosis	
Dizziness	
· Danger:	
Danger of gastric perforation.	
Causes serious eye damage.	_
Indication of any immediate medical attention and special treatment needed	
Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand.	
5 Fire-fighting measures	
· Extinguishing media	
· Extinguishing media	ient.
	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: 	nent.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. 	ient.
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. 	
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. 	
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Accidental release measures Personal precautions, protective equipment and emergency procedu Ensure adequate ventilation. 	
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Accidental release measures Personal precautions, protective equipment and emergency procedu Ensure adequate ventilation. Keep away from ignition sources. 	
 Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environm For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Accidental release measures Personal precautions, protective equipment and emergency procedu Ensure adequate ventilation. 	res

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

Precautions for safe handling:

Prevent formation of aerosols.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2019

Trade name: Aceto-Orecein, 2% Aqueous

(Cont'd. of page 3)

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

Store away from metals.

- Further information about storage conditions: Keep containers tightly sealed.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

64-19-7 Acetic acid

Acetic acid (A) Long-term value: 25 mg/m³, 10 ppm	
Long-term value: 25 mg/m ³ , 10 ppm	l
Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
Short-term value: 15 ppm Long-term value: 10 ppm	
Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
Short-term value: 15 ppm Long-term value: 10 ppm	
	Long-term value: 25 mg/m ³ , 10 ppm Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm Short-term value: 15 ppm Long-term value: 10 ppm Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm Short-term value: 25 mg/m ³ , 10 ppm

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2019

Trade name: Aceto-Orecein, 2% Aqueous

Protective gloves

(Cont'd. of page 4)

· Material of gloves

Butyl rubber, BR Fluorocarbon rubber (Viton) Natural rubber, NR Nitrile rubber, NBR Neoprene gloves Leather gloves Sensibilization by the components in the glove materials is possible. **Eye protection:** Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical and chemical properties			
Appearance:			
Form:	Liquid		
Color:	Red		
Odor:	Acidic		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Melting point/Melting range:	Not determined.		
Boiling point/Boiling range:	Not determined.		
Flash point:	Product not expected to support sustained combustion.		
	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Auto-ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Danger of explosion:	Product is not explosive. However, formation of explosive ai		
	vapor mixtures are possible.		
Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
Oxidizing properties:	Not determined.		

Revision: August 28, 2019

	(Cont'd. of
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.02-1.04 g/cm³ (8.51-8.68 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.
Chemical stability: Stable under nor Thermal decomposition / condition	ns to be avoided:
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid	according to specifications.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not store away from oxidizing agents. Excessive heat.	according to specifications.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not Store away from oxidizing agents. Excessive heat. Incompatible materials Metals. Alkalis.	according to specifications.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not store away from oxidizing agents. Excessive heat. Incompatible materials Metals. Alkalis. Strong acids	according to specifications. Ons ed above the decomposition point. smoke.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not store away from oxidizing agents. Excessive heat. Incompatible materials Metals. Alkalis. Strong acids Hazardous decomposition proc	according to specifications. Ons ed above the decomposition point. smoke.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not store away from oxidizing agents. Excessive heat. Incompatible materials Metals. Alkalis. Strong acids	And temperatures and pressures. Is to be avoided: according to specifications. ons ed above the decomposition point. smoke.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not store away from oxidizing agents. Excessive heat. Incompatible materials Metals. Alkalis. Strong acids Hazardous decomposition proc	And temperatures and pressures. Is to be avoided: according to specifications. ons ed above the decomposition point. smoke.
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Reacts with alkali (lyes). Corrosive action on metals. Reacts with strong oxidizing agents. Toxic fumes may be released if heate Conditions to avoid Keep ignition sources away - Do not store away from oxidizing agents. Excessive heat. Incompatible materials Metals. Alkalis. Strong acids Hazardous decomposition proc Under fire conditions only: Carbon monoxide and carbon dioxide	And temperatures and pressures. Is to be avoided: according to specifications. ons ed above the decomposition point. smoke.

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

(Cont'd. on page 7)

Revision: August 28, 2019

(Cont'd. on page 8)

	(Cont'd. of page (cont'
_	Oral LD50 >5000 mg/kg (rat)
	64-19-7 Acetic acid
	Oral LD50 3310 mg/kg (rat)
	1400-62-0 Orcein
	Oral LD50 1000-1300 mg/kg (rat) (Quantitative Structure-Activity Relationship)
	Primary irritant effect:
	On the skin: Strong caustic effect on skin and mucous membranes.
	On the eye: Strong caustic effect. Sensitization: Based on available data, the classification criteria are not met.
	IARC (International Agency for Research on Cancer):
	None of the ingredients are listed.
_	
	NTP (National Toxicology Program): None of the ingredients are listed.
	OSHA-Ca (Occupational Safety & Health Administration):
	None of the ingredients are listed.
	Probable route(s) of exposure:
	Ingestion. Inhalation.
	Eye contact.
	Skin contact.
	Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage
	Repeated dose toxicity: No relevant information available.
	Germ cell mutagenicity: Based on available data, the classification criteria are not met.
	Carcinogenicity: Based on available data, the classification criteria are not met.
	Reproductive toxicity: Based on available data, the classification criteria are not met.
	STOT-single exposure: Based on available data, the classification criteria are not met.
	STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.
_	
)	Ecological information
	<u> </u>
	Toxicity
	Aquatic toxicity No relevant information available.
	Persistence and degradability No relevant information available.
	Bioaccumulative potential: No relevant information available.
	Mobility in soil: No relevant information available.
	Additional ecological information
	General notes:
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sew
	system. Must not reach bodies of water or drainage ditch undiluted or uppoutralized
	Must not reach bodies of water or drainage ditch undiluted or unneutralized. Other adverse effects No relevant information available.
	Utiler auverse effects no relevant information available.

Revision: August 28, 2019

	(Cont'd. of
The user of this material has the respons compliance with all relevant local, state an	sehold garbage. Do not allow product to reach sewage sys ibility to dispose of unused material, residues and contain id federal laws and regulations regarding treatment, storag wastes. Residual materials should be treated as hazardou
Uncleaned packagings Recommendation: Disposal must be mad Recommended cleansing agent: Water,	de according to official regulations.
Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN2790
UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA	Acetic acid solution ACETIC ACID SOLUTION
Transport hazard class(es) DOT	
CONDUCT 0	
Class Label	8 8
ADR/RID/ADN	
Class Label	8 (C3) 8
IMDG, IATA	
Class Label	8 8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards	Not applicable.
Special precautions for user	Warning: Corrosive substances

Revision: August 28, 2019

	(Cont'd. of pag
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.
Regulatory information	
 Safety, health and environmental remixture United States (USA) SARA 	egulations/legislation specific for the substance
· Section 302 (extremely hazardous substa	ances):
None of the ingredients are listed.	
· Section 355 (extremely hazardous substa	ances):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listi	ngs):
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause development	al toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause development	al toxicity for males:
None of the ingredients are listed.	
· Chemicals known to cause development	al toxicity:
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research	on Cancer):
None of the ingredients are listed.	·
	1).
 Canadian Domestic Substances List (DS 	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2019

Trade name: Aceto-Orecein, 2% Aqueous

(Cont'd. of page 9) Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 3: Flammable liquids - Category 3 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com