according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Aceto-Orecein, 2% Aqueous

Manufacturer/Supplier Article number: S25121A

Recommended uses of the product and restrictions on use: Laboratory

Manufacturer Details:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 800 955-1177

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable

Flammable liquids, category 3



Corrosive

Serious eye damage, category 1 Skin corrosion, category 1A

Skin Corr.1A. Eye Damage 1. Flam. Liq. 3.

Signal word: Danger

Hazard statements:

Flammable liquid and vapour.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/.../equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

In case of fire: Use ... for extinction.

Store in a well ventilated place. Keep cool.

Store locked up.

Dispose of contents/container.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

| Ingredients: | | |
|---------------|-------------|---------------------------|
| CAS 64-19-7 | Acetic Acid | 33.075 % |
| CAS 1400-62-0 | Orcein | 2 % |
| CAS 7732-18-5 | Water | 64.925 % |
| | | Percentages are by weight |

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Use water spray to cool unopened containers. Greatly increases burning rate of combustible materials.

Advice for firefighters:

Protective equipment:

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment. Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Do not inhale gases, fumes, dust, mist, vapor, and aerosols. Remove all sources of ignition.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Do not let product enter drains.

Methods and material for containment and cleaning up:

If necessary, use trained response staff/contractor. Absorb with suitable absorbent material such as sand or earth and containerize for disposal. Dispose of empty containers as unused product. Refer to Section 13.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Take measures to prevent the build up of electrostatic charge. Follow advice and precautions. Refer to Section 5. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use only in well ventilated areas. Do not inhale gases, fumes, dust, mist, vapor, and aerosols. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Keep away from open flames, hot surfaces, and sources of ignition.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Keep container tightly closed. Store with like hazards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8: Exposure controls/personal protection









Control parameters:

64-19-7, Acetic acid , ACGIH TLV: 25mg/m3. 64-19-7, Acetic acid , OSHA PEL: 25mg/m3.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Ensure that dust-handling systems (exhaust ducts, dust collectors, vessels, and processing equipment) are designed to prevent the escape of dust into the work

area.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation.

Eye protection: Safety goggles with face shield.

General hygienic measures: Refer to Section 6. Refer to Section 7. Wash hands before breaks and at

the end of work. Avoid contact with the eyes and skin. Perform routine housekeeping. Follow proper handling methods. Follow proper handling

methods.

SECTION 9: Physical and chemical properties

| Appearance (physical state, color): | Violet colored liquid | Explosion limit lower: Explosion limit upper: | Not determined Not determined |
|-------------------------------------|-----------------------|--|--|
| Odor: | Vinegar-like | Vapor pressure at 20°C: | 11 mmHg |
| Odor threshold: | Not determined | Vapor density: | 2.07 |
| pH-value: | Acidic | Relative density: | 1.025 |
| Melting/Freezing point: | 0C | Solubilities: | Completely soluble |
| Boiling point/Boiling range: | 108C | Partition coefficient (noctanol/water): | Not determined |
| Flash point (closed cup): | Not determined | Auto/Self-ignition temperature: | Not determined |
| Evaporation rate: | 0.97 | Decomposition temperature: | Not determined |
| Flammability (solid, gaseous): | Not determined | Viscosity: | a. Kinematic: Not determined b. Dynamic: Not determined |
| Density at 20°C: | Not determined | | |

SECTION 10: Stability and reactivity

Reactivity: None Chemical stability:

Stable under normal conditions. **Possible hazardous reactions:** None

Conditions to avoid:

Moisture sensitive. Heat, flames and sparks. Strong oxidizing agents.

Incompatible materials:

Oxidizing agents, Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, Permanganates, Potassium permanganate, Amines, Alcohols, and Nitric acid. Strong oxidizing agents.

Hazardous decomposition products:

Nitrogen oxides, carbon monoxide, carbon dioxide.

SECTION 11: Toxicological information

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

Acute Toxicity:

Dermal:

LD50 Dermal - rabbit - 1,112 mg/kg.

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation:

Eyes - rabbit Result: Corrosive to eyes.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Aquatic Tox., Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 1,000 mg/l - 96 h (OECD Test Guideline 203).

Aquatic Tox., Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - > 300.82 mg/l - 48 h (OECD Test Guideline 202).

Persistence and degradability:

Readily biodegradable.

Bioaccumulative potential: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 3264

Limited Quantity Exception: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: CORROSIVE LIQUID, **Proper shipping Name:** CORROSIVE LIQUID,

ACIDIC, INORGANIC, N.O.S. ACIDIC, INORGANIC, N.O.S.

Hazard Class: 8
Packing Group: |||.
Packing Group: |||.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information. **Comments:** None **Comments:** None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

64-19-7 Acetic Acid 5000 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.17.2015

Aceto-Orecein, 2% Aqueous

information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-0 **HMIS**: 3-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).