World Headquarters Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sulfuric Acid Standard Solution 5.25N Catalog Number: 244900

Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050 Emergency Telephone Numbers: (Medical and Transportation) (303) 623-5716 24 Hour Service (515)232-2533 8am - 4pm CST

MSDS Number: M00437 Chemical Name: Not applicable CAS No.: Not applicable Chemical Formula: Not applicable Chemical Family: Not applicable Hazard: Harmful if inhaled. Carcinogen. Causes eye burns. Date of MSDS Preparation: Day: 24 Month: July Year: 2008

2. COMPOSITION / INFORMATION ON INGREDIENTS

Demineralized Water

CAS No.: 7732-18-5 TSCA CAS Number: 7732-18-5 Percent Range: 70.0 - 80.0 Percent Range Units: weight / weight LD50: None reported LC50: None reported TLV: Not established PEL: Not established Hazard: No effects anticipated.

Sulfuric Acid

CAS No.: 7664-93-9 TSCA CAS Number: 7664-93-9 Percent Range: 20.0 - 30.0 Percent Range Units: weight / weight LD50: Oral rat LD50 = 2140 mg/kg. LC50: Inhalation rat LC50 = 87 ppm/4 hr TLV: 1 mg/m³ (TWA); 3 mg/m³ (STEL) PEL: 1 mg/m³ Hazard: Causes severe burns. Harmful if inhaled. Recognized carcinogen.

3. HAZARDS IDENTIFICATION

Emergency Overview: Appearance: Clear, colorless liquid Odor: None CAUSES EYE BURNS HARMFUL IF INHALED MAY CAUSE SKIN IRRITATION HMIS: Health: 3 Flammability: 0 Reactivity: 2 Protective Equipment: X - See protective equipment, Section 8. NFPA: Health: 3 Flammability: 0 Reactivity: 2 Symbol: Water Reactive Potential Health Effects: Eye Contact: Causes severe burns Skin Contact: May cause irritiation Skin Absorption: None reported Target Organs: None reported Ingestion: Causes: severe burns May cause: circulatory disturbances diarrhea nausea vomiting rapid pulse and respirations Target Organs: None reported Inhalation: Causes: severe burns May cause: teeth erosion mouth soreness difficult breathing Target Organs: Lungs Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Chronic Effects: Chronic overexposure may cause erosion of the teeth chronic irritation or inflammation of the lungs cancer Cancer / Reproductive Toxicity Information: This product does NOT contain any OSHA listed carcinogens. An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: None reported Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician. *Skin Contact (First Aid):* Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately. *Ingestion (First Aid):* Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately. *Inhalation:* Remove to fresh air. Give artificial respiration if necessary. Call physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire, corrosive and toxic gases may be generated by thermal decomposition.
Flash Point: Not applicable
Method: Not applicable
Flammability Limits:
Lower Explosion Limits: Not applicable
Upper Explosion Limits: Not applicable
Autoignition Temperature: Not applicable
Hazardous Combustion Products: This material will not burn.
Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable May react violently with:
strong bases
Static Discharge: None reported.
Mechanical Impact: None reported

Extinguishing Media: Use media appropriate to surrounding fire conditions

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in an E.P.A. approved hazardous waste facility. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Mixture contains a component which is regulated as a water pollutant. Mixture contains a component which is regulated as hazardous waste.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

D.O.T. Emergency Response Guide Number: 154

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product. *Storage:* Keep container tightly closed when not in use. Protect from: heat Keep away from: alkalies oxidizers

reducers metals

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain general industrial hygiene practices when using this product. Use a fume hood to avoid exposure to dust, mist or vapor.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: heat Keep away from: alkalies metals oxidizers reducers **TLV**: Not established **PEL**: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid Physical State: Liquid Molecular Weight: Not applicable Odor: None pH: < 0.5 Vapor Pressure: Not determined. Vapor Density (air = 1): Not determined. Boiling Point: Not determined. Melting Point: Not applicable Specific Gravity (water = 1): 1.149 Evaporation Rate (water = 1): 0.85 Volatile Organic Compounds Content: None. Partition Coefficient (n-octanol / water): Not applicable Solubility: Water: Miscible. Acid: Miscible. Other: Not determined. Metal Corrosivity: Steel: 0.230 in/yr (5.842 mm/yr) Aluminum: >0.25 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
 Conditions to Avoid: Extreme temperatures Heating to decomposition.
 Reactivity / Incompatibility: May react violently in contact with: strong bases oxidizers reducers Incompatible with: metals
 Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides Contact with metals may release flammable hydrogen gas.
 Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data: LD50: None reported. LC50: None reported.
Dermal Toxicity Data: None reported.
Skin and Eye Irritation Data: This product is not corrosive to skin. Absent to very slight erythema. No edema. (OECD Number 404, Acute Dermal Irritation/Corrosion)
Mutation Data: None reported.
Reproductive Effects Data: None reported.
Ingredient Toxicological Data: Sulfuric Acid: Oral rat LD₅₀ = 2140 mg/kg; Inhalation rat LC₅₀ = 347 ppm/1hr.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. *Ingredient Ecological Information:* Sulfuric Acid: The 48-Hour TLm in flounder is 100-300 ppm.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. *NOTICE (Disposal):* These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:
D.O.T. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (<45% Sulfuric Acid in Solution)
DOT Hazard Class: 8
DOT Subsidiary Risk: NA
DOT ID Number: UN3264
DOT Packing Group: III
I.C.A.O.:
I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (<45% Sulfuric Acid in Solution)
ICAO Hazard Class: 8

ICAO Subsidiary Risk: NA
ICAO ID Number: UN3264
ICAO Packing Group: III
I.M.O.:
I.M.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<45% Sulfuric Acid in Solution)
I.M.O. Hazard Class: 8
I.M.O. Subsidiary Risk: NA
I.M.O. ID Number: UN3264
I.M.O. Packing Group: III
Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification:

goods for analytical of testing purposes. This	s kit would have the l	onowing classification.
Proper Shipping Name: Chemical Kit	Hazard Class: 9	UN Number 3316.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Reactive Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.
304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs.
304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.
Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs.
RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: The label for this product bears the signal word "POISON" because the concentration of Sulfuric Acid in the product is greater than/equal to 10%.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33:

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710). TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Laboratory Reagent

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. *Revision Summary:* Updates in Section(s) 14,

Legend:

- NA Not Applicable ND - Not Determined
- NV Not Available
- w/w weight/weight w/v - weight/volume v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2008