## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

#### 1 Identification

· Product identifier

· Trade name: Potassium Fluoride 20% w/v

· Product code: PF3220SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

## 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

· Additional information: Contact with acids liberates toxic gas.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard statements:

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

· Precautionary statements:

P261 Avoid breathing mist.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves and eye protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of soap and water.

(Cont'd. on page 2)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Additional information: Contact with acids liberates toxic gas.
- · Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

| · Components: |  |     |  |
|---------------|--|-----|--|
| 7789-23-3     | potassium fluoride   | 20% |  |
|               | Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 |     |  |
| 7732-18-5     | Water  | 80% |  |

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Coughing

Gastric or intestinal disorders when ingested.

· Danger:

Danger of disturbed cardiac rhythm.

May cause neurotoxic effects.

Harmful if swallowed, in contact with skin or if inhaled.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

Medical supervision for at least 48 hours.

# 5 Fire-fighting measures

(Cont'd. on page 3)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 2)

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

### · Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

### · Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### · Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

(Cont'd. on page 4)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 3)

#### Control parameters

| · Components with limit values that require monitoring at the workplace: |  |  |  |
|--|--|--|--|
| 7789-23-3 potassium fluoride   |  |  |  |
| PEL (USA)  | Long-term value: 2.5 mg/m³ as F            |  |  |
| REL (USA)  | Long-term value: 2.5 mg/m³ as F            |  |  |
| TLV (USA)  | Long-term value: 2.5 mg/m³ as F, BEI       |  |  |
| EL (Canada)  | Long-term value: 2.5 mg/m³ as F            |  |  |
| LMPE (Mexico)  | Long-term value: 2.5 mg/m³ A4, IBE; como F |  |  |

### · Ingredients with biological limit values:

### 7789-23-3 potassium fluoride

BEI (USA) 2 mg/L

Medium: urine Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L

Medium: urine Time: end of shift

Parameter: Fluoride (background, nonspecific)

### Exposure controls

# · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:



Protective gloves

### · Material of gloves

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

· Eye protection:

(Cont'd. on page 5)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 4)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • **Body protection:** Protection may be required for spills.

- · Limitation and supervision of exposure into the environment No relevant information available.

| 9 Physical and chemical properties                         |   |  |  |  |  |
|--|---|--|--|--|--|
| · Information on basic physical and chemical properties    |   |  |  |  |  |
| · Appearance:  | 10.01   |  |  |  |  |
| Form:<br>Color:  | Liquid<br>Colorless                           |  |  |  |  |
| · Odor:  | Characteristic                                |  |  |  |  |
| · Odor threshold:  | Not determined.                               |  |  |  |  |
| · pH-value:  | Not determined.                               |  |  |  |  |
| · Melting point/Melting range:                             | Not determined.                               |  |  |  |  |
| · Boiling point/Boiling range:                             | 105-110 °C (221-230 °F)                       |  |  |  |  |
| · Flash point:   | The product is not flammable.                 |  |  |  |  |
| · Flammability (solid, gaseous):                           | Not applicable.                               |  |  |  |  |
| · Auto-ignition temperature:                               | Not determined.                               |  |  |  |  |
| · Decomposition temperature:                               | Not determined.                               |  |  |  |  |
| · Danger of explosion:                                     | Product does not present an explosion hazard. |  |  |  |  |
| · Explosion limits   |   |  |  |  |  |
| Lower:   | Not determined.                               |  |  |  |  |
| Upper:   | Not determined.                               |  |  |  |  |
| <ul> <li>Oxidizing properties:</li> </ul>                  | Non-oxidizing.                                |  |  |  |  |
| · Vapor pressure at 20 °C (68 °F):                         | 23 hPa (17.3 mm Hg)                           |  |  |  |  |
| · Density at 20 °C (68 °F):                                | 1.3 g/cm³ (10.85 lbs/gal)                     |  |  |  |  |
| · Relative density:  | Not determined.                               |  |  |  |  |
| · Vapor density:   | Not determined.                               |  |  |  |  |
| · Evaporation rate:  | Not determined.                               |  |  |  |  |
| · Solubility in / Miscibility with                         |   |  |  |  |  |
| Water:   | Easily soluble.                               |  |  |  |  |
| · Partition coefficient (n-octanol/water): Not determined. |   |  |  |  |  |
| · Viscosity  |   |  |  |  |  |
| Dynamic:   | Not determined.                               |  |  |  |  |
| Kinematic:   | Not determined.                               |  |  |  |  |
| · Other information  | No relevant information available.            |  |  |  |  |

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 5)

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Contact with acids releases toxic gases.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Danger of toxic pyrolysis products.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

#### · LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

| Oral       | LD50    | 1225 mg/kg (rat) |
|------------|---------|------------------|
| Dermal     | LD50    | 1500 mg/kg       |
| Inhalative | LC50/4h | 15 mg/l          |

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.

### · IARC (International Agency for Research on Cancer):

7789-23-3 potassium fluoride

<u> 3</u>

### · NTP (National Toxicology Program):

None of the ingredients are listed.

# · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

### · Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

### · Acute effects (acute toxicity, irritation and corrosivity):

Harmful if swallowed, in contact with skin or if inhaled.

(Cont'd. on page 7)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 6)

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

| 14 Transport information                                    |                |                     |  |
|---|----------------|---------------------|--|
| · UN-Number<br>· DOT, ADR/RID/ADN, IMDG, IATA               | Not regulated. |                     |  |
| · UN proper shipping name<br>· DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. |                     |  |
| · Transport hazard class(es)                                |                |                     |  |
| · DOT, ADR/RID/ADN, IMDG, IATA                              |                |                     |  |
|   |                | (Cont'd. on page 8) |  |

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

|   |                       | (Cont'd. of page 7) |
|---|-----------------------|---------------------|
| · Class   | Not regulated.        |                     |
| <ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul> | Not regulated.        |                     |
| · Environmental hazards   | Not applicable.       |                     |
| · Special precautions for user  | Not applicable.       |                     |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code       | II of Not applicable. |                     |

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

7789-23-3 potassium fluoride

3

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

Page: 9/9

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019 Revision: February 22, 2019

Trade name: Potassium Fluoride 20% w/v

(Cont'd. of page 8)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com