

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 1 of 10

Chromatography Solution A

SECTION 1: Identification

Product identifier

Product name: Chromatography Solution A

Product code: CH1904SS

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331

1-717-632-1291

Emergency telephone number:

Canada

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 3

Serious eye damage, category 1

Skin corrosion, category 1B

Acute toxicity (oral), category 4

Specific target organ toxicity - single exposure, category 3, respiratory irritation

Specific target organ toxicity - single exposure, category 3, central nervous system

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H226 Flammable liquid and vapor.

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 2 of 10

Chromatography Solution A

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P270 Do not eat, drink or smoke when using this product.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/light/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment (see supplemental first aid instructions on this label).
P363 Wash contaminated clothing before reuse.
P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
P405 Store locked up.
P403+P233 Store in a well ventilated place. Keep container tightly closed.
P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 64-17-5	Ethanol, Denatured	20
CAS number: 71-36-3	n-Butyl Alcohol	60
CAS number: 1336-21-6	Ammonium Hydroxide	20

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Move exposed individual to fresh air
Loosen clothing as necessary and position individual in a comfortable position
Maintain an unobstructed airway
Immediately call a POISON CONTROL CENTER or seek medical attention

After skin contact:

Wash affected area with soap and water
Immediately call a POISON CONTROL CENTER or seek medical attention

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 3 of 10

Chromatography Solution A

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes
Remove contact lens(es) if able to do so during rinsing
Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Immediately call a POISON CONTROL CENTER or seek medical attention
Do not induce vomiting
Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors
Vapors can flow to distant ignition sources and flashback
Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Shut off sources of ignition
Carbon monoxide and carbon dioxide may form upon combustion
Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation
Ensure air handling systems are operational
Wear protective eye wear, gloves and clothing
Beware of vapors accumulating to form explosive concentrations
Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment
Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 4 of 10

Chromatography Solution A

Wear protective eye wear, gloves and clothing
Use spark-proof tools and explosion-proof equipment
Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)
Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.
Avoid breathing mist or vapor.
Do not eat, drink, smoke or use personal products when handling chemical substances.
Take precautionary measures against electrostatic discharges.
Use only non-sparking tools.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.
Protect from freezing and physical damage.
Store in a cool, well-ventilated area.
Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Ethanol, Denatured	64-17-5	ACGIH TLV TWA 1,000 ppm
	Ethanol, Denatured	64-17-5	ACGIH TLV STEL 1,000 ppm
	Ammonium Hydroxide	1336-21-6	ACGIH TLV TWA 25 ppm (NH ₃)
	Ammonium Hydroxide	1336-21-6	ACGIH TLV STEL 35 ppm (NH ₃)
	n-Butyl Alcohol	71-36-3	ACGIH TLV 8 Hour TWA: 20 ppm
United States (OSHA)	Ethanol, Denatured	64-17-5	OSHA PEL TWA 1,000 ppm
	Ethanol, Denatured	64-17-5	OSHA PEL TWA 1,900 mg/m ³
	Ammonium Hydroxide	1336-21-6	OSHA PEL TWA 50 ppm (NH ₃)
	Ammonium Hydroxide	1336-21-6	OSHA PEL TWA 35 mg/m ³ (NH ₃)
	n-Butyl Alcohol	71-36-3	OSHA PEL Time Weighted Avg: 100 ppm
NIOSH	Ethanol, Denatured	64-17-5	NIOSH REL TWA 1,000 ppm
	Ethanol, Denatured	64-17-5	NIOSH REL TWA 1,900 mg/m ³
	Ammonium Hydroxide	1336-21-6	NIOSH REL TWA 25 ppm (NH ₃)
	Ammonium Hydroxide	1336-21-6	NIOSH REL TWA 18 mg/m ³ (NH ₃)
	Ammonium Hydroxide	1336-21-6	NIOSH REL ST 35 ppm (NH ₃)
	Ammonium Hydroxide	1336-21-6	NIOSH REL ST 27 mg/m ³ (NH ₃)
	n-Butyl Alcohol	71-36-3	NIOSH IDLH: 1400 ppm

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 5 of 10

Chromatography Solution A

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.
Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.
Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.
Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.
Wash hands before breaks and at the end of work.
Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, colorless liquid
Odor	Strong characteristic odor
Odor threshold	Not available
pH	Not available
Melting point/freezing point	Not available
Initial boiling point/range	116°C
Flash point (closed cup)	35°C
Evaporation rate	Not available
Flammability (solid, gas)	Flammable
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Density	Not available
Relative density	Not available
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	Not available
Decomposition temperature	Not available

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 6 of 10

Chromatography Solution A

Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Excess heat, ignition source or flames.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Harmful if swallowed

Product data: No data available.

Substance data:

Name	Route	Result
n-Butyl Alcohol	oral	LD50 - Rat - 790 mg/kg

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

Substance data:

Name	Result
Ammonium Hydroxide	Causes severe skin burns and eye damage.
n-Butyl Alcohol	Irritant to skin and mucous membranes

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data: No data available.

Substance data:

Name	Result
n-Butyl Alcohol	Irritating to eyes, nose and throat.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 7 of 10

Chromatography Solution A

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Ethanol, Denatured	Group 1 - Carcinogenic to humans

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: May cause respiratory irritation May cause drowsiness or dizziness

Product data: No data available.

Substance data:

Name	Result
n-Butyl Alcohol	Component may affect the respiratory and central nervous system through single exposure.
	May cause drowsiness or dizziness

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Ammonium Hydroxide	LC50 - Coho salmon - 0.45 mg/L - 96 h

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 8 of 10

Chromatography Solution A

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.


SECTION 13: Disposal considerations

Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information


United States Transportation of dangerous goods (49 CFR DOT)

UN number	1120
UN proper shipping name	Butanols
UN transport hazard class(es)	3 
Packing group	III
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	1120
UN proper shipping name	Butanols
UN transport hazard class(es)	3 
Packing group	III
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1120
UN proper shipping name	Butanols
UN transport hazard class(es)	3 
Packing group	III
Environmental hazards	None
Special precautions for user	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 9 of 10

Chromatography Solution A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

64-17-5	Ethanol, Denatured	Listed
1336-21-6	Ammonium Hydroxide	Listed
71-36-3	n-Butyl Alcohol	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

1336-21-6	Ammonium Hydroxide	Listed
71-36-3	n-Butyl Alcohol	Listed

CERCLA:

1336-21-6	Ammonium Hydroxide	Listed	1000
71-36-3	n-Butyl Alcohol	Listed	5000

RCRA:

71-36-3	n-Butyl Alcohol	Listed	
---------	-----------------	--------	--

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

64-17-5	Ethanol, Denatured	Listed
71-36-3	n-Butyl Alcohol	Listed

New Jersey Right to Know:

64-17-5	Ethanol, Denatured	Not Listed
71-36-3	n-Butyl Alcohol	Listed

New York Right to Know:

64-17-5	Ethanol, Denatured	Listed
71-36-3	n-Butyl Alcohol	Listed

Pennsylvania Right to Know:

64-17-5	Ethanol, Denatured	Listed
71-36-3	n-Butyl Alcohol	Listed

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.26.2017

Page 10 of 10

Chromatography Solution A

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-3-0

HMIS: 2-3-0

Initial preparation date: 04.26.2017

End of Safety Data Sheet