# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

7732-18-5 Water

7447-40-7 Potassium chloride

Revision: March 08, 2019

1 Identification	
1 Identification	
· Product identifier	
<ul> <li>Trade name: Potassium Chloride 4M</li> <li>Product code: PC4001SS</li> </ul>	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc.</li> <li>860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> </ul>	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
· Classification of the substance or mixture	
Eye Irrit. 2B H320 Causes eye irritation.	
<ul> <li>Eye Irrit. 2B H320 Causes eye irritation.</li> <li>Label elements <ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Glob.</li> <li>Hazard pictograms: None.</li> <li>Signal word: Warning</li> <li>Hazard statements: <ul> <li>H320 Causes eye irritation.</li> </ul> </li> <li>Precautionary statements: <ul> <li>P264</li> <li>Wash thoroughly after handling.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water present and easy to do. Continue rinsing</li> </ul> </li> </ul></li></ul>	for several minutes. Remove contact lenses,
<ul> <li>Eye Irrit. 2B H320 Causes eye irritation.</li> <li>Label elements <ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Glob.</li> <li>Hazard pictograms: None.</li> <li>Signal word: Warning</li> <li>Hazard statements: <ul> <li>H320 Causes eye irritation.</li> </ul> </li> <li>Precautionary statements: <ul> <li>P264</li> <li>Wash thoroughly after handling.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water present and easy to do. Continue rinsing</li> <li>P337+P313</li> <li>Fereing Participation of the product of the product of the present and present present and present and present and present and present and present and present present and present pr</li></ul></li></ul></li></ul>	for several minutes. Remove contact lenses, J. rice/attention.
<ul> <li>Eye Irrit. 2B H320 Causes eye irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Glob.</li> <li>Hazard pictograms: None.</li> <li>Signal word: Warning</li> <li>Hazard statements: H320 Causes eye irritation.</li> <li>Precautionary statements: P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water present and easy to do. Continue rinsing</li> </ul>	for several minutes. Remove contact lenses, J. rice/attention.
<ul> <li>Eye Irrit. 2B H320 Causes eye irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Glob.</li> <li>Hazard pictograms: None.</li> <li>Signal word: Warning</li> <li>Hazard statements:</li> <li>H320 Causes eye irritation.</li> <li>Precautionary statements:</li> <li>P264 Wash thoroughly after handling.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water present and easy to do. Continue rinsing</li> <li>P337+P313 If eye irritation persists: Get medical adv</li> </ul>	for several minutes. Remove contact lenses, J. rice/attention.
<ul> <li>Eye Irrit. 2B H320 Causes eye irritation.</li> <li>Label elements <ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Glob.</li> <li>Hazard pictograms: None.</li> <li>Signal word: Warning</li> <li>Hazard statements: <ul> <li>H320 Causes eye irritation.</li> </ul> </li> <li>Precautionary statements: <ul> <li>P264</li> <li>Wash thoroughly after handling.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water present and easy to do. Continue rinsing</li> <li>P337+P313</li> <li>If eye irritation persists: Get medical adv</li> </ul> </li> </ul></li></ul>	for several minutes. Remove contact lenses, J. rice/attention.

70.20%

29.80%

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

Trade name: Potassium Chloride 4M

(Cont'd. of page 1)

#### 4 First-aid measures

#### · Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

 After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing: Discuss the set the set the set of several minutes.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed:
- Causes eye irritation.

May cause gastro-intestinal irritation if ingested.

- Danger: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

#### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   Ensure adequate ventilation.
   For large spills, wear protective clothing.

   Environmental precautions
   Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

   Methods and material for containment and cleaning up
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   Dispose of the collected material according to regulations.
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

Trade name: Potassium Chloride 4M

(Cont'd. of page 2)

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling
- · Precautions for safe handling: Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Do not store together with acids.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

- Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- $\cdot$  Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

· Material of gloves

Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR Natural rubber, NR Sensibilization by the components in the glove materials is possible. **Eve protection:** 



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

(Cont'd. on page 4)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

(Cont'd. of page 3)

Trade name: Potassium Chloride 4M

# • Limitation and supervision of exposure into the environment No relevant information available.

Information on boold alternity of	9 Physical and chemical properties			
<ul> <li>Information on basic physical a</li> <li>Appearance:</li> </ul>	nd chemical properties			
Form:	Liquid			
Color:	Colorless			
· Odor:	Odorless			
· Odor threshold:	Not determined.			
· pH-value:	Not applicable.			
• Melting point/Melting range:	Not determined.			
<ul> <li>Boiling point/Boiling range:</li> </ul>	105-110 °C (221-230 °F)			
· Flash point:	The product is not flammable.			
	Not applicable.			
· Flammability (solid, gaseous):	Product is not flammable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
<ul> <li>Explosion limits</li> </ul>				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
<ul> <li>Density at 20 °C (68 °F):</li> </ul>	1.26 g/cm³ (10.51 lbs/gal)			
<ul> <li>Relative density:</li> </ul>	Not determined.			
<ul> <li>Vapor density:</li> </ul>	Not applicable.			
· Evaporation rate:	Not applicable.			
<ul> <li>Solubility in / Miscibility with</li> </ul>				
Water at 20 °C (68 °F):	330 g/l			
· Partition coefficient (n-octanol/wate	er): Not determined.			
· Viscosity				
Dynamic:	Not applicable.			
	Not determined.			
Kinematic:	Not applicable.			
Other information	Not determined.			
<ul> <li>Other information</li> </ul>	No relevant information available.			

# 10 Stability and reactivity

(Cont'd. on page 5)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

Trade name: Potassium Chloride 4M

(Cont'd. of page 4)

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids.
- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products
- Under fire conditions only: Chlorine compounds

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 8725 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Irritating effect.
- Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### · NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable route(s) of exposure:

- Ingestion.
- Inhalation.

Eye contact.

- Skin contact.
- Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes.
- · Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

#### Trade name: Potassium Chloride 4M

(Cont'd. of page 5)

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
, , ,	Not regulated.	
<ul> <li>Transport hazard class(es)</li> </ul>		
· DOT, ADR/RID/ADN, IMDG, IATA		
· Class	Not regulated.	
· Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Environmental hazards	Not applicable.	
· Special precautions for user	Not applicable.	

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

Trade name: Potassium Chloride 4M

(Cont'd. of page 6)

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

#### **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):
- None of the ingredients are listed.
- · Section 355 (extremely hazardous substances):
- None of the ingredients are listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients are listed.
- · TSCA (Toxic Substances Control Act)
- All ingredients are listed.
- · Proposition 65 (California)
- · Chemicals known to cause cancer:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity for females:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity for males:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients are listed.
- · EPA (Environmental Protection Agency):
- None of the ingredients are listed.
- · IARC (International Agency for Research on Cancer):
- None of the ingredients are listed.
- · Canadian Domestic Substances List (DSL) (Substances not listed.):
- All ingredients are listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

(Cont'd. on page 8)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 18, 2019

Revision: March 08, 2019

#### Trade name: Potassium Chloride 4M

(Cont'd. of page 7)

IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com