acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

1 Identification Product identifier · Trade name: ORP Standard, 600mV · Product code: OR4600SS · Recommended use and restriction on use · Recommended use: Laboratory chemicals · Restrictions on use: No relevant information available. · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. · Label elements The product is not classified as hazardous according to OSHA GHS regulations within the United States. · GHS label elements This product does not have a classification according to the GHS regulation. The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS05 · Signal word: Warning · Hazard statements: H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements: P234 Keep only in original container. P264 Wash thoroughly after handling. Wear protective gloves and eye protection. P280 If on skin: Wash with plenty of water. P302+P352 (Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 1)

P305+P351+F	2338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7732-18-5		88.97%	
	Sulfuric acid	6.00%	
	🚸 Skin Corr. 1A, H314		
	Ferric Ammonium Sulfate	5.00%	
7783-85-9	Ferrous ammonium sulfate	0.03%	
	1 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

• Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting. Seek medical attention.

- · Most important symptoms and effects, both acute and delayed:
- Gastric or intestinal disorders when ingested. Nausea in case of ingestion.

Acidosis

Causes skin and eye irritation.

- · Danger: Danger of impaired breathing.
- \cdot Indication of any immediate medical attention and special treatment needed:
- Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

\cdot Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions Do not allow to enter sewers/ surface or ground water.

\cdot Methods and material for containment and cleaning up

Use calcium oxide as a neutralizing agent.

Clean the affected area carefully; suitable cleaners are: Water

Dispose of the collected material according to regulations.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: steel. • Information about storage in one common storage facility: Store away from foodstuffs.
- Do not store together with alkalis (caustic solutions).
- Store away from oxidizing agents.
- Store away from metals.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 3)

• Further information about storage conditions: Keep containers tightly sealed.

 \cdot Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Exposure controls
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: For large spills, respiratory protection may be advisable.
- · Protection of hands:



Protective gloves

Not required under normal conditions of use.

Material of gloves

Natural rubber, NR Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR Fluorocarbon rubber (Viton) Sensibilization by the components in the glove materials is pos

Sensibilization by the components in the glove materials is possible.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- Body protection: Acid resistant protective clothing.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties

· Information on basic physical and chemical properties

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

		(Cont'd. of page
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Melting point/Melting range: 	Not determined.	
 Boiling point/Boiling range: 	105-110 °C (221-230 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
 Oxidizing properties: 	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
 Other information 	No relevant information available.	

10 Stability and reactivity

Reactivity: Corrosive action on metals. Corrodes copper and brass. Toxic fumes may be released if heated above the decomposition point. Chemical stability: Stable under normal temperatures and pressures. Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with certain metals.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 5)

Reacts with alkali (lyes).
Reacts with oxidizing agents.
Conditions to avoid Excessive heat.
Incompatible materials Metals.
Alkalis
Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.
Hazardous decomposition products Under fire conditions only: Sulfur oxides (SOx)

Sulfur dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Causes serious eye irritation.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- · Probable route(s) of exposure:
- Ingestion. Inhalation.
- Eve contact.
- Skin contact.
- · Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye irritation.

Irritating to skin.

- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 6)

- Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
 · UN proper shipping name · DOT · ADR, IMDG, IATA 	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (SULPHURIC ACID)
· Transport hazard class(es)	
· DOT	
accompanye	
· Class	8
· Label	8
	(Cont'd. on page

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

ade name: ORP Standard, 600mV		
		(Cont'd. of page
· ADR		
A A A A A A A A A A A A A A A A A A A		
· Class	8 (C1)	
· Label	8	
· IMDG, IATA		
· Class	8	
· Label	8	
· Packing group		
· DOT, ADR, IMDG, IATA	III	
· Environmental hazards	Not applicable.	
· Special precautions for user	Warning: Corrosive substances	
· Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
· Segregation groups	Acids	
· Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
DOT		
· Quantity limitations	On passenger aircraft/rail: 5 L	
	On cargo aircraft only: 60 L	

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or

mixture
United States (USA)
SARA
Section 302 (extremely hazardous substances): None of the ingredients are listed.
Section 355 (extremely hazardous substances): None of the ingredients are listed.
Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 8)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by:

(Cont'd. on page 10)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 16, 2018

Revision: October 16, 2018

Trade name: ORP Standard, 600mV

(Cont'd. of page 9)

ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com