

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Ammonium Vanadate,0.1M****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Ammonium Vanadate,0.1M**Manufacturer/Supplier Article number:** AV2550SS**Recommended uses of the product and restrictions on use:** Laboratory**Manufacturer Details:**

AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331
1-717-632-1291

Emergency telephone number:**ChemTel: (24-hour)**

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification**Classification of the substance or mixture:****Health hazard**

Germ cell mutagenicity, category 2
Reproductive toxicity, category 2

**Irritant**

Acute toxicity (oral, dermal, inhalation), category 4

Muta. 2.

Repr. 2.

Acute Tox. 4.

Signal word: Warning**Hazard statements:**

Suspected of damaging fertility or the unborn child.

May cause genetic defects.

Harmful if inhaled.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Store locked up.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Ammonium Vanadate,0.1M**SECTION 3: Composition/information on ingredients****Ingredients:**

Ingredients:		
CAS 7803-55-6	Ammonium Meta-Vanadate	1.17 %
CAS 7732-18-5	Deionized Water	87.83 %
Percentages are by weight		

SECTION 4: First aid measures**Description of first aid measures****After inhalation:**

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Seek immediate medical assistance.

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Never give anything by mouth to an unconscious person. Seek immediate medical assistance.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath. green discoloration of the tongue and skin, respiratory difficulties) associated with exposure to vanadium pentoxide.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None**Special hazards arising from the substance or mixture:**

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. nitrogen oxides (NOx), Sulphur oxides, Borane/boron oxides, Vanadium/vanadium oxides.

Advice for firefighters:**Protective equipment:**

Use NIOSH-approved respiratory protection/breathing apparatus. Do not handle broken packages unless wearing appropriate personal protective equipment.

Additional information (precautions):

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Ammonium Vanadate,0.1M**

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols. Avoid contact with skin, eyes and clothing. Extinguish fire using agent suitable for type of surrounding fire. (Material itself does not burn or burns with difficulty.). Use foam, dry chemical, or carbon dioxide. Keep run-off water out of sewers and water sources.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Use spark-proof tools and explosion-proof equipment. Ensure that air-handling systems are operational. Ensure adequate ventilation.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Should not be released into environment.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. Wear protective eyewear, gloves, and clothing. Always obey local regulations. Refer to Section 8. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air. Collect solids in powder form using vacuum with HEPA filter. Evacuate personnel to safe areas.

Reference to other sections: None

SECTION 7: Handling and storage**Precautions for safe handling:**

Minimize dust generation and accumulation. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. Protect from freezing and physical damage. Keep away from food and beverages. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed containers. Store with like hazards.

SECTION 8: Exposure controls/personal protection**Control parameters:**

7803-55-6, Ammonium Meta-Vanadate, OSHA 15 minute Ceiling: 0.05 mg/m³.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use under a chemical fume hood.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Ammonium Vanadate,0.1M**

Respiratory protection:	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment. Wear respiratory protection.
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
Eye protection:	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.
General hygienic measures:	Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Before re-wearing, wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, yellow liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Not determined	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Approximately 1
Melting/Freezing point:	200°C	Solubilities:	Soluble in Water
Boiling point/Boiling range:	Approximately 100 C	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Approximately 0 C	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity**Reactivity:**

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible Materials.

Incompatible materials:

Strong acids. Oxidizing agents.

Hazardous decomposition products:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Ammonium Vanadate,0.1M**

Vanadium/vanadium oxides. Borane/boron oxides. Nitrogen oxides (NOx). sulfur oxides.

SECTION 11: Toxicological information**Acute Toxicity:****Dermal:**

LD50 Rat: 2,102 mg/kg 7803-55-6 (Ammonium Meta-Vanadate).

Chronic Toxicity: No additional information.**Skin corrosion/irritation:**

Extensive evidence exists that vanadium dust (usually the pentoxide) is severely irritating.

Serious eye damage/irritation:

Extensive evidence exists that vanadium dust (usually the pentoxide) is severely irritating.

Respiratory or skin sensitization: No additional information.**Carcinogenicity:****Not listed as a carcinogen (ACGIH, IARC, NTP):** 7803-55-6 (Ammonium Meta-Vanadate)**Germ cell mutagenicity:**

Human lymphocyte DNA damage.

Human lymphocyte Sister chromatid exchange.

Laboratory experiments have shown mutagenic effects.

Reproductive Toxicity:

Effects on Fertility: Post-implantation mortality.

Effects on Embryo or Fetus: Fetal death.

Developmental Toxicity - Hamster - Intraplacental

Specific Developmental Abnormalities: Musculoskeletal system.

STOT-single and repeated exposure:

Inhalation - May cause respiratory irritation.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information**Ecotoxicity:**

Fish LC50 Nuria danrica (Channelfish) - 2.6 mg/L/96 h, 7803-55-6 (Ammonium Meta-Vanadate).

Persistence and degradability:

Not Determined.

Bioaccumulative potential:

Not Determined.

Mobility in soil: No additional information.**Other adverse effects:** No additional information.**SECTION 13: Disposal considerations**

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Ammonium Vanadate,0.1M****Waste disposal recommendations:**

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information**US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA

Not regulated

Limited Quantity Exception:

None

Bulk:**RQ (if applicable):** None**Proper shipping Name:** Not regulated.**Hazard Class:** None**Packing Group:** Not regulated.**Marine Pollutant (if applicable):** No**Comments:** None**Non Bulk:****RQ (if applicable):** None**Proper shipping Name:** Not regulated.**Hazard Class:** None**Packing Group:** Not regulated.**Marine Pollutant (if applicable):** No**Comments:** None**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Acute,Chronic

SARA Section 313 (Specific toxic chemical listings):

7803-55-6 Ammonium Meta-Vanadate.

RCRA (hazardous waste code):

7803-55-6 Ammonium Meta-Vanadate - P119.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7803-55-6 Ammonium Meta-Vanadate 1000 lb.

Proposition 65 (California):**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Ammonium Vanadate,0.1M**

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada**Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0**HMIS:** 2-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:**

IMDG	International Maritime Code for Dangerous Goods.
IATA	International Air Transport Association.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service (division of the American Chemical Society).
NFPA	National Fire Protection Association (USA).
HMIS	Hazardous Materials Identification System (USA).
WHMIS	Workplace Hazardous Materials Information System (Canada).
DNEL	Derived No-Effect Level (REACH).
PNEC.	Predicted No-Effect Concentration (REACH).
CFR	Code of Federal Regulations (USA)
SARA	Superfund Amendments and Reauthorization Act (USA).
RCRA.	Resource Conservation and Recovery Act (USA).
TSCA.	Toxic Substances Control Act (USA).
NPRI	National Pollutant Release Inventory (Canada).
DOT	US Department of Transportation.