according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

BTOP Buffer SS

Manufacturer/Supplier Article number: BT1200SS

Recommended uses of the product and restrictions on use: Laboratory chemicals

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924 +1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:



Corrosive Skin corrosion, category 1B



Irritant Acute toxicity (oral), category 4 Acute toxicity (inhalation), category 4

Skin corrosion/irritation - Skin Corr. 1B. Acute toxicity - Oral - Acute Tox. 4. Acute toxicity - Inhalation - Acute Tox. 4.

Signal word: Danger

Hazard statements:

Causes severe skin burns and eye damage. Harmful if swallowed. Harmful if inhaled.

Precautionary statements:

If medical advice is needed have product container or label at hand. Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see supplemental first aid instructions on this label).

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Store locked up.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 79-11-8	Chloroacetic Acid, ACS		10 %	
CAS 7732-18-5	Deionized Water		85.4 %	
CAS 6131-90-4	Sodium Acetate Trihydrate, ACS		4.6 %	
Percentages are by weight				

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact:

Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation, discomfort or vomiting persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors.

Advice for firefighters:

Protective equipment: None

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection





Control parameters: Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

Respiratory protection:

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS				
Protection of skin:	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.			
Eye protection:	Safety glasses with side shields or goggles.			
General hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.			

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	0 Vol % 0 Vol %	
Odor:	Pungent	Vapor pressure at 20°C:	2.3 kPa (at 20°C) or 23 hPa (17 mmHg) at 20°C (68°F)	
Odor threshold:	Not determined	Vapor density:	0.62 (Air = 1)	
pH-value:	7 [Neutral] (1% soln/water)	Relative density:	1 (Water = 1)	
Melting/Freezing point:	0 °C (32 °F)	Solubilities:	Infinite.	
Boiling point/Boiling range:	100°C (212°F)	Partition coefficient (n- octanol/water):	Not determined	
Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not determined	
Evaporation rate:	Not determined	Decomposition temperature:	Not determined	
Flammability (solid, gaseous):	Not applicable	Viscosity:	a. Kinematic: Not determined b. Dynamic: 0.952 mPas at 20°C (68°F)	
Density at 20°C:	1 g/cm ³ (8.345 lbs./gal) at 20°C (68°F)			

SECTION 10: Stability and reactivity

Reactivity: None

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions: None

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases.

Incompatible materials:

Strong acids. Strong bases.

Hazardous decomposition products:

Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS

LD50 Rabbit >10 g/kg Sodium acetate.

Chronic Toxicity: No additional information. Skin corrosion/irritation: No additional information. Serious eye damage/irritation: No additional information. Respiratory or skin sensitization: No additional information. Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. Reproductive Toxicity: No additional information. STOT-single and repeated exposure: No additional information. Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information. Persistence and degradability:

Readily degradable in the environment.

Bioaccumulative potential: No additional information. **Mobility in soil**:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

UN Number: ADR, ADN, DOT, IMDG, IATA 3265 **Limited Quantity Exception:** None **Bulk:** Non Bulk: **RQ (if applicable):** None RQ (if applicable): None Proper shipping Name: Corrosive Liquid, Proper shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S. (Chloroacetic Acid Acidic, Organic, N.O.S. (Chloroacetic Acid Solution). Solution). Hazard Class: 8 Hazard Class: 8 Packing Group: II. Packing Group: II. Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS

additional information. **Comments:** None



SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients are listed.

SARA Section 313 (Specific toxic chemical listings):

79-11-8 Chloroacetic acid 1.0 % de minimis concentration.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

79-11-8 Chloroacetic acid 100 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.



additional information.

Comments: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

BTOP Buffer SS

NFPA: 2-0-0 HMIS: 2-0-0 GHS Full Text Phrases: None

Abbreviations and Acronyms:

- IMDG International Maritime Code for Dangerous Goods.
- IATA International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemicals.
- ACGIH American Conference of Governmental Industrial Hygienists
- CAS Chemical Abstracts Service (division of the American Chemical Society).
- NFPA National Fire Protection Association (USA).
- HMIS Hazardous Materials Identification System (USA).
- WHMIS Workplace Hazardous Materials Information System (Canada).
- DNEL Derived No-Effect Level (REACH).
- PNEC. Predicted No-Effect Concentration (REACH).
- CFR Code of Federal Regulations (USA)
- SARA Superfund Amendments and Reauthorization Act (USA).
- RCRA. Resource Conservation and Recovery Act (USA).
- TSCA. Toxic Substances Control Act (USA).
- NPRI National Pollutant Release Inventory (Canada).
- DOT US Department of Transportation.