According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 1 of 9

Softener Test - Sample - Add 5 Drops

SECTION 1: Identification

Product identifier

Product name: Softener Test - Sample - Add 5 Drops

Product code: DUMTK-640-02

Recommended use of the product and restriction on use

Relevant identified uses: Nov 20 2015 12:00AM

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:Supplier:United StatesUnited StatesAquaPhoenix ScientificDubois Chemicals Inc.860 Gitts Run Road3630 East Kemper Rd

Hanover Cincinnati
PA 17331 OH 45241
(717) 632-1291 (800) 438-2647

Emergency telephone number:

United States

Emergency Phone No. (800) 255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 2

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H225 Highly flammable liquid and vapor.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P403+P235 Store in a well ventilated place. Keep cool.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 2 of 9

Softener Test - Sample - Add 5 Drops

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

| Identification | Name | Weight % |
|------------------------|--------------------|----------|
| CAS number: 64-17-5 | Ethanol | <50 |
| CAS number: 102-71-6 | Triethanolamine | <50 |
| CAS number: 1787-61-7 | Eriochrome Black T | <0.04 |

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 3 of 9

Softener Test - Sample - Add 5 Drops

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Vapors can flow to distant ignition sources and flashback

Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing

Refer to Section 8

Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols

Avoid contact with skin, eyes and clothing

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Beware of vapors accumulating to form explosive concentrations

Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only non-sparking tools.

Take precautionary measures against electrostatic discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Keep container tightly sealed.

Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources.

Store locked up.

Use appropriate containment to avoid environmental contamination.

Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

| Country (Legal Basis) Substance | | Identifier | Permissible concentration | |
|---------------------------------|---------|------------|---------------------------|--|
| ACGIH | Ethanol | 64-17-5 | ACGIH TLV TWA 1,000 ppm | |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 4 of 9

Softener Test - Sample - Add 5 Drops

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|-----------------|------------|---------------------------------------|
| | Ethanol | 64-17-5 | ACGIH TLV STEL 1,000 ppm |
| | Triethanolamine | 102-71-6 | ACGIH TLV TWA 5.0 mg/m ³ |
| United States (OSHA) | Ethanol | 64-17-5 | OSHA PEL TWA 1,000 ppm |
| | Ethanol | 64-17-5 | OSHA PEL TWA 1,900 mg/m ³ |
| NIOSH | Ethanol | 64-17-5 | NIOSH REL TWA 1,000 ppm |
| | Ethanol | 64-17-5 | NIOSH REL TWA 1,900 mg/m ³ |

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Dark, blue liquid |
|------------------------------------|--------------------------|
| Odor | Alcohol |
| Odor threshold | Not available |
| рН | Not available |
| Melting point/freezing point | Not available |
| Initial boiling point/range | 78°C (172°F) |
| Flash point (closed cup) | 14°C (57.2°F) Closed cup |
| Evaporation rate | Not available |
| Flammability (solid, gas) | Not available |
| Upper flammability/explosive limit | Not available |
| Lower flammability/explosive limit | Not available |
| Vapor pressure | Not available |
| Vapor density | Not available |
| Density | Not available |
| Relative density | Not available |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 5 of 9

Softener Test - Sample - Add 5 Drops

| Solubilities | Not determined or not available. |
|---|----------------------------------|
| Partition coefficient (n-octanol/water) | Not available |
| Auto/Self-ignition temperature | Not available |
| Decomposition temperature | Not available |
| Dynamic viscosity | Not available |
| Kinematic viscosity | Not available |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Excess heat, ignition source or flames.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 6 of 9

Softener Test - Sample - Add 5 Drops

| Name | Classification |
|-----------------|--|
| Ethanol | Group 1 - Carcinogenic to humans |
| Triethanolamine | Group 3 - Not classifiable as to its carcinogenicity to humans |

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 7 of 9

Softener Test - Sample - Add 5 Drops

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

| UN number | 1993 | |
|-------------------------------|---|-------------|
| UN proper shipping name | Flammable Liquids, N.O.S., (Ethanol Solution) | |
| UN transport hazard class(es) | 3 | > |
| Packing group | II | |
| Environmental hazards | None | |
| Special precautions for user | None | |

International Maritime Dangerous Goods (IMDG)

| UN number | 1993 | |
|-------------------------------|---|-------------|
| UN proper shipping name | Flammable Liquids, N.O.S., (Ethanol Solution) | |
| UN transport hazard class(es) | 3 | TAMMAGE COM |
| Packing group | II | |
| Environmental hazards | None | |
| Special precautions for user | None | |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN number | 1993 | |
|-------------------------------|---|--|
| UN proper shipping name | Flammable Liquids, N.O.S., (Ethanol Solution) | |
| UN transport hazard class(es) | 3 | NAME TO SOLUTION OF THE PARTY O |
| Packing group | II | |
| Environmental hazards | None | |
| Special precautions for user | None | |

| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | | | |
|---|------|--|--|
| Bulk Name None | | | |
| Ship type | None | | |
| Pollution category | None | | |

SECTION 15: Regulatory information

United States regulations Inventory listing (TSCA):

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 8 of 9

Softener Test - Sample - Add 5 Drops

| 64-17-5 | Ethanol | Listed |
|-----------|--------------------|--------|
| 102-71-6 | Triethanolamine | Listed |
| 1787-61-7 | Eriochrome Black T | Listed |

Significant New Use Rule (TSCA Section 5): Not determined. **Export notification under TSCA Section 12(b):** Not determined.

SARA Section 311/312 hazards:

| Acute | Chronic | Fire | Pressure | Reactive |
|-------|---------|------|----------|----------|
| No | No | No | No | No |

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals: Not determined.

CERCLA: Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

| 102-71-6 | Triethanolamine | Listed |
|-----------|-----------------------|---------------|
| 1787-61-7 | Eriochrome Black T | Not Listed |
| 64-17-5 | Ethanol Ethyl alcohol | Listed |

New Jersey Right to Know:

| 102-71-6 | | Not Listed |
|-----------|---|---------------|
| 1787-61-7 | | Not Listed |
| 64-17-5 | , | Not Listed |

New York Right to Know:

| 102-71-6 | Triethanolamine | Not Listed |
|-----------|-----------------------|---------------|
| 1787-61-7 | Eriochrome Black T | Not Listed |
| 64-17-5 | Ethanol Ethyl alcohol | Listed |

Pennsylvania Right to Know:

| 102-71-6 | Triethanolamine | Listed |
|-----------|-----------------------|---------------|
| 1787-61-7 | | Not Listed |
| 64-17-5 | Ethanol Ethyl alcohol | Listed |

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.07.2017 Page 9 of 9

Softener Test - Sample - Add 5 Drops

information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-2-1 **HMIS:** 2-2-1

Initial preparation date: 04.07.2017

End of Safety Data Sheet