According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

## Van Urk Reagent

#### **SECTION 1: Identification**

#### Product identifier

Product name: Van Urk Reagent Product code: VR6000SS

### Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

#### Manufacturer or supplier details

Manufacturer: United States AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number: Canada ChemTel: (24-hour) +1(800)255-3924 +1(813)248-0585 (International)

#### SECTION 2: Hazard(s) identification

#### **GHS classification:**

Flammable liquids, category 3 Skin corrosion, category 1A Specific target organ toxicity - single exposure, category 1 Specific target organ toxicity - single exposure, category 3, respiratory irritation Acute toxicity (oral), category 3 Acute toxicity (dermal), category 3 Acute toxicity (inhalation), category 3

## Label elements

#### **Hazard pictograms:**



#### Signal word: Danger

#### Hazard statements:

- H226 Flammable liquid and vapor.
- H314 Causes severe skin burns and eye damage.
- H370 Causes damage to organs.
- H335 May cause respiratory irritation.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H331 Toxic if inhaled.

## According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

## Van Urk Reagent

## **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P307+P311 If exposed: Call a poison center or doctor/physician.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

## **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 67-56-1	Methanol	<50
CAS number: 7647-01-0	Hydrochloric acid	<50
CAS number: 100-10-7	p-Dimethylaminobenzaldehyde	<2

## Additional Information: None

## **SECTION 4: First aid measures**

## **Description of first aid measures**

#### **General notes:**

Not determined or not applicable.

#### After inhalation:

Move exposed individual to fresh air

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

#### Initial preparation date: 04.03.2017

#### Van Urk Reagent

Page 3 of 10

## Call a POISON CONTROL CENTER or seek medical attention

#### After skin contact:

Immediately remove all contaminated clothing Wash affected area with soap and water Seek medical attention if symptoms develop or persist Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes Remove contact lens(es) if able to do so during rinsing Immediately call a POISON CONTROL CENTER or seek medical attention

#### After swallowing:

Immediately call a POISON CONTROL CENTER or seek medical attention Do not induce vomiting Rinse mouth and then drink plenty of water

#### Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

#### **Delayed symptoms and effects:**

Not determined or not applicable.

## Immediate medical attention and special treatment

### **Specific treatment:**

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

## **SECTION 5: Firefighting measures**

#### Extinguishing media

#### Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors Vapors can flow to distant ignition sources and flashback Liquid is volatile and may generate an explosive atmosphere

## Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

#### Special precautions:

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

#### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

## According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial preparation date: 04.03.2017

#### Van Urk Reagent

Beware of vapors accumulating to form explosive concentrations Vapors can accumulate in low areas

#### **Environmental precautions:**

Should not be released into the environment Prevent from reaching drains, sewer or waterway

## Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Use spark-proof tools and explosion-proof equipment Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders) Dispose of contents / container in accordance with local regulations

# Reference to other sections:

Not determined or not applicable.

#### **SECTION 7: Handling and storage**

#### Precautions for safe handling:

Use only with adequate ventilation. Avoid breathing mist or vapor. Do not eat, drink, smoke or use personal products when handling chemical substances. Take precautionary measures against electrostatic discharges. Use only non-sparking tools.

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

#### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

## **Occupational Exposure limit values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Hydrochloric acid	7647-01-0	ACGIH TLV C 2.0 ppm
	Methanol	67-56-1	ACGIH TLV STEL 250 ppm [skin]
	Methanol	67-56-1	ACGIH TLV TWA 200 ppm [skin]
United States (OSHA)	Methanol	67-56-1	OSHA PEL TWA 200 ppm
	Methanol	67-56-1	OSHA PEL TWA 260 mg/m <sup>3</sup>
	Hydrochloric acid	7647-01-0	OSHA PEL C 5.0 ppm
	Hydrochloric acid	7647-01-0	OSHA PEL C 7.0 mg/m <sup>3</sup>
NIOSH	Methanol	67-56-1	NIOSH REL TWA 200 ppm [skin]
	Methanol	67-56-1	NIOSH REL TWA 260 mg/m <sup>3</sup> [skin]
	Methanol	67-56-1	NIOSH REL ST 250 ppm [skin]
	Methanol	67-56-1	NIOSH REL ST 325 mg/m <sup>3</sup> [skin]
	Hydrochloric acid	7647-01-0	NIOSH REL C 5.0 ppm
	Hydrochloric acid	7647-01-0	NIOSH REL C 7.0 mg/m <sup>3</sup>

#### **Biological limit values:**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

## Van Urk Reagent

No biological exposure limits noted for the ingredient(s).

## Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

## **Appropriate engineering controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

#### Personal protection equipment

## Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

## **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

#### General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance	Colorless to light yellow liquid
Odor	Acrid to slightly pungent
Odor threshold	Not available
рН	Not available
Melting point/freezing point	Not available
Initial boiling point/range	Not available
Flash point (closed cup)	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	Not available
Lower flammability/explosive limit	Not available
Vapor pressure	Not available
Vapor density	Not available
Density	Not available
Relative density	Not available
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	Not available

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

## Van Urk Reagent

Decomposition temperature	Not available
Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

## **Other information**

## SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

#### **Chemical stability:**

Stable under normal conditions of use and storage.

## Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### **Conditions to avoid:**

None known.

## Incompatible materials:

None known.

## Hazardous decomposition products:

None known.

## **SECTION 11: Toxicological information**

## Acute toxicity

Assessment: Toxic if swallowed Toxic in contact with skin Toxic if inhaled

Product data: No data available.

## Substance data:

Name	Route	Result
Hydrochloric acid	inhalation	LC50 - Mouse - 1,108 ppm / 1h
p-Dimethylaminobenzaldehyde	oral	LD50 Oral - Rat - 500 mg/kg

## Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

## Substance data:

Name	Result
Hydrochloric acid	Causes severe skin burns and eye damage.

## Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Carcinogenicity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

## Van Urk Reagent

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## International Agency for Research on Cancer (IARC):

Name	Classification
Hydrochloric acid	Group 3 - Not classifiable as to its carcinogenicity to humans

## National Toxicology Program (NTP): None of the ingredients are listed.

## Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Specific target organ toxicity (single exposure)

Assessment: Causes damage to organs May cause respiratory irritation

Product data: No data available.

## Substance data:

Name	Result
Methanol	Causes damage to the optic nerve and central nervous system.

## Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

## Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

## SECTION 12: Ecological information

#### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

## Product data: No data available.

## Substance data:

Name	Result
p-Dimethylaminobenzaldehyde	LC50 - Pimephales promelas - 45 mg/L 48hr

## Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

## Persistence and degradability

Product data: No data available.

## According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

## Van Urk Reagent

Substance data: No data available. Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

## Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

## SECTION 13: Disposal considerations

## **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## **SECTION 14: Transport information**

## United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN 2924
UN proper shipping name	Methanol, Hydrochloric acid solution
UN transport hazard class(es)	3
Packing group	Ш
Environmental hazards	None
Special precautions for user	None

#### International Maritime Dangerous Goods (IMDG)

UN number	UN 2924	
UN proper shipping name	Methanol, Hydrochloric acid solution	
UN transport hazard class(es)	3	
Packing group		
Environmental hazards	None	
Special precautions for user	None	

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 2924	
UN proper shipping name	Methanol, Hydrochloric acid solution	
UN transport hazard class(es)	3	commerciant 3
Packing group	П	
Environmental hazards	None	
Special precautions for user	None	

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.03.2017

Listed

Van Urk Reagent		
	Bulk Name	None

Ship type	None
Pollution category	None

## **SECTION 15: Regulatory information**

### **United States regulations**

## Inventory listing (TSCA):

7647-01-0	Hydrochloric acid	Listed
67-56-1	Methanol	Listed
100-10-7	p-Dimethylaminobenzaldehyde	Listed

#### Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

## SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

# SARA Section 302 extremely hazardous substances:

7647-01-0	Hydrochloric acid

# SARA Section 313 toxic chemicals:

	7647-01-0	Hydrochloric acid		Listed
	67-56-1	Methanol		Listed
CEI	RCLA:			
	7647-01-0	Hydrochloric acid	Listed	5000
	67-56-1	Methanol	Listed	5000

# RCRA:

	67-56-1	Methanol	Listed		
Constinue 110(a) of the other Alia Anti (CAA). Not determined					

### Section 112(r) of the Clean Air Act (CAA): Not determined.

## Massachusetts Right to Know:

100-10-7		Not Listed
7647-01-0	Hydrochloric acid	Listed

#### New Jersey Right to Know:

100-10-7		Not Listed
67-56-1	Methanol	Listed
7647-01-0	Hydrochloric acid	Listed

#### New York Right to Know:

100-10-7		Not Listed
67-56-1	Methanol	Listed
7647-01-0	Hydrochloric acid	Listed

## Pennsylvania Right to Know:

100-10-7	p-Dimethylaminobenzaldehyde	Not Listed
67-56-1	Methanol	Listed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

#### Initial preparation date: 04.03.2017

## Van Urk Reagent

Page 10 of 10

Listed

 7647-01-0	Hydrochloric acid
 /04/-01-0	

## **California Proposition 65:**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

67-56-1

Methanol

#### **SECTION 16: Other information**

# Abbreviations and Acronyms: None

## **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-3-0

HMIS: 3-3-0 Initial preparation date: 04.03.2017

## **End of Safety Data Sheet**