

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 03.04.2015**Potassium Permanganate,0.2N****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Potassium Permanganate,0.2N**Manufacturer/Supplier Article number:** PP1389SS**Recommended uses of the product and restrictions on use:** Laboratory Chemicals**Manufacturer Details:**

AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover, PA 17331  
1-717-632-1291

**Emergency telephone number:****ChemTel: (24-hour)**

+1(800)255-3924

+1(813)248-0585 (International)

**SECTION 2: Hazards identification****Classification of the substance or mixture:****Irritant**

Skin irritation, category 2  
Eye irritation, category 2A

**Oxidizing**

Oxidizing liquids, category 2

Chronic hazards to the aquatic environment, category 3

Skin Irrit. 2.

Eye Irrit. 2A.

Aquatic AcTox. 3.

Aquatic ChrTox. 3.

Oxid. Liquid 2.

**Signal word:** Danger**Hazard statements:**

May intensify fire; oxidizer.

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

Avoid release to the environment.

In case of fire, use agents recommended in section 5 for extinction.

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 03.04.2015**Potassium Permanganate,0.2N**

IF ON SKIN: Wash with soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Dispose of contents and container as instructed in Section 13.

**Other Non-GHS Classification:** None**SECTION 3: Composition/information on ingredients****Ingredients:**

<b>Ingredients:</b>		
CAS 7722-64-7	Potassium Permanganate	<0.65 %
CAS 7732-18-5	Deionized Water	>99.35 %
		Percentages are by weight

**SECTION 4: First aid measures****Description of first aid measures****After inhalation:**

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

**After skin contact:**

Wash hands and exposed skin with soap and plenty of water. Seek medical assistance.

**After eye contact:**

Immediately seek medical attention. Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Keep eyelids open while rinsing.

**After swallowing:**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

**Most important symptoms and effects, both acute and delayed:**

Irritation. Shortness of breath. Headache. Nausea. Dizziness. Central Nervous System impairment.

**Indication of any immediate medical attention and special treatment needed:**

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

**SECTION 5: Firefighting measures****Extinguishing media****Suitable extinguishing agents:**

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

**Unsuitable extinguishing agents:**

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 03.04.2015**Potassium Permanganate,0.2N**

None identified.

**Special hazards arising from the substance or mixture:**

Contact with other material may cause a fire. Some oxidizers may react explosively with hydrocarbons. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

**Advice for firefighters:****Protective equipment:**

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

**Additional information (precautions):**

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

**SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation. Ensure that air-handling systems are operational.

**Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

**Methods and material for containment and cleaning up:**

Wear protective eyewear, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Refer to Section 8.

**Reference to other sections:** None**SECTION 7: Handling and storage****Precautions for safe handling:**

Wash hands after handling. Avoid contact with skin and eyes. Discard contaminated materials. Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

**Conditions for safe storage, including any incompatibilities:**

Protect from freezing and physical damage. Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

**SECTION 8: Exposure controls/personal protection****Control parameters:**

7722-64-7, Potassium permanganate, C 5.000000 mg/m<sup>3</sup> USA. OSHA.  
7722-64-7, Potassium permanganate, TWA 0.200000 mg/m<sup>3</sup> USA. ACGIH.  
7722-64-7, Potassium permanganate, TWA 1.000000 mg/m<sup>3</sup> USA. NIOSH.

**Appropriate engineering controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 03.04.2015

**Potassium Permanganate,0.2N**

<b>Respiratory protection:</b>	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment. Normal ventilation is adequate.
<b>Protection of skin:</b>	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
<b>Eye protection:</b>	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.
<b>General hygienic measures:</b>	Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes and clothing. Before re-wearing, wash contaminated clothing.

**SECTION 9: Physical and chemical properties**

<b>Appearance (physical state, color):</b>	Dark violet liquid	<b>Explosion limit lower:</b>	Not determined
		<b>Explosion limit upper:</b>	Not determined
<b>Odor:</b>	Odorless	<b>Vapor pressure at 20°C:</b>	Not determined
<b>Odor threshold:</b>	Not determined	<b>Vapor density:</b>	Not determined
<b>pH-value:</b>	Not determined	<b>Relative density:</b>	Not determined
<b>Melting/Freezing point:</b>	Not determined	<b>Solubilities:</b>	Soluble in water.
<b>Boiling point/Boiling range:</b>	Approximately 1012 °C	<b>Partition coefficient (n-octanol/water):</b>	Not determined
<b>Flash point (closed cup):</b>	Approximately -2 °C	<b>Auto/Self-ignition temperature:</b>	Not determined
<b>Evaporation rate:</b>	Not determined	<b>Decomposition temperature:</b>	Not determined
<b>Flammability (solid, gaseous):</b>	Not determined	<b>Viscosity:</b>	a. Kinematic: Not determined b. Dynamic: Not determined
<b>Density at 20°C:</b>	Not determined		

**SECTION 10: Stability and reactivity****Reactivity:**

Oxidizing liquid.

**Chemical stability:**

Stable under normal conditions.

**Possible hazardous reactions:**

None under normal processing.

**Conditions to avoid:**

Incompatible materials. Moisture, excess heat, and dust formation. Oxalates slowly corrode steel.

**Incompatible materials:**

reducing agents, sulfuric acid, flammables, metals, reactive organic materials.

**Hazardous decomposition products:**

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 03.04.2015**Potassium Permanganate,0.2N**

Potassium oxides, Manganese, or Manganese oxides.

**SECTION 11: Toxicological information****Acute Toxicity:** No additional information.**Chronic Toxicity:** No additional information.**Skin corrosion/irritation:**

Skin - Rabbit Result : Corrosive - 4 h 7722-64-7.

**Serious eye damage/irritation:** No additional information.**Respiratory or skin sensitization:** No additional information.**Carcinogenicity:** No additional information.**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:** No additional information.**STOT-single and repeated exposure:** No additional information.**Additional toxicological information:**

No additional information.

**SECTION 12: Ecological information****Ecotoxicity:**

7722-64-7, LC50 - Oncorhynchus mykiss (rainbow trout) - 0.3 - 0.6 mg/l - 96.0 h.

7722-64-7, EC50 - Daphnia magna (Water flea) - 0.084 mg/l - 48 h.

**Persistence and degradability:** No additional information.**Bioaccumulative potential:**

7722-64-7: Bioaccumulation Lamellibranchia (mussel). 7722-64-7: Bioconcentration factor (BCF): &lt; 10,000

Remarks: Can accumulate in aquatic organisms.

**Mobility in soil:** No additional information.**Other adverse effects:** No additional information.**SECTION 13: Disposal considerations****Waste disposal recommendations:**

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Dilute with water.

**SECTION 14: Transport information****US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA

Not Regulated

**Limited Quantity Exception:**

None

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 03.04.2015**Potassium Permanganate,0.2N****Bulk:****RQ (if applicable):** None**Proper shipping Name:** Not Regulated.**Hazard Class:** None**Packing Group:** Not Regulated.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**Non Bulk:****RQ (if applicable):** None**Proper shipping Name:** Not Regulated.**Hazard Class:** None**Packing Group:** Not Regulated.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Reactive

**SARA Section 313 (Specific toxic chemical listings):**

7722-64-7 Potassium Permanganate.

**RCRA (hazardous waste code):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) :**

All ingredients are listed.

**CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):**

7722-64-7 Potassium Permanganate 100 lb.

**Proposition 65 (California):****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**Canada****Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

**SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 03.04.2015**Potassium Permanganate,0.2N**

handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**NFPA:** 2-0-0**HMIS:** 2-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:** None