according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

Amino-Methyl-Propanol (AMP)

Manufacturer/Supplier Article number: AM4000

Recommended uses of the product and restrictions on use: Laboratory

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291


Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924+1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Skin irritation, category 2

Skin Irrit. 2. Eve corr. 1. Aquatic Acute 3. Aquatic Chronic 3.

Signal word: Danger

Hazard statements:

Causes serious eye damage. Causes skin irritation. Very toxic to aquatic life with long lasting effects.

Precautionary statements:

If medical advice is needed have product container or label at hand. Keep out of reach of children. Read label before use. Wear protective gloves/protective clothing/eye protection/face protection. Wash skin thoroughly after handling. Avoid release to the environment. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with soap and water. Specific treatment (see supplemental first aid instructions on this label). If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

Store in a well ventilated place. Keep cool. Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 124-68-5	Aminomethyl Propanol	100 %		
Percentages are by weight				

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek immediate medical assistance.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Burning sensation. redness, pain, server burning. Irritation. Headache. Nausea. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides, nitrogen oxides (NOx).

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Use NIOSH-approved respiratory protection/breathing apparatus. Refer to Section 8.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13. Refer to Section 8. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection







Control parameters:	
Appropriate engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
Respiratory protection:	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
Eye protection:	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing. Before re-wearing, wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Semi - solid melting to a liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Not determined	Vapor pressure at 20°C:	< 0.1 hPa (< 0.1 mmHg) at 25 °C (77 °F)
Odor threshold:	Not determined	Vapor density:	3.08
pH-value:	11.0 - 12 at 8.9 g/l at 25 °C (77 °F)	Relative density:	0.934 g/cm3 at 25 °C (77 °F)
Melting/Freezing point:	24 - 28 °C (75 - 82 °F)	Solubilities:	None
Boiling point/Boiling range:	Not determined	Partition coefficient (n- octanol/water):	log pow: - 0.63
Flash point (closed cup):	68 °C (154 °F)	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Oxidizing agents. Strong acids. Copper. Brass. Aluminium.

Hazardous decomposition products:

Carbon oxides. Nitrogen oxides (NOx).

SECTION 11: Toxicological information

Acute Toxicity:

Dermal:

LD50 Rabbit: >2000 mg/kg 124-68-5 (Amino-Methyl-Propanol).

Chronic Toxicity: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

Skin corrosion/irritation:

Rabbit: causes irritation. 124-68-5 (Amino-Methyl-Propanol).

Serious eye damage/irritation:

Rabbit: Corrosive to eyes. 124-68-5 (Amino-Methyl-Propanol).

Respiratory or skin sensitization:

guinea pig - Does not cause skin sensitisation.

Carcinogenicity:

Not listed as a carcinogen (ACGIH, IARC, NTP).: 124-68-5 (Amino-Methyl-Propanol)

Germ cell mutagenicity: No additional information. Reproductive Toxicity: No additional information. STOT-single and repeated exposure: No additional information. Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Static test LC50 - Lepomis macrochirus (Bluegill) - 190 mg/l - 96.0 h, 124-68-5 (Amino-Methyl-Propanol). Invertebrates EC50 - Daphnia magna (Water flea) - 65 mg/l - 24 h, 124-68-5 (Amino-Methyl-Propanol). Algae EC50 - Selenastrum capricornutum (green algae) - 520 g/l - 72 h, 124-68-5 (Amino-Methyl-Propanol).

Persistence and degradability:

Not readily biodegradable.

Bioaccumulative potential:

Bioconcentration factor (BCF): 320.

Mobility in soil: No additional information. **Other adverse effects**: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

US DOT

UN Number: ADR, ADN, DOT, IMDG, IATA

Not Regulated.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

Limited Quantity Exception:

None

Bulk: RQ (if applicable): None Proper shipping Name: Not Regulated. Hazard Class: None Packing Group: Not Regulated. Marine Pollutant (if applicable): No additional information. Comments: None Non Bulk: RQ (if applicable): None Proper shipping Name: Not Regulated. Hazard Class: None Packing Group: Not Regulated. Marine Pollutant (if applicable): No additional information. Comments: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

Amino-Methyl-Propanol (AMP)

to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0

HMIS: 2-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

- IMDG International Maritime Code for Dangerous Goods.
- IATA International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemicals.
- ACGIH American Conference of Governmental Industrial Hygienists
- CAS Chemical Abstracts Service (division of the American Chemical Society).
- NFPA National Fire Protection Association (USA).
- HMIS Hazardous Materials Identification System (USA).
- WHMIS Workplace Hazardous Materials Information System (Canada).
- DNEL Derived No-Effect Level (REACH).
- PNEC. Predicted No-Effect Concentration (REACH).
- CFR Code of Federal Regulations (USA)
- SARA Superfund Amendments and Reauthorization Act (USA).
- RCRA. Resource Conservation and Recovery Act (USA).
- TSCA. Toxic Substances Control Act (USA).
- NPRI National Pollutant Release Inventory (Canada).
- DOT US Department of Transportation.