according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Sodium Chromate, 0.1M

Manufacturer/Supplier Article number: S25878

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 800 955-1177

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Acute toxicity (oral, dermal, inhalation), category 4 Skin sensitization, category 1



Environmentally Damaging

Acute hazards to the aquatic environment, category 2 Chronic hazards to the aquatic environment, category 2

Health hazard



Reproductive toxicity, category 1B
Specific target organ toxicity following single exposure, category 2
Respiratory sensitization, category 1
Germ cell mutagenicity, category 1B
Carcinogenicity, category 1B

Reproductive toxicity (Category 1B).

Acute aquatic toxicity (Category 1).

Chronic aquatic toxicity (Category 1).

Eye Irritant Category 2A.

Skin Irritant Category 2.

Acute toxicity , Oral (Category 4).

Acute toxicity, Inhalation (Category 4).

Specific target organ toxicity - repeated exposure (Category 2).

Acute toxicity, Dermal (Category 4).

Respiratory sensitisation (Category 1).

Skin sensitisation (Category 1).

Germ cell mutagenicity (Category 1B).

Carcinogenicity (Category 1B).

Signal word: Danger

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

Hazard statements:

Causes damage to organs through prolonged or repeated exposure.

Harmful if swallowed.

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

Harmful in contact with skin.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Toxic to aquatic life with long lasting effects.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Wear respiratory protection.

Do not eat, drink or smoke when using this product.

Wash skin thoroughly after handling.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

If skin irritation or a rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:				
CAS 10034-82-9	Sodium Chromate, Tetrahydrate		2.34 %	
CAS 7732-18-5	Deionized Water		97.66 %	
		Perce	ntages are by weight	

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Do not use mouth - to mouth resuscitation. Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact:

Flush with water for 15 minutes. Get medical assistance if irritation develops. Wash affected area with soap and water. Rinse thoroughly.

After eye contact:

Immediately flush eyes with water for at least 15 minutes. Immediately get medical assistanc. Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing.

After swallowing:

DO NOT induce vomiting. Get medical assistance. Call Poison Control Center. Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath. delayed effects are described in section 2 of this label.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment:

Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Use spark-proof tools and explosion-proof equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

Environmental precautions:

Should not be released into the environment. Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Avoid dispersal of dust in the air.

Reference to other sections: None **SECTION 7: Handling and storage**

Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Wash hands after handling. Do not ingest or inhale. Do not ingest or inhale. Use only in a chemical fume hood. Use only in a chemical fume hood. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid generation of dust or fine particulate.

Conditions for safe storage, including any incompatibilities:

Do not store near combustible materials. Store in a tightly closed container. Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Store in a cool, dry place.

SECTION 8: Exposure controls/personal protection











Control parameters:

7775-11-3, Sodiun Chromate, ACGIH TLV: 0.05 mg/m3 TWA, OSHA PEL: 5 æg/m3 TWA , NIOSH 0.001 mg/m3 TWA.

Appropriate engineering controls:

Normal ventilation is adequate. Ensure eyewash and safety shower are available. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Respiratory protection:

Normal ventilation is adequate. Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

Protection of skin: Chemical resistant gloves. The glove material has to be impermeable and

resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the

penetration times, rates of diffusion and the degradation.

Eye protection: Safety Glasses or goggles. Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, yellow liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined	
Odor:	Odorless	Vapor pressure at 20°C:	Not determined	
Odor threshold:	Not determined	Vapor density:	Not determined	
pH-value:	Alkaline	Relative density:	1.0 - 1.2	
Melting/Freezing point:	Not determined	Solubilities:	Soluble in Water	
Boiling point/Boiling range:	Not determined	Partition coefficient (noctanol/water):	Not determined	
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined	
Evaporation rate:	Not determined	Decomposition temperature:	Not determined	
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined	
Density at 20°C:	Not determined			

SECTION 10: Stability and reactivity

Reactivity: None Chemical stability:

Hygroscopic: absorbs moisture or water from the air. No decomposition if used and stored according to

specifications.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials, dust generation, combustible materials, exposure to moist air or water. Store away from oxidizing agents, strong acids or bases.

Incompatible materials:

Strong oxidizing agents, strong reducing agents. Strong acids. Strong bases.

Hazardous decomposition products:

Toxic fumes of sodium oxide, toxic chromium oxide fumes. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

Acute Toxicity: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

Chronic Toxicity: No additional information.

Skin corrosion/irritation: No additional information. **Serious eye damage/irritation**: No additional information.

Respiratory or skin sensitization:

No information available.

Carcinogenicity: No additional information.

Germ cell mutagenicity:

No information available.

Reproductive Toxicity:

No information available.

STOT-single and repeated exposure:

No data available

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information. **Persistence and degradability**:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Do not flush to sewer. Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Absorb with suitable material and containerize for disposal. All chemical waster generators must determine whether a discarded chemical is classified as hazardous waste. Comply with all local, state, and federal regulations.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA Not regulated

Limited Quantity Exception: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not regulated. **Proper shipping Name:** Not regulated.

Hazard Class: None Hazard Class: None

Packing Group: Not regulated. Packing Group: Not regulated.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information. **Comments:** None **Comments:** None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

10034-82-9 Sodium Chromate, Tetrahydrate -- TSCA Not Listed: not listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

10034-82-9 Sodium Chromate Tetrahydrate 10 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL) :

10034-82-9 Sodium Sulfate, Decahydrate -- Not Listed: not listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.15.2014

Sodium Chromate, 0.1M

handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 4-0-0 **HMIS**: 4-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG	International Maritime Code for Dangerous Goods.

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).