Page: 1/10

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

### 1 Identification of the substance/mixture and of the company/undertaking

Product identifier

· Trade name: Silver Nitrate 0.145N

· Product code: DU409272

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No further relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331

Phone: (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

Dubois Chemicals Inc.

3630 East Kemper Rd

Cincinnati, OH 45241

(800) 438-2647

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

### 2 Hazards identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS05

- · Signal word Warning
- · Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P234 Keep only in original container. P264 Wash thoroughly after handling.

(Cont'd. on page 2)

Page: 2/10

# **Safety Data Sheet**

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 1)

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant container /container with a corrosion resistant inner liner.

Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Compone	· Components:				
7761-88-8	silver nitrate	♠ Ox. Sol. 2, H272	2.40%		
		Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318			
7732-18-5	Water		97.60%		

<sup>·</sup> Additional information: For the wording of the listed Hazard Statements refer to section 16.

#### 4 First aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Most important symptoms and effects, both acute and delayed

May cause gastro-intestinal irritation if ingested.

Nausea in case of ingestion.

Irritating to eyes and skin.

· Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

(Cont'd. on page 3)

Page: 3/10

### **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 2)

- · For safety reasons unsuitable extinguishing agents: No further relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Substance/product is oxidising when dry.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep/Store away from clothing/combustible materials.

- Environmental precautions Avoid release to the environment.
- · Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

- · Information about fire and explosion protection: Substance/product is oxidising when dry.
- Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Due to photo-sensitivity, store product in brown-glass receptacles.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Photoreactive.

Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 3)

### 8 Exposure controls/personal protection

- Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Respiratory protection:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Laminated film gloves.

Butyl rubber, BR

Neoprene gloves

Nitrile rubber, NBR

Natural rubber, NR

Sensibilisation by the components in the glove materials is possible.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No special requirements.

# 9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance

Form: Liquid

Colour: Clear, colorless

(Cont'd. on page 5)

Page: 5/10

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

		(Cont'd. from page 4)
· Odour:	Not determined.	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
Melting point/freezing point:	Not determined.	
· Initial boiling point and boiling range	e: 100-105 ℃ (212-221 ℉)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gas):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidising properties	Not determined.	
· Vapour pressure at 20 ℃ (68 °F):	23 hPa (17.3 mm Hg)	
· Density:		
Relative density:	1.34	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/wate	r: Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<ul> <li>Other information</li> </ul>	No further relevant information available.	

### 10 Stability and reactivity

- **Reactivity** The product is non-reactive under normal conditions of use, storage and transport.
- · Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

Keep away from heat and direct sunlight.

Photoreactive.

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Substance/product is oxidising when dry.

Reacts with strong alkali.

Reacts with certain metals.

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid

(Cont'd. on page 6)

Page: 6/10

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 5)

Direct sunlight.

Excessive heat.

Incompatible materials

Strong acids.

Alkalis

· Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides

Toxic metal oxide smoke

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Irritant to skin and mucous membranes.
- · Serious eye damage/irritation: Causes serious eye irritation.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

# 12 Ecological information

- · Toxicity
- · **Aquatic toxicity:** Very toxic to aquatic life with long lasting effects.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Cont'd. on page 7)

Page: 7/10

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 6)

- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

IINI NI	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name DOT, IATA ADR/RID/ADN, IMDG	Corrosive liquid, acidic, inorganic, n.o.s. (silver nitrate CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (SILVER NITRATE)
Transport hazard class(es)	
DOT	
Service Connection	
Class	8
Label	8
ADR/RID/ADN	
Class	8 (C1)
Label	8
IMDG, IATA	
Class	8
Label	8

Page: 8/10

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

	(Cont'd. from page			
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III			
Environmental hazards:	Product contains environmentally hazardou substances: silver nitrate			
· Marine pollutant:	Yes			
Special precautions for user	Warning: Corrosive substances.			
· Danger code (Kemler):	80			
· EMS Number:	F-A,S-B			
· Segregation groups	Acids			
Fransport in bulk according to Annex II of				
Marpol and the IBC Code	Not applicable.			
Transport/Additional information:				
·DOT	See 173.154(d) for corrosive exceptions. Labeling as a Marine Pollutant is only required for bu single package shipments. Bulk packaging consists a maximum capacity of greater than 450 L (11 gallons) for a liquid and a maximum net mass greate than 400 kg (882 pounds) for a solid. (See 171.4(c))			
· ADR/RID/ADN  · Transport category · Tunnel restriction code	Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a new mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to maring pollutants. (See 5.2.1.8.1)  3 F			
· IMDG	Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a new mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to maring pollutants. (See 2.10.2.7)			

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

(Cont'd. on page 9)

Page: 9/10

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 8)

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7761-88-8 silver nitrate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed)

All ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Ox. Sol. 2: Oxidizing solids - Category 2

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 10)

Page: 10/10

# **Safety Data Sheet**

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019 Revision: March 19, 2019

Trade name: Silver Nitrate 0.145N

(Cont'd. from page 9)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com