# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Acetaldehyde,</u></li> <li>Product code: S25115</li> <li>CAS Number: 75-07-0</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177</li> </ul>
Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
Classification of the substance or mixtureFlam. Liq. 1H224Extremely flammable liquid and vapor.Acute Tox. 4H302Harmful if swallowed.Eye Irrit. 2AH319Causes serious eye irritation.Carc. 2H351Suspected of causing cancer.STOT SE 3H335May cause respiratory irritation.
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>
GHS02 GHS07 GHS08
<ul> <li>Signal word: Danger</li> <li>Hazard statements:</li> <li>H224 Extremely flammable liquid and vapor.</li> </ul>

H302 Harmful if swallowed.

(Cont'd. on page 2)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

#### Trade name: Acetaldehyde,

	(Cont'd. of page
H319 Causes s	erious eye irritation.
	d of causing cancer.
H335 May caus	e respiratory irritation.
Precautionary	statements:
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist, vapors, or spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.

#### **3** Composition/information on ingredients

### 

75-07-0 acetaldehyde

#### 4 First-aid measures

- Description of first aid measures
   After inhalation: Supply fresh air; consult doctor in case of complaints.
   After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- After eye contact:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

#### Trade name: Acetaldehyde,

(Cont'd. of page 2) Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Dizziness Couahina Causes eve irritation. May cause respiratory irritation. Disorientation Danger: Harmful if swallowed. Suspected of causing cancer. May cause neurotoxic effects. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment.

#### 5 Fire-fighting measures

#### <sup>·</sup> Extinguishing media

 Suitable extinguishing agents: Water fog / haze
 Water spray
 Carbon dioxide
 Gaseous extinguishing agents
 Alcohol resistant foam
 For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

Extremely flammable liquid and vapor.

Risk of explosion if heated under confinement.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### <sup>•</sup> Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered product with water spray.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

#### 6 Accidental release measures

<sup>•</sup> Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Keep away from ignition sources.

Use only non-sparking tools.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

#### Trade name: Acetaldehyde,

(Cont'd. of page 3)

#### Protect from heat. • Environmental precautions

Suppress gases/fumes/haze with water fog.

In case of gas release or seepage into the ground inform responsible authorities.

#### Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### <sup>·</sup> Handling

· Precautions for safe handling: Open and handle receptacle with care. Avoid splashes or spray in enclosed areas. Avoid contact with the eyes and skin. Avoid breathing mist, vapors, or spray. Use only in well ventilated areas. Use only non-sparking tools. Information about protection against explosions and fires: Ground/bond container and receiving equipment. Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Flammable gas-air mixtures may be formed in empty containers/receptacles. <sup>•</sup> Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Store in cool, dry conditions in well sealed receptacles. Avoid storage near extreme heat, ignition sources or open flame. Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents. · Further information about storage conditions: This product is hygroscopic. Store at temperatures not exceeding 10 °C / 50 °F. • Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters				
· Components with limit values that require monitoring at the workplace:				
75-07-0 acetaldehyde				
PEL (USA)	Long-term value: 360 mg/m <sup>3</sup> , 200 ppm			
REL (USA)	See Pocket Guide Apps. A and C			
		(Cont'd. on page 5)		

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

ade name: Acet	aldehyde,
	(Cont'd. of pa
TLV (USA)	Ceiling limit value: 45 mg/m <sup>3</sup> , 25 ppm
EL (Canada)	Ceiling limit value: 25 ppm IARC 2B, ACGIH A2
EV (Canada)	Ceiling limit value: 25 ppm
LMPE (Mexico)	Ceiling limit value: 25 ppm A3
The usual preca Keep away from Immediately rem Wash hands be • Engineering co • Breathing equi Use suitable res	tive and hygienic measures: iutionary measures for handling chemicals should be followed. i foodstuffs, beverages and feed. hove all soiled and contaminated clothing. fore breaks and at the end of work. introls: Provide adequate ventilation. pment: ipiratory protective device in case of insufficient ventilation. pproved organic vapor respirator equipped with a dust/mist prefilter should be used.
• Material of glov Laminated film g Natural rubber, I Neoprene glove	gloves. NR
Nitrile rubber, Ni Fluorocarbon ru PVC gloves • <b>Eye protection</b>	bber (Viton)
Safety g	glasses
	n: Solvent resistant protective clothing d supervision of exposure into the environment rmation available
No relevant info	ment measures No relevant information available.
Risk manager	ment measures No relevant information available.
Risk manager Physical and	ment measures No relevant information available.
Risk manager Physical and Information o	ment measures No relevant information available.
Risk manager Physical and	ment measures No relevant information available.

Fruit-like

· Odor:

(Cont'd. on page 6)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

#### Trade name: Acetaldehyde,

	(Cont'd. of page
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	-123 °C (-253.4 °F)
Boiling point/Boiling range:	21 °C (69.8 °F)
Flash point:	-27 °C (-80.6 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	140 °C (284 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits	
Lower:	4 Vol %
Upper:	60 Vol %
Oxidizing properties:	Not determined.
Vapor pressure at 25 °C (77 °F):	750 mmHg
Density:	
Relative density:	0.78
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

#### 10 Stability and reactivity

· Reactivity: No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

#### · Possibility of hazardous reactions

Extremely flammable liquid and vapor.

Reacts violently with oxidizing agents.

Risk of explosion if heated under confinement.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Toxic fumes may be released if heated above the decomposition point.

<sup>•</sup> Conditions to avoid Excessive heat.

· Incompatible materials Oxidizers

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

#### Trade name: Acetaldehyde,

(Cont'd. of page 6)

2B

R

#### <sup>•</sup> Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

#### **11** Toxicological information

#### · Information on toxicological effects

· Acute toxicity: Harmful if swallowed.

#### · LD/LC50 values that are relevant for classification:

Oral LD50 900 mg/kg (mouse) 1930 mg/kg (rat)

Dermal LD50 3450 mg/kg (rabbit)

#### Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

· On the eye: Irritating effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

• NTP (National Toxicology Program):

#### **OSHA-Ca (Occupational Safety & Health Administration):**

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- · Carcinogenicity: Suspected of causing cancer.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

#### **12 Ecological information**

<sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- <sup>•</sup> Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Acetaldehyde,

(Cont'd. of page 7)

· Other adverse effects No relevant information available.

## 13 Disposal considerations

#### <sup>·</sup> Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1089	
UN proper shipping name DOT, IATA ADR/RID/ADN, IMDG	Acetaldehyde ACETALDEHYDE	
Transport hazard class(es)		
DOT		
P ANNOT TO D		
Class	3	
Label	3	
ADR/RID/ADN		
Class	3 (F1)	
Label	3	
Class	3	
Label	3	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Acetaldehyde,

		(Cont'd. of page 8)		
· DOT, ADR/RID/ADN, IMDG, IATA	I			
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No			
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids 33 3-06			
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.</li> </ul>				

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

• TSCA (Toxic Substances Control Act)

· Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

10000

B2

2B

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

· IARC (International Agency for Research on Cancer):

· Canadian Domestic Substances List (DSL):

Substance is not listed.

**16 Other information** 

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

#### Trade name: Acetaldehyde,

(Cont'd. of page 9) This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 1: Flammable liquids - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com