Page: 1/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

1 Identification

· Product identifier

· Trade name: Acetic Acid, ACS Grade, Safe-Cote

· Product code: S25118A

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331

Phone: (717)632-1291 Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Distributor:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor. Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS02 GHS05

Signal word: Danger

· Hazard statements:

H226 Flammable liquid and vapor. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

D004	(Cont'd. of page 1)
P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe mist.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water fog.
P390	Absorb spillage to prevent material damage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
0.11	There are no other hazarda not otherwise elegation that have been identified

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Substances

· Components:

64-19-7 Acetic acid

100%

Flam. Liq. 3, H226
Met. Corr.1, H290; Skin Corr. 1A, H314

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing. If experiencing respiratory symptoms: Call a poison center/doctor.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

(Cont'd. of page 2)

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Danger of severe eye injury.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Coughing

Dizziness

Danger:

Danger of gastric perforation.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

See Section 13 for disposal information.

(Cont'd. of page 3)

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

Flammable liquid and vapor.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Store only in the original receptacle.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from metals.

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

Store away from reducing agents.

Further information about storage conditions:

Keep containers tightly sealed.

This product is hygroscopic.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values t	that require	monitoring at the workplace:
----------------------------------	--------------	------------------------------

PEL (USA) REL (USA) REL (USA) Short-term value: 25 mg/m³, 10 ppm Long-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm TLV (USA) Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm EL (Canada) Short-term value: 15 ppm Long-term value: 10 ppm EV (Canada) Short-term value: 37 mg/m³, 15 ppm	· Components with limit values that require monitoring at the workplace:				
REL (USA) Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm TLV (USA) Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm EL (Canada) Short-term value: 15 ppm Long-term value: 10 ppm EV (Canada) Short-term value: 37 mg/m³, 15 ppm	64-19-7 Acetic acid				
Long-term value: 25 mg/m³, 10 ppm TLV (USA) Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm EL (Canada) Short-term value: 15 ppm Long-term value: 10 ppm EV (Canada) Short-term value: 37 mg/m³, 15 ppm	PEL (USA)	Long-term value: 25 mg/m³, 10 ppm			
Long-term value: 25 mg/m³, 10 ppm EL (Canada) Short-term value: 15 ppm Long-term value: 10 ppm EV (Canada) Short-term value: 37 mg/m³, 15 ppm	REL (USA)				
Long-term value: 10 ppm EV (Canada) Short-term value: 37 mg/m³, 15 ppm	TLV (USA)				
	EL (Canada)				
Long-term value: 25 mg/m³, 10 ppm	EV (Canada)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			
LMPE (Mexico) Short-term value: 15 ppm	LMPE (Mexico)				

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

(Cont'd. of page 4)

Long-term value: 10 ppm

- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

· Material of gloves

Butyl rubber, BR

Neoprene gloves

- · Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · **Body protection:** Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Acidic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	118 °C (244.4 °F)	
Flash point:	40 °C (104 °F)	
Flammability (solid, gaseous):	Not applicable.	

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

	(Cont'd. of page
Auto-ignition temperature:	485 °C (905 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits	
Lower:	4 Vol %
Upper:	17 Vol %
Oxidizing properties:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.05 g/cm³ (8.76 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

10 Stability and reactivity

- Reactivity: Toxic fumes may be released if heated above the decomposition point.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Flammable liquid and vapor.

Reacts with reducing agents.

Reacts with alkali (lyes).

Corrosive action on metals.

Reacts with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

Excessive heat.

Incompatible materials

Metals.

Alkalis.

Strong acids

Oxidizing agents.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

(Cont'd. of page 6)

Reducing agents.

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

64-19-7 Acetic acid

Oral LD50 3310 mg/kg (rat)

- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

Substance is not listed.

NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

(Cont'd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, ADR/RID/ADN, IMDG, IATA UN2789

· UN proper shipping name

· DOT. IMDG. IATA ACETIC ACID. GLACIAL

· ADR/RID/ADN 2789 ESSIGSÄURE (EISESSIG)

· Transport hazard class(es)

· DOT





· Class 8

· Label 8, 3

· ADR/RID/ADN





• Class 8 (CF1) • Label 8+3

· IMDG





(Cont'd. on page 9)

Page: 9/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

(Cont'd. of page 8) 8 · Class · Label 8/3 ·IATA · Class · Label 8 (3) · Packing group · DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards Not applicable. Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 83 · EMS Number: F-E.S-C Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Hazardous substance: 5000 lbs, 2270 kg

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 01, 2020

Trade name: Acetic Acid, ACS Grade, Safe-Cote

(Cont'd. of page 9)

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

Canadian Domestic Substances List (DSL):

Substance is not listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 3: Flammable liquids – Category 3

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com