according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

1 Identification

· Product identifier

· Trade name: Alkalinity Titrant, Low

· Product code: MTSA1555-P

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Distributor:

Dubois Chemicals Inc. 3630 East Kemper Rd,

Cincinnati, OH 45241

(800) 438-2647

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not regulated.
- · Hazard pictograms: Not regulated.
- · Signal word: None.
- · Hazard statements: Not regulated.
- Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Substances

· Components:				
7732-18-5	Water	>95%		
7664-93-9	Sulfuric acid	<5%		
	♦ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318]		

Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Alkalinity Titrant, Low

(Cont'd. of page 1)

4 First-aid measures

Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Rinse with warm water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Send for recovery or disposal in suitable receptacles.

Reference to other sections

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Alkalinity Titrant, Low

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. of page 2)

7 Handling and storage

- · Handling
- Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

Avoid contact with the eyes and skin.

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium.

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7664-93-9 Sulfuric acid		
PEL (USA)	Long-term value: 1 mg/m³	
REL (USA)	Long-term value: 1 mg/m³	
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction	
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.2 mg/m³	
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica	

- · Exposure controls
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

(Cont'd. of page 3)

Trade name: Alkalinity Titrant, Low

· Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use. For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protection may be required for spills.
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

Information on basic physical and chemical properties					
Appearance:	nd chemical properties				
Form:	Liquid				
Color:	Colorless				
Odor:	Sulphurous				
Odor threshold:	Not determined.				
pH-value:	Slightly acidic				
Melting point/Melting range:	Not determined.				
Boiling point/Boiling range:	Not determined.				
Flash point:	Not applicable.				
Flammability (solid, gaseous):	Not applicable.				
Auto-ignition temperature:	Not determined.				
Decomposition temperature:	Not determined.				
Danger of explosion:	Product does not present an explosion hazard.				
Explosion limits					
Lower:	Not determined.				
Upper:	Not determined.				
Oxidizing properties:	Non-oxidizing.				
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)				
Density:					
Relative density:	Not determined.				
Vapor density:	Not determined.				

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Alkalinity Titrant, Low

(Cont'd. of page 4)

Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with certain metals.

Reacts with alkali (lyes).

- · Conditions to avoid Store away from oxidizing agents.
- · Incompatible materials Alkalis
- · Hazardous decomposition products Sulfur oxides (SOx)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

|K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Alkalinity Titrant, Low

(Cont'd. of page 5)

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · **STOT-single exposure:** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information				
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.			
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.			
Transport hazard class(es)				
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.			
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.			
		(Cont'd. on page 7)		

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Alkalinity Titrant, Low

(Cont'd. of page 6)

Environmental hazards

· Marine pollutant: No

• Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

7664-93-9 Sulfuric acid

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

7664-93-9 Sulfuric acid

1

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 8)

Page: 8/8

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Alkalinity Titrant, Low

(Cont'd. of page 7)

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com