according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

1 Identification

· Product identifier

· Trade name: Aluminum Sulfate, 48%w/v

· Product code: AL7590SS

· Recommended use and restriction on use · Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific

860 Gitts Run Road,

Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

· Signal word: Danger

· Hazard statements:

H290 May be corrosive to metals. H318 Causes serious eye damage.

· Precautionary statements:

P234 Keep only in original container.

P280 Wear protective gloves and eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

(Cont'd. of page 1)

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant container with a resistant inner liner.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
10043-01-3	Aluminum sulfate	48%		
	♦ Met. Corr.1, H290; Eye Dam. 1, H318			
7732-18-5	Water	52%		

· Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eve contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for 15 to 20 minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Strong irritant with the danger of severe eye injury.

Causes mild skin irritation.

Gastric or intestinal disorders when ingested.

· Danger:

Causes serious eye damage.

Danger of gastric perforation.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

(Cont'd. of page 2)

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Clean the affected area carefully; suitable cleaners are:

Warm water

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: steel.

Avoid storage near extreme heat.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

Store away from metals.

- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

(Cont'd. of page 3)

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

10043-01-3 Aluminum sulfate		
	Long-term value: 2 mg/m³ as Al	
TLV (USA)	Long-term value: 1* mg/m³ as Al;*as respirable fraction	

Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

Material of gloves

A recommendation for a suitable glove material is not available. Testing will be required to determine the suitability of any potential glove materials.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Liquid Colorless
Odor: Characteristic
Odor threshold: Not determined.

pH-value at 20 °C (68 °F):Melting point/Melting range:Not determined.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

		(Cont'd. of page
· Boiling point/Boiling range:	>105 °C (>221 °F) (Estimate)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.61 g/cm³ (13.44 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with strong alkali.

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid No relevant information available.
- Incompatible materials

Alkalis

Oxidizers

Metals.

· Hazardous decomposition products

Under fire conditions only:

Metal oxide smoke.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

Sulfur oxides (SOx)

(Cont'd. of page 5)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

- · On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye damage.

Causes mild skin irritation.

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

(Cont'd. of page 6)

(Cont'd. on page 8)

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (aluminu sulfate)
ADR/RID/ADN, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (ALUMINIUM SULPHATE SOLUTION)
Transport hazard class(es)	
DOT	
CORROSINE	
Class	8
Label	8
ADR/RID/ADN	
Class	8 (C1)
Label	8
IMDG, IATA	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

		(Cont'd. of page 7)
· Class	8	
· Label	8	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	III	
· Environmental hazards	Not applicable.	
· Special precautions for user · Hazard identification number (Kemler code):	Warning: Corrosive substances 80	
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

10043-01-3 Aluminum sulfate

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

Page: 9/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

Trade name: Aluminum Sulfate, 48%w/v

(Cont'd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals - Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers