According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

## **Alcohol Blend**

### **SECTION 1: Identification**

#### Product identifier

Product name: Alcohol Blend Product code: AB9000SS

## Recommended use of the product and restriction on use

Relevant identified uses: Laboratory chemicals. Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

### Manufacturer or supplier details

Manufacturer: United States AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number: Canada ChemTel: (24-hour) +1(800)255-3924 +1(813)248-0585 (International)

## SECTION 2: Hazard(s) identification

## **GHS classification:**

Flammable liquids, category 2 Acute toxicity (oral), category 3 Acute toxicity (dermal), category 3 Acute toxicity (inhalation), category 3 Eye irritation, category 2A Specific target organ toxicity - single exposure, category 1 Specific target organ toxicity - single exposure, category 3, central nervous system

# Label elements

### **Hazard pictograms:**



#### Signal word: Danger

#### Hazard statements:

H225 Highly flammable liquid and vapor.

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H331 Toxic if inhaled.
- H319 Causes serious eye irritation.
- H370 Causes damage to organs.
- H336 May cause drowsiness or dizziness.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

# **Alcohol Blend**

# Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P321 Specific treatment (see supplemental first aid instructions on this label).

P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P363 Wash contaminated clothing before reuse.

P302+P352+P312 If on skin: Wash with soap and water. Call a poison center or doctor/physician if you feel unwell.

P304+P340+P311 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P307+P311 If exposed: Call a poison center or doctor/physician.

P405 Store locked up.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P501 Dispose of contents and container as instructed in Section 13.

# Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 67-56-1	Methanol	60-70
CAS number: 67-63-0	Propan-2-ol	50-60

# Additional Information: None

# **SECTION 4: First aid measures**

# **Description of first aid measures**

# **General notes:**

Not determined or not applicable.

# After inhalation:

Move exposed individual to fresh air Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Call a POISON CONTROL CENTER or seek medical attention

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

## **Alcohol Blend**

## After skin contact:

Immediately remove all contaminated clothing Wash affected area with soap and water Seek medical attention if symptoms develop or persist Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

## After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes Remove contact lens(es) if able to do so during rinsing Seek medical attention if irritation persists or if concerned

## After swallowing:

Immediately call a POISON CONTROL CENTER or seek medical attention Do not induce vomiting Rinse mouth and then drink plenty of water

# Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Not determined or not applicable.

### **Delayed symptoms and effects:**

Not determined or not applicable.

## Immediate medical attention and special treatment

## **Specific treatment:**

Not determined or not applicable.

### Notes for the doctor:

Not determined or not applicable.

### **SECTION 5: Firefighting measures**

## **Extinguishing media**

# Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

## Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors Vapors can flow to distant ignition sources and flashback Liquid is volatile and may generate an explosive atmosphere

### Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing Refer to Section 8

## Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols Avoid contact with skin, eyes and clothing

### **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Beware of vapors accumulating to form explosive concentrations Vapors can accumulate in low areas

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

## **Alcohol Blend**

## **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

# Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Use spark-proof tools and explosion-proof equipment

# **Reference to other sections:**

Not determined or not applicable.

# SECTION 7: Handling and storage

## Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances. Avoid breathing mist or vapor. Use only non-sparking tools.

Take precautionary measures against electrostatic discharges.

# Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Keep container tightly sealed.

Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources.

Store locked up.

Use appropriate containment to avoid environmental contamination.

Protect from freezing and physical damage.

# **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Propan-2-ol	67-63-0	ACGIH TLV STEL 400 ppm
	Methanol	67-56-1	ACGIH TLV STEL 250 ppm [skin]
	Methanol	67-56-1	ACGIH TLV TWA 200 ppm [skin]
	Propan-2-ol	67-63-0	ACGIH TLV TWA 200 ppm
NIOSH	Propan-2-ol	67-63-0	NIOSH TWA 400 ppm, 980 mg/m <sup>3</sup>
	Methanol	67-56-1	NIOSH REL TWA 200 ppm [skin]
	Methanol	67-56-1	NIOSH REL TWA 260 mg/m <sup>3</sup> [skin]
	Methanol	67-56-1	NIOSH REL ST 250 ppm [skin]
	Methanol	67-56-1	NIOSH REL ST 325 mg/m <sup>3</sup> [skin]
	Propan-2-ol	67-63-0	NIOSH IDLH 2,000 ppm
	Propan-2-ol	67-63-0	NIOSH STEL 500 ppm, 1,225 mg/m <sup>3</sup>
United States (OSHA)	Propan-2-ol	67-63-0	OSHA PEL TWA 400 ppm, 980 mg/m <sup>3</sup>
	Methanol	67-56-1	OSHA PEL TWA 200 ppm
	Methanol	67-56-1	OSHA PEL TWA 260 mg/m <sup>3</sup>

# **Biological limit values:**

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

## Initial preparation date: 03.22.2016

## **Alcohol Blend**

Substance	Identifier	Determinant	Sampling time	Permissible limits
Propan-2-ol	67-63-0	Acetone	End of shift at end of workweek.	40 mg/L

# Information on monitoring procedures:

Not determined or not applicable.

## Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

### **Personal protection equipment**

## Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

# Skin and body protection:

Select glove material impermeable and resistant to the substance.

### **Respiratory protection:**

When necessary, use NIOSH-approved breathing equipment.

### **General hygienic measures:**

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

## **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

	1
Appearance	Clear colorless liquid
Odor	Alcohol-like
Odor threshold	Not determined
рН	Not determined
Melting point/freezing point	Not determined
Initial boiling point/range	153°F / 67°C
Flash point (closed cup)	54°F / 12°C (Closed Cup)
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Upper flammability/explosive limit	Not determined
Lower flammability/explosive limit	Not determined
Vapor pressure	Not determined
Vapor density	Not determined
Density	0.775 g/cm3
Relative density	Not determined
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined
Auto/Self-ignition temperature	Not determined
Decomposition temperature	Not determined
Dynamic viscosity	Not determined
Kinematic viscosity	Not determined

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

# **Alcohol Blend**

Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

## **Other information**

## SECTION 10: Stability and reactivity

## Reactivity:

Does not react under normal conditions of use and storage.

### **Chemical stability:**

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

# **Conditions to avoid:**

None known.

## Incompatible materials:

None known.

## Hazardous decomposition products:

None known.

# **SECTION 11: Toxicological information**

#### Acute toxicity

Assessment: Toxic if swallowed Toxic in contact with skin Toxic if inhaled

Product data: No data available.

Substance data: No data available.

### Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data: No data available.

## Substance data:

Name	Result
Propan-2-ol	Causes serious eye irritation.

## **Respiratory or skin sensitization**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### International Agency for Research on Cancer (IARC):

Name	Classification
Propan-2-ol	Group 3 - Not classifiable as to its carcinogenicity to humans

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

## **Alcohol Blend**

National Toxicology Program (NTP): None of the ingredients are listed.

## Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### **Reproductive toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Specific target organ toxicity (single exposure)

Assessment: Causes damage to organs May cause drowsiness or dizziness

Product data: No data available.

### Substance data:

Name	Result
1 .	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness.
Methanol	Causes damage to the optic nerve and central nervous system.

## Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### **Aspiration toxicity**

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available. Other information: No data available.

### **SECTION 12: Ecological information**

### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

## Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

### Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

### Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

## **Alcohol Blend**

# **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

# **SECTION 14: Transport information**

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN 1987	
UN proper shipping name	Alcohols, n.o.s. (Methanol, Isopropanol)	
UN transport hazard class(es)	3	Provent Loop
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

### International Maritime Dangerous Goods (IMDG)

UN number	UN 1987	
UN proper shipping name Alcohols, n.o.s. (Methanol, Isopropanol)		
UN transport hazard class(es)	3	r.amit.com
Packing group	П	
Environmental hazards	None	
Special precautions for user	None	

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 1987	
UN proper shipping name	Alcohols, n.o.s. (Methanol, Isopropanol)	
UN transport hazard class(es)	3	rement dan
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

# **SECTION 15: Regulatory information**

United States regulations Inventory listing (TSCA):

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

**Alcohol Blend** 

67-63-0	Propan-2-ol	Listed
67-56-1	Methanol	Listed

# Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

# SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

# SARA Section 313 toxic chemicals:

67-63-0	Propan-2-ol	Listed
67-56-1	Methanol	Listed

## **CERCLA:**

	67-56-1	Methanol	Listed	5000		
RCRA:						
	67-56-1	Methanol	Listed			

## Section 112(r) of the Clean Air Act (CAA): Not determined.

## Massachusetts Right to Know:

67-56-1	Methanol	Listed
67-63-0	Propan-2-ol	Listed

### New Jersey Right to Know:

	67-56-1	Methanol	Listed
	67-63-0	Propan-2-ol	Listed
Less Verde Binkt to Known			

### New York Right to Know:

67-56-1	Methanol	Listed
67-63-0	Propan-2-ol	Listed

## Pennsylvania Right to Know:

67-56-1	Methanol	Listed
67-63-0	Propan-2-ol	Listed

### **California Proposition 65:**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

67-56-1	Methanol

# **SECTION 16: Other information**

# Abbreviations and Acronyms: None

### **Disclaimer:**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 03.22.2016

## **Alcohol Blend**

NFPA: 2-3-0 HMIS: 2-3-0 Initial preparation date: 03.22.2016

End of Safety Data Sheet