Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Ammonia ISA Buffer</u></li> <li>Product code: AM9000SS</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291</li> </ul>
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
<sup>·</sup> Classification of the substance or mixture
Met. Corr.1 H290 May be corrosive to metals.
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 2 H371 May cause damage to the central nervous system and optic nerve.
STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>



· Signal word: Danger

(Cont'd. on page 2)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

### Trade name: Ammonia ISA Buffer

Hazard stateme	(Cont'd. of page 1)
Hazard stateme	
H290	May be corrosive to metals.
	32 Harmful if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H371	May cause damage to the central nervous system and optic nerve.
H373	May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.
<b>Precautionary</b> s	statements:
P234	Keep only in original container.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P301+P330+P33	31 If swallowed: Rinse mouth. Do NOT induce vomiting.
	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P311	IF exposed or concerned: Call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hererds	

Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

· Compone	nts:	
7732-18-5	Water	70.86%
1310-73-2	Sodium hydroxide I Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	19.68%
67-56-1	Methanol Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370	7.91%
125-20-2	3,3-bis(4-Hydroxy-5-isopropyl-o-tolyl)phthalide	0.05%
6381-92-6	Disodium dihydrogen ethylenediaminetetraacetate STOT RE 2, H373 Acute Tox. 4, H332	1.50%
	i <b>information:</b> ed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade s	secret.

(Cont'd. on page 3)

(Cont'd. of page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

### Trade name: Ammonia ISA Buffer

For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

#### Description of first aid measures · General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation: Supply fresh air; consult doctor in case of complaints. Seek medical help for symptoms or if unconscious. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Coughing Breathing difficulty Dizziness Vision disorders. Strong caustic effect on skin and mucous membranes. Blindness Gastric or intestinal disorders when ingested. Danger: Danger of gastric perforation. Causes serious eve damage. Harmful if swallowed, in contact with skin or if inhaled. May cause damage to the central nervous system and optic nerve. May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Indication of any immediate medical attention and special treatment needed: If necessary oxygen respiration treatment. Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand.

# 5 Fire-fighting measures

### Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

### Trade name: Ammonia ISA Buffer

(Cont'd. of page 3)

### <sup>•</sup> Advice for firefighters

#### • Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

# 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

### Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

### <sup>·</sup> Handling

Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

# <sup>•</sup> Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Avoid storage near extreme heat.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: glass or ceramic.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from metals.

Store away from oxidizing agents.

Do not store together with acids.

# • Further information about storage conditions:

### Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

# Trade name: Ammonia ISA Buffer

(Cont'd. of page 4)

8 Exposure co	ontrols/personal protection	
· Control paran	•	
-	rith limit values that require monitoring at the workplace:	
1310-73-2 Sodi		
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>	
REL (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>	
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>	
EL (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>	
EV (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>	
, , ,	Ceiling limit value: 2 mg/m <sup>3</sup>	
67-56-1 Methan		
PEL (USA)	Long-term value: 260 mg/m³, 200 ppm	
REL (USA)	Short-term value: 325 mg/m³, 250 ppm	
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm	
	Skin	
TLV (USA)	Short-term value: 328 mg/m³, 250 ppm	
	Long-term value: 262 mg/m³, 200 ppm Skin; BEI	
EL (Canada)	Short-term value: 250 ppm	
	Long-term value: 200 ppm Skin	
EV (Canada)		
EV (Canada)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm	
	Skin	
LMPE (Mexico)	Short-term value: 250 ppm	
	Long-term value: 200 ppm PIEL, IBE	
· Ingredients wit	h biological limit values:	
67-56-1 Methan	nol	
BEI (USA) 15 m	ng/L	
	ium: urine	
	e: end of shift ameter: Methanol (background, nonspecific)	
Fala		
<sup>-</sup> Exposure cor		
	tive and hygienic measures:	
	nutionary measures for handling chemicals should be followed. I foodstuffs, beverages and feed.	
	nove all soiled and contaminated clothing.	
	fore breaks and at the end of work.	
	ith the eyes and skin.	
	ontrols: Provide adequate ventilation.	
<ul> <li>Breathing equi</li> <li>Not required und</li> </ul>	pment: der normal conditions of use.	
	piratory protective device when aerosol or mist is formed.	
		(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

### Trade name: Ammonia ISA Buffer

(Cont'd. of page 5)

### · Protection of hands:



Protective gloves

# Material of gloves

Butyl rubber, BR Natural rubber, NR Neoprene gloves Nitrile rubber, NBR Fluorocarbon rubber (Viton) Sensibilization by the components in the glove materials is possible. **Eye protection:** 

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Alkaline resistant protective clothing

# · Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical a	nd chemical properties	
Appearance:		
Form:	Liquid	
Color:	Dark blue	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

		(Cont'd. of pa
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# **10 Stability and reactivity**

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

- Corrosive action on metals.
- Strong exothermic reaction with acids.

Attacks materials containing glass and silicate.

Toxic fumes may be released if heated above the decomposition point.

Reacts with organic materials.

#### Conditions to avoid

Excessive heat.

Store away from oxidizing agents.

### · Incompatible materials Strong acids

### <sup>•</sup> Hazardous decomposition products

Under fire conditions only:

Sodium oxides

Carbon monoxide and carbon dioxide

# **11** Toxicological information

### Information on toxicological effects

• Acute toxicity: Harmful if swallowed.

### · LD/LC50 values that are relevant for classification:

# 6381-92-6 Disodium dihydrogen ethylenediaminetetraacetate

Oral LD50 2800 mg/kg (rat)

# Primary irritant effect:

- $\cdot$  On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Causes serious eye damage.
- · Sensitization:

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Ammonia ISA Buffer
(Cont'd. of page 7) Based on available data, the classification criteria are not met.
May cause sensitization by skin contact.
• Subacute to chronic toxicity: May cause damage to the central nervous system and optic nerve.
IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
· NTP (National Toxicology Program):
None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.
<ul> <li>Probable route(s) of exposure: Ingestion. Inhalation. Eye contact.</li> <li>Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage. May cause damage to the central nervous system and optic nerve. Harmful if swallowed, in contact with skin or if inhaled.</li> <li>Repeated dose toxicity: Possible risk of irreversible effects.</li> <li>Germ cell mutagenicity: Based on available data, the classification criteria are not met.</li> <li>Carcinogenicity: Based on available data, the classification criteria are not met.</li> <li>STOT-single exposure: May cause damage to the central nervous system and optic nerve.</li> <li>STOT-repeated exposure: May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.</li> <li>Aspiration hazard: Based on available data, the classification criteria are not met.</li> </ul>

# **12 Ecological information**

<sup>·</sup> Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

# <sup>•</sup> Additional ecological information

· General notes:

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

• Other adverse effects No relevant information available.

# 13 Disposal considerations

# <sup>•</sup> Waste treatment methods

· Recommendation:

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

### Trade name: Ammonia ISA Buffer

(Cont'd. of page 8)

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

# <sup>·</sup> Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

Transport information	
<sup>·</sup> UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1824
· UN proper shipping name · DOT · ADR/RID/ADN, IMDG, IATA	Sodium hydroxide solution SODIUM HYDROXIDE SOLUTION
· Transport hazard class(es)	
· DOT	
CONSIGNA-	
Class	8
· Label · ADR/RID/ADN	8
· Class · Label	8 (C5) 8
· IMDG, IATA	
· Class	8
Label	8
<sup>·</sup> Packing group <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	II
· Environmental hazards	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul>	Warning: Corrosive substances 88 F-A,S-B Alkalis
	(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

Trade name: Ammonia ISA Buffer

(Cont'd. of page 9)

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

# 15 Regulatory information

<ul> <li>Safety, health and environmental regulations/legislation specific for the substance or mixture</li> <li>United States (USA)</li> <li>SARA</li> </ul>
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
67-56-1 Methanol
· TSCA (Toxic Substances Control Act)
1310-73-2 Sodium hydroxide
67-56-1 Methanol
125-20-2 3,3-bis(4-Hydroxy-5-isopropyl-o-tolyl)phthalide
7732-18-5 Water
· Proposition 65 (California)
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
67-56-1 Methanol
· EPA (Environmental Protection Agency):
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
· Canadian Domestic Substances List (DSL):
None of the ingredients are listed.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 11)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 24, 2020

### Trade name: Ammonia ISA Buffer

(Cont'd. of page 10) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com