Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

· Product ident	tifier	
 Trade name: <u>Bandre</u> Product code: 	arium Chloride Solution, 10% (w/v) HBBC2010-P	
Recommended	d use and restriction on use d use: Laboratory chemicals n use: No relevant information available.	
Details of the Manufacturer/S AquaPhoenix So 860 Gitts Run R Hanover, PA 17 Tel +1 (717)632 Toll-Free: (866)0 info@aquaphoe Distributor: Heatbath Corpo 107 Front Stree Indian Orchard (413) 452-2000	cientific, Inc. Road 7331 USA 2-1291 632-1291 enixsci.com pration et, d, MA 01151	
. Emorgonov tol	ephone number:	
ChemTel Inc. (800)255-3924	(North America) 585 (International)	
ChemTel Inc. (800)255-3924	585 (International)	
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) ide	585 (International)	
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) ide	585 (International) entification	
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) ide Classification Acute Tox. 4 H3 Acute Tox. 4 H3	 585 (International) entification n of the substance or mixture 302 Harmful if swallowed. 332 Harmful if inhaled. 	
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) ide Classification Acute Tox. 4 H3 Acute Tox. 4 H3	585 (International) entification n of the substance or mixture 302 Harmful if swallowed.	
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) ide Classification Acute Tox. 4 H3 Acute Tox. 4 H3 Eye Irrit. 2A H3 Eye Irrit. 2A H3 GHS label element	entification entification of the substance or mixture 302 Harmful if swallowed. 332 Harmful if inhaled. 319 Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System	 (GHS).
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) ide Classification Acute Tox. 4 H3 Acute Tox. 4 H3 Eye Irrit. 2A H3 Eye Irrit. 2A H3 Label elemen GHS label elemen The product is c	entification entification of the substance or mixture 302 Harmful if swallowed. 332 Harmful if inhaled. 319 Causes serious eye irritation. ts nents classified and labeled according to the Globally Harmonized System	(GHS).
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) idd Classification Acute Tox. 4 H3 Acute Tox. 4 H3 Eye Irrit. 2A H3 Label element GHS label element	entification of the substance or mixture 302 Harmful if swallowed. 332 Harmful if inhaled. 319 Causes serious eye irritation. Its nents classified and labeled according to the Globally Harmonized System rams: Varning ents: rmful if swallowed or if inhaled. uses serious eye irritation. statements: Avoid breathing mist, vapors, or spray.	(GHS).
ChemTel Inc. (800)255-3924 +1 (813)248-05 2 Hazard(s) idd Classification Acute Tox. 4 H3 Acute Tox. 4 H3 Eye Irrit. 2A H3 Label element GHS label element	entification of the substance or mixture 302 Harmful if swallowed. 332 Harmful if inhaled. 319 Causes serious eye irritation. Its nents classified and labeled according to the Globally Harmonized System rams: Varning ents: rmful if swallowed or if inhaled. uses serious eye irritation. statements:	(GHS). (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

>80%

<20%

Trade name: Barium Chloride Solution, 10% (w/v)

	(Contrd. of page 1)
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
O th and because a -	

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5 Water

10361-37-2 barium chloride

Acute Tox. 3, H301

🚯 Acute Tox. 4, H332; Eye Irrit. 2A, H319

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Remove contact lenses if worn.

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed:
- Gastric or intestinal disorders when ingested.
- Irritating to eyes.

• Danger: Harmful if swallowed or if inhaled.

· Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

• Extinguishing media

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Barium Chloride Solution, 10% (w/v)

(Cont'd. of page 2)

· Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Use personal protective equipment as required.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard. Send for recovery or disposal in suitable receptacles.

[•] Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:

Use only in well ventilated areas.

Avoid breathing mist, vapors, or spray.

Open and handle receptacle with care.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Barium Chloride Solution, 10% (w/v) (Cont'd. of page 3) The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. 10361-37-2 barium chloride PEL (USA) Long-term value: 0.5 mg/m³ as Ba Long-term value: 0.5 mg/m³ REL (USA) as Ba TLV (USA) Long-term value: 0.5 mg/m³ as Ba Long-term value: 0.5 mg/m³ EL (Canada) as Ba LMPE (Mexico) Long-term value: 0.5 mg/m³ A4; como Ba • Exposure controls General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid close or long term contact with the skin. Avoid breathing mist, vapors, or spray. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Not required under normal conditions of use. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Eye protection: Safety glasses

Follow relevant national guidelines concerning the use of protective evewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Form:

Liquid

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

		(Cont'd. of pag
Color:	Clear	
	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	105-110 °C (221-166 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	1.3	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Contact with acids releases toxic gases.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Avoid acids.
- · Incompatible materials Strong acids

[·] Hazardous decomposition products

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

-	(Cont'd. of page Under fire conditions only: Toxic metal oxide smoke
(Chlorine compounds
1 '	Toxicological information
	•
	Information on toxicological effects
	Acute toxicity: Harmful if swallowed or if inhaled. LD/LC50 values that are relevant for classification: None.
	Primary irritant effect:
	On the skin: Based on available data, the classification criteria are not met.
	On the eye: Causes serious eye irritation.
	Sensitization: Based on available data, the classification criteria are not met.
	IARC (International Agency for Research on Cancer):
	None of the ingredients are listed.
•	NTP (National Toxicology Program):
	None of the ingredients are listed.
· (OSHA-Ca (Occupational Safety & Health Administration):
	None of the ingredients are listed.
	Probable route(s) of exposure:
	Ingestion.
	Inhalation. Eye contact.
	Skin contact.
• (Germ cell mutagenicity: Based on available data, the classification criteria are not met.
	Carcinogenicity: Based on available data, the classification criteria are not met.
	Reproductive toxicity: Based on available data, the classification criteria are not met.
	STOT-single exposure: Based on available data, the classification criteria are not met.
	STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.
	
2	Ecological information
2	Ecological mormation

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- \cdot Mobility in soil: No relevant information available.

[·] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Barium Chloride Solution, 10% (w/v)

(Cont'd. of page 6)

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA Class	Not regulated.	
	Not regulated.	
	No	
Special precautions for user	Not applicable.	
Packing group DOT, ADR/RID/ADN, IMDG, IATA Environmental hazards Marine pollutant: Special precautions for user Transport in bulk according to Annex	No Not applicable.	
nex		

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

10361-37-2 barium chloride

• TSCA (Toxic Substances Control Act)

10361-37-2 barium chloride

7732-18-5 Water

· Proposition 65 (California)

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

D, CBD(inh), NL(oral)

Trade name: Barium Chloride Solution, 10% (w/v)

(Cont'd. of page 7)

Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

10361-37-2 barium chloride

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration. 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers