Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

1 Identification
· Product identifier
 Trade name: <u>Bismuth Nitrate, 0.005M</u> Product code: BN6890SS
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
• Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals.
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

Trade name: Bismuth Nitrate, 0.005M

(Cont'd. of page 1)
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.
P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.
P501 Dispose of contents/container in accordance with local/regional/national/international
regulations.
• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

Г

	Component		
ſ	7732-18-5	Water	93.62%
ſ	7697-37-2		6.04%
		 Ox. Liq. 2, H272 Acute Tox. 3, H331 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 	
ſ		Bismuth Nitrate	0.34%
		 Ox. Sol. 2, H272 ♦ Eye Irrit. 2A, H319 	
	· Additional i	nformation [.]	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

Trade name: Bismuth Nitrate, 0.005M

(Cont'd. of page 2)

Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed: Strong caustic effect on skin and mucous membranes. Coughing Methaemoglobinaemia Gastric or intestinal disorders when ingested.
Danger: Danger of gastric perforation. Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed: If necessary oxygen respiration treatment. Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[·] Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Substance/product is oxidizing when dry.

[·] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered containers with water fog.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Take any precaution to avoid mixing with combustibles.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

(Cont'd. on page 4)


Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

	(Cont'd. of pa
Avoid splashes Prevent formation Use only in well	r safe handling: or spray in enclosed areas.
Requirements Store in cool, dr Use only recept Unsuitable mate Unsuitable mate Information ab Store away from Do not store tog Store away from Store away from Store away from	ether with alkalis (caustic solutions). I flammable substances.
-	
Exposure co	ontrols/personal protection
•	· ·
Control paran Components w The following	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o
Control paran Components w The following recommended e	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit.
Control paran Components w The following recommended e 7697-37-2 Nitrie	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit. c acid
Control paran Components w The following recommended e	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit.
Control paran Components w The following recommended e 7697-37-2 Nitric PEL (USA)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit. c acid Long-term value: 5 mg/m³, 2 ppm Short-term value: 10 mg/m³, 4 ppm
Control paran Components w The following recommended e 7697-37-2 Nitrie PEL (USA) REL (USA)	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit. c acid Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm Short-term value: 4 ppm Long-term value: 2 ppm
Control paran Components w The following recommended e 7697-37-2 Nitric PEL (USA) REL (USA) TLV (USA)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit. c acid Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 5.2 mg/m ³ , 2 ppm Short-term value: 5.2 mg/m ³ , 2 ppm
Control paran Components w The following recommended e 7697-37-2 Nitrie PEL (USA) REL (USA) TLV (USA) EL (Canada)	neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit. c acid Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm Short-term value: 4 ppm Long-term value: 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
Control paran Components w The following recommended e 7697-37-2 Nitrie PEL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada) EV (Canada) LMPE (Mexico) Exposure cor General protec The usual preca Keep away from Immediately ren Wash hands be Avoid contact w	neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or o exposure limit. c acid Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm Short-term value: 2 ppm Short-term value: 2 ppm Short-term value: 5 mg/m ³ , 2 ppm Short-term value: 2 ppm Short-term value: 5 mg/m ³ , 2 ppm

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

		(Cont'd. of pa
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

Possibility of hazardous reactions
 Reacts with alkali (lyes).
 Reacts with certain metals.
 Corrosive action on metals.
 Reacts with organic materials.
 Substance/product is oxidizing when dry.
 Toxic fumes may be released if heated above the decomposition point.

 Conditions to avoid Excessive heat.
 Incompatible materials Metals.
 Hazardous decomposition products
 Under fire conditions only:
 Nitrogen oxides (NOx)

Toxic metal oxide smoke

11 Toxicological information

Information on toxicological effects

• Acute toxicity: May be harmful if inhaled.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.

• On the eye: Strong caustic effect.

· Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

	uth Nitrate, 0.005M
	(Cont'd. of page
None of the ingre	edients are listed.
· OSHA-Ca (Occu	upational Safety & Health Administration):
None of the ingre	edients are listed.
Repeated dose Germ cell muta Carcinogenicity Reproductive to STOT-single ex STOT-repeated	(s) of exposure: neute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage toxicity: No relevant information available. genicity: Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. posure: Based on available data, the classification criteria are not met. posure: Based on available data, the classification criteria are not met. posure: Based on available data, the classification criteria are not met. exposure: Based on available data, the classification criteria are not met. exposure: Based on available data, the classification criteria are not met. exposure: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

	(Cont'd. of pa
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN2031
UN proper shipping name DOT, IATA ADR/RID/ADN, IMDG	Nitric Acid with not more than 20% NITRIC ACID with not more than 20%
Transport hazard class(es)	
DOT	
Class	8
Label ADR/RID/ADN	8
Class	8 (C1)
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards Marine pollutant:	Νο
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Acids
Transport in bulk according to Annex II of	of
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

United States (USA)	(Cont'd. of page
SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
7697-37-2 Nitric acid	
TSCA (Toxic Substances Control Act)	
Contact manufacturer for further information.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL):	
Contact manufacturer for further information.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Liq. 2: Oxidizing liquids - Category 2 Ox. Sol. 2: Oxidizing solids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu)

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2020

Trade name: Bismuth Nitrate, 0.005M

(Cont'd. of page 9) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com