

# Safety Data Sheet


according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

## 1 Identification

- **Product identifier**
- **Trade name:** Bismuth Nitrate, 0.05M
- **Product code:** BN6905SS
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover, PA 17331 USA  
Tel +1 (717)632-1291  
Toll-Free: (866)632-1291  
info@aquaphoenixsci.com
- **Distributor:**  
AquaPhoenix Scientific  
860 Gitts Run Road,  
Hanover, PA 17331  
(717) 632-1291
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Met. Corr.1 H290 May be corrosive to metals.  
Skin Corr. 1C H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**  
  
GHS05
- **Signal word:** Danger
- **Hazard statements:**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**  
P234 Keep only in original container.  
P260 Do not breathe mist/vapors/spray.  
P264 Wash thoroughly after handling.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

**Trade name: Bismuth Nitrate, 0.05M**

(Cont'd. of page 1)






P280 Wear protective gloves and eye protection.  
 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a poison center/doctor.  
 P363 Wash contaminated clothing before reuse.  
 P390 Absorb spillage to prevent material damage.  
 P405 Store locked up.  
 P406 Store in corrosive resistant container with a resistant inner liner.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

7697-37-2	Nitric acid  Ox. Liq. 2, H272  Acute Tox. 3, H331  Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	3.92%
10035-06-0	Bismuth Nitrate  Ox. Sol. 2, H272  Eye Irrit. 2A, H319	3.45%
7732-18-5	Water	92.63%

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
 For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

· **Description of first aid measures**

· **General information:** No special measures required.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

**Trade name: Bismuth Nitrate, 0.05M**

(Cont'd. of page 2)

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Caustic effect on skin and mucous membranes.

Coughing

Methaemoglobinaemia

Gastric or intestinal disorders when ingested.

· **Danger:**

Danger of gastric perforation.

Causes serious eye damage.

· **Indication of any immediate medical attention and special treatment needed:**

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** No relevant information available.

· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

Substance/product is oxidizing when dry.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Take any precaution to avoid mixing with combustibles.

· **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Methods and material for containment and cleaning up**

Use limestone to neutralize and/or absorb spill.

Neutralized material is an oxidizer.

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 3)

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
  - Use only in well ventilated areas.
  - Avoid splashes or spray in enclosed areas.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
  - No special measures required.
  - Substance/product is oxidizing when dry.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
  - Store in cool, dry conditions in well sealed receptacles.
  - Use only receptacles specifically permitted for this substance/product.
  - Unsuitable material for receptacle: aluminium.
  - Unsuitable material for receptacle: steel.
- **Information about storage in one common storage facility:**
  - Do not store together with alkalis (caustic solutions).
  - Store away from flammable substances.
  - Store away from metals.
- **Further information about storage conditions:**
  - Keep containers tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
  - The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

### 7697-37-2 Nitric acid

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL (USA)	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV (USA)	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm
EV (Canada)	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm

- **Exposure controls**
- **General protective and hygienic measures:**
  - The usual precautionary measures for handling chemicals should be followed.

(Cont'd. on page 5)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

**Trade name: Bismuth Nitrate, 0.05M**

(Cont'd. of page 4)

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:** Not required under normal conditions of use.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves**  
Neoprene gloves  
Fluorocarbon rubber (Viton)  
Laminated film gloves.  
Nitrile rubber, NBR

- **Eye protection:**  
Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Acid resistant protective clothing.
- **Limitation and supervision of exposure into the environment**  
No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · Appearance:

**Form:** Liquid  
**Color:** Colorless

- **Odor:** Acrid
- **Odor threshold:** Not determined.

- **pH-value at 20 °C (68 °F):** <2
- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** 100 °C (212 °F)

- **Flash point:** The product is not flammable.

- **Flammability (solid, gaseous):** Not applicable.

- **Auto-ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits**

(Cont'd. on page 6)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 5)

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Oxidizing properties:</b>	Non-oxidizing.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density:</b>	
· <b>Relative density:</b>	Not determined.
· <b>Vapor density:</b>	Not determined.
· <b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with alkali (lyes).  
Reacts with certain metals.  
Corrosive action on metals.  
Reacts with organic materials.  
Substance/product is oxidizing when dry.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials**  
Metals.  
Alkalis.  
Organic materials
- **Hazardous decomposition products**  
Under fire conditions only:  
Nitrogen oxides (NOx)  
Toxic metal oxide smoke

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** May be harmful if inhaled.
- **LD/LC50 values that are relevant for classification:** None.

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

**Trade name: Bismuth Nitrate, 0.05M**

(Cont'd. of page 6)

- **Primary irritant effect:**
- **On the skin:** Caustic effect on skin and mucous membranes.
- **On the eye:** Causes serious eye damage.
- **Sensitization:** Based on available data, the classification criteria are not met.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):** Causes severe skin burns and eye damage.
- **Repeated dose toxicity:** No relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

· **Toxicity**

- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.

· **Additional ecological information**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020




**Trade name: Bismuth Nitrate, 0.05M**

(Cont'd. of page 7)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	UN3264
· <b>UN proper shipping name</b>	
· <b>DOT</b>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Bismuth Nitrate)
· <b>ADR/RID/ADN, IMDG, IATA</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, Bismuth Nitrate)
· <b>Transport hazard class(es)</b>	
· <b>DOT</b>	
	
· <b>Class</b>	8
· <b>Label</b>	8
-----	
· <b>ADR/RID/ADN</b>	
	
· <b>Class</b>	8 (C1)
· <b>Label</b>	8
-----	
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8
· <b>Label</b>	8
· <b>Packing group</b>	
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	III
· <b>Environmental hazards</b>	Not applicable.
· <b>Special precautions for user</b>	Warning: Corrosive substances
· <b>Hazard identification number (Kemler code):</b>	80
· <b>EMS Number:</b>	F-A,S-B

(Cont'd. on page 9)



# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 8)

- |   |                 |
|---|-----------------|
| · Segregation groups  | Acids           |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

### · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

### · Section 313 (Specific toxic chemical listings):

7697-37-2	Nitric acid
-----------	-------------

### · TSCA (Toxic Substances Control Act)

7697-37-2	Nitric acid
-----------	-------------

7732-18-5	Water
-----------	-------

### · Proposition 65 (California)

#### · Chemicals known to cause cancer:

None of the ingredients are listed.

#### · Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

#### · Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### · EPA (Environmental Protection Agency):

None of the ingredients are listed.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### · Canadian Domestic Substances List (DSL):

10035-06-0	Bismuth Nitrate	*
------------	-----------------	---

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation

(Cont'd. on page 10)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 07, 2020

**Trade name: Bismuth Nitrate, 0.05M**

(Cont'd. of page 9)

IATA: International Air Transport Association  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
OSHA: Occupational Safety & Health Administration  
Ox. Liq. 2: Oxidizing liquids – Category 2  
Ox. Sol. 2: Oxidizing solids – Category 2  
Met. Corr. 1: Corrosive to metals – Category 1  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

**Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))  
Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtel.com](http://www.chemtel.com)