Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

1 Identification	
· Product identifier	
 Trade name: <u>Bismuth Nitrate, 0.05M</u> Product code: S88505 	
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 	
 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 	
2 Hazard(s) identification	
2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage.	
2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals.	β).
2 Hazard(s) identification Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS	5).

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

Trade name: Bismuth Nitrate, 0.05M

	(Cont'd. of page 1)
P280	Wear protective gloves and eye protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
	Store locked up.
	Store in corrosive resistant container with a resistant inner liner.
	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

Componen		
7697-37-2	Nitric acid	3.92%
	🛞 Ox. Liq. 2, H272	
	🐟 Acute Tox. 3, H331	
	left Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
10035-06-0	Bismuth Nitrate	3.45%
	🛞 Ox. Sol. 2, H272	
	🚯 Eye Irrit. 2A, H319	
7732-18-5	Water	92.63%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information: No special measures required.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

Trade name: Bismuth Nitrate, 0.05M (Cont'd. of page 2) Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Caustic effect on skin and mucous membranes. Coughing Methaemoglobinaemia Gastric or intestinal disorders when ingested. Danger: Danger of gastric perforation. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed: If necessary oxygen respiration treatment. Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced. Substance/product is oxidizing when dry.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Take any precaution to avoid mixing with combustibles.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Neutralized material is an oxidizer.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 3)

7 Handling and storage

[·] Handling

Precautions for safe handling:

- Use only in well ventilated areas.
- Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

- · Information about protection against explosions and fires:
- No special measures required.
- Substance/product is oxidizing when dry.
- Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Store away from flammable substances.

Store away from metals.

- Further information about storage conditions:
- Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7697-37-2 Nitric acid

PEL (USA)	Long-term value: 5 mg/m ³ , 2 ppm	
REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm	
TLV (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm	
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm	
EV (Canada)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm	
LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm	

• Exposure controls


General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021



 pH-value at 20 °C (68 °F): Melting point/Melting range: Boiling point/Boiling range: 	<2 Not determined. 100 °C (212 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
L		(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

ade name: Bismuth Nitrate, 0.05M		
		(Cont'd. of page
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
[·] Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available. · Chemical stability: Stable under normal temperatures and pressures. • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Reacts with alkali (lyes). Reacts with certain metals. Corrosive action on metals. Reacts with organic materials. Substance/product is oxidizing when dry. Toxic fumes may be released if heated above the decomposition point. Conditions to avoid Excessive heat. [·] Incompatible materials Metals. Alkalis Organic materials · Hazardous decomposition products Under fire conditions only: Nitrogen oxides (NOx) Toxic metal oxide smoke

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: May be harmful if inhaled.

· LD/LC50 values that are relevant for classification: None.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

nary irritant effect:	(Cont'd. of pag
the skin: Caustic effect on skin and mucous membranes.	
the eye: Causes serious eye damage.	
sitization: Based on available data, the classification criteria are not met.	
C (International Agency for Research on Cancer):	
ne of the ingredients are listed.	
P (National Toxicology Program):	
ne of the ingredients are listed.	
HA-Ca (Occupational Safety & Health Administration):	
ne of the ingredients are listed.	
bable route(s) of exposure:	
estion.	
alation.	
o contact.	
ite effects (acute toxicity, irritation and corrosivity): Causes severe skin bur	rns and eve damade
beated dose toxicity: No relevant information available.	no and cyc damage
m cell mutagenicity: Based on available data, the classification criteria are not	t met.
cinogenicity: Based on available data, the classification criteria are not met.	
productive toxicity: Based on available data, the classification criteria are not n	net.

Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- [·] Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. (Cont'd. on page 8)

Control. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 7)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric ad Bismuth Nitrate)
ADR/RID/ADN, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C (NITRIC ACID, Bismuth Nitrate)
Transport hazard class(es)	
DOT	
CONDUCTOR	
Class	8
Label ADR/RID/ADN	8
Class	8 (C1)
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Not applicable.
Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances 80 F-A,S-B

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

Trade name: Bismuth Nitrate, 0.05M	I	
		(Cont'd. of page 8)
· Segregation groups	Acids	
• Transport in bulk according to	o Annex II of	

Not applicable.

MARPOL73/78 and the IBC Code

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
7697-37-2 Nitric acid
TSCA (Toxic Substances Control Act)
7697-37-2 Nitric acid
7732-18-5 Water
· Proposition 65 (California)
· Chemicals known to cause cancer:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· EPA (Environmental Protection Agency):
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
Canadian Domestic Substances List (DSL):
10035-06-0 Bismuth Nitrate *

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 28, 2021

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 9) IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Liq. 2: Oxidizing liquids - Category 2 Ox. Sol. 2: Oxidizing solids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers