## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

1 Identification			
· Product identifier			
<ul> <li>Trade name: <u>Butylated Hydroxy Toluene</u></li> <li>Product code: BH4040</li> <li>CAS Number: 128-37-0</li> </ul>			
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>			
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc.</li> <li>860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: AquaPhoenix Scientific</li> <li>860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291</li> </ul>			
<ul> <li>Emergency telephone number:</li> <li>ChemTel Inc.</li> <li>(800)255-3924 (North America)</li> <li>+1 (813)248-0585 (International)</li> </ul>			

## 2 Hazard(s) identification

### <sup>•</sup> Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

- <sup>•</sup> Label elements
- · GHS label elements Not regulated.
- · Hazard pictograms: Not regulated.
- · Signal word:
- None.
- None.
- · Hazard statements: None.
- · Precautionary statements: None.

• Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

# Chemical characterization: Substances

### · CAS No. Description

128-37-0 2,6-di-tert-butyl-p-cresol

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 1)

#### 4 First-aid measures Description of first aid measures · General information: No special measures required. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Brush off loose particles from skin. Wash with soap and water. If skin irritation is experienced, consult a doctor. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Gastric or intestinal disorders when ingested. Nausea in case of ingestion. · Danger: No relevant information available. Indication of any immediate medical attention and special treatment needed: If medical advice is needed, have product container or label at hand.

#### **5** Fire-fighting measures

- <sup>·</sup> Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- <sup>•</sup> Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.
- Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Pick up manually.

Sweep up and place into an appropriate container.

Dispose of the collected material according to regulations.

**Reference to other sections** 

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

#### Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 2)

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

#### <sup>·</sup> Handling

- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.

#### <sup>•</sup> Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Protect from humidity and water.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

Store away from reducing agents.

Do not store together with acids.

• Further information about storage conditions:

Keep containers tightly sealed.

Store in dry conditions.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

#### <sup>·</sup> Control parameters

Components with limit values that require monitoring at the workplace:

## 128-37-0 2,6-di-tert-butyl-p-cresol

REL (USA)	Long-term value: 10 mg/m³	
TLV (USA)	Long-term value: 2* mg/m³ *as inhalable fraction and vapor	
EL (Canada)	Long-term value: 2 mg/m³ vapour and inhalable aerosol	
EV (Canada)	Long-term value: 2 mg/m³ inhalable, vapour and aerosol	
LMPE (Mexico)	Long-term value: 2 mg/m³ A4, IFV	

#### Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.


Wash hands before breaks and at the end of work.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

(Cont'd. on page 5)



Not applicable.

69.9 °C (157.8 °F)

127 °C (260.6 °F)

345 °C (653 °F)

Not determined.

Not determined.

Not determined.

Non-oxidizing.

262.5 °C (504.5 °F)

The product is not flammable.

Product does not present an explosion hazard.

Product is not flammable.

· pH-value:

· Flash point:

• Melting point/Melting range:

· Boiling point/Boiling range:

· Flammability (solid, gaseous):

• Auto-ignition temperature:

• Danger of explosion:

· Oxidizing properties:

 Explosion limits Lower:

Upper:

· Decomposition temperature:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

	ene	
		(Cont'd. of p
Vapor pressure at 20 °C (68 °F):	0.02 hPa (0 mm Hg)	
Density at 20 °C (68 °F):	1.05 g/cm³ (8.76 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No relevant information available.	
Stability and reactivity		
<b>Reactivity:</b> No relevant information <b>Chemical stability:</b> Stable under nor		
Chemical stability: Stable under nor	mal temperatures and pressures.	
Chemical stability: Stable under nor Thermal decomposition / condition	mal temperatures and pressures. <b>Is to be avoided:</b>	
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored	mal temperatures and pressures. <b>is to be avoided:</b> according to specifications.	
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction	mal temperatures and pressures. <b>Is to be avoided:</b> according to specifications. <b>DNS</b>	
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Toxic fumes may be released if heater	mal temperatures and pressures. <b>Is to be avoided:</b> according to specifications. <b>DNS</b>	
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored <b>Possibility of hazardous reaction</b> Toxic fumes may be released if heater Reacts with strong oxidizing agents.	mal temperatures and pressures. <b>Is to be avoided:</b> according to specifications. <b>DNS</b>	
Chemical stability: Stable under nor Thermal decomposition / condition No decomposition if used and stored Possibility of hazardous reaction Toxic fumes may be released if heater	mal temperatures and pressures. <b>Is to be avoided:</b> according to specifications. <b>DNS</b>	

Excessive heat.

Moisture.

Incompatible materials

Alkalis. Acids.

Reducing agents.

Oxidizers

### · Hazardous decomposition products

Under fire conditions only: Carbon monoxide and carbon dioxide Benzene

Delizene

## 11 Toxicological information

#### · Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

#### 128-37-0 2,6-di-tert-butyl-p-cresol

(Cont'd. on page 6)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

	Butylated Hydroxy Toluene
	(Cont'd. of p
	>6000 mg/kg (rat)
On the eye	<b>tant effect:</b> : Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. on: Based on available data, the classification criteria are not met.
	national Agency for Research on Cancer):
NTP (Natio	nal Toxicology Program):
Substance	
Substance	Occupational Safety & Health Administration):
	bute(s) of exposure:
Repeated of Germ cell i Carcinoger Reproduct STOT-sing STOT-repe	
Ecologic Toxicity Aquatic to:	al information
Toxicity Aquatic tox Very toxic to	<b>icity</b> aquatic life with long lasting effects.
Toxicity Aquatic to: Very toxic to 128-37-0 2,	icity aquatic life with long lasting effects. 5-di-tert-butyl-p-cresol
Toxicity           Aquatic tox           Very toxic tox           128-37-0 2,           LC50         1.1 r	icity aquatic life with long lasting effects. 6-di-tert-butyl-p-cresol ng/l (fish)
Toxicity           Aquatic to:           Very toxic to:           128-37-0 2,           LC50         1.1 r           EC50         0.48	icity aquatic life with long lasting effects. 5-di-tert-butyl-p-cresol

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

#### Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 6)

#### 13 Disposal considerations

#### <sup>•</sup> Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3077	
<ul> <li><sup>1</sup> UN proper shipping name</li> <li><sup>1</sup> DOT</li> <li><sup>1</sup> ADR/RID/ADN, IMDG, IATA</li> </ul>	Environmentally hazardous substance, solid, n.o.s. (2,6-di-tert-butyl-p-cresol) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,6-di-tert-butyl-p-cresol)	
<ul> <li>Transport hazard class(es)</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>		
· Class · Label	9 9	
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	111	
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	Yes (DOT) Symbol (fish and tree)	
<sup>·</sup> Special precautions for user	Warning: Miscellaneous dangerous substances and articles	
<ul> <li>Transport in bulk according to Annex I MARPOL73/78 and the IBC Code</li> </ul>	l of Not applicable.	

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

iue name: E	Butylated Hydroxy Toluene
United Stat	(Cont'd. of pag
<ul> <li>United Stat</li> <li>SARA</li> </ul>	es (USA)
	2 (extremely hazardous substances):
Substance i	
Section 312	B (Specific toxic chemical listings):
Substance i	
	c Substances Control Act)
•	ts are listed or exempt.
•	· · · · · · · · · · · · · · · · · · ·
-	n 65 (California)
	known to cause cancer:
Substance i	s not listed.
	known to cause developmental toxicity for females:
Substance i	s not listed.
· Chemicals	known to cause developmental toxicity for males:
Substance i	s not listed.
Chemicals	known to cause developmental toxicity:
Substance i	s not listed.
EPA (Envir	onmental Protection Agency):
Substance i	
IARC (Inter	national Agency for Research on Cancer):
	omestic Substances List (DSL):
Substance i	s not listed.
Other info	amation
	ation is based on our present knowledge. However, this shall not constitute a guarantee for a duct features and shall not establish a legally valid contractual relationship.
	ons and acronyms:
	n Agreement concerning the International Carriage of Dangerous Goods by Road
	ional Maritime Code for Dangerous Goods rtment of Transportation
	onal Air Transport Association
	Abstracts Service (division of the American Chemical Society)
	oncentration, 50 percent ose, 50 percent
OSHA: Occupa	tional Safety & Health Administration
· Sources Website Fi	ropean Chemicals Agency (echa.europa.eu)
	S EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/hon
overview/ho	me.do)
	nemical Abstracts Registry, American Chemical Society (www.cas.org)
	strial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 d Doull's Tovicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISE
978-0-07-17	d Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISE 6923-5.
	(Cont'd. on pag

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

### Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 8)

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com