Safety Data Sheet: CHEM-AQUA 84250

Supercedes Date 08/31/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name CHEM-AQUA 84250 Recommended use Water treatment chemical Information on Manufacturer

CHEM-AQUA, INC BOX 152170 IRVING, TEXAS 75015 Product Code 0C86 Chemical nature Polymers and Petroleum emulsion **Emergency Telephone Number** CHEMTREC[®] 800-424-9300 **Telephone inquiry** 972-579-2477

2. HAZARD IDENTIFICATION

Physical State Liquid

Color Milky

GHS

Classification Physical Hazards None Health Hazard Serious Eye Damage/Eye Irritation Other hazards None

Category 2B

Labeling Signal Word WARNING

Hazard Statements H320 - Causes eye irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2-propenyl)oxy]-, chloride,polymer with 2-propenamide	69418-26-4	30-60
Petroleum distillates, hydrotreated light	64742-47-8	15-40
Sorbitan oleate	1338-43-8	1-5
Nonyl phenol polyethylene glycol ether	9016-45-9	1-5

4. FIRST AID MEASURES

General advice Eye Contact	Avoid contact with skin, eyes and clothing. Avoid breathing mist. Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
Skin Contact	Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point	Does not flash	Method Not	applicable
Flammability Limit	s in Air % No information available.	Upper No data available	Lower No data available
Suitable Extinguis	hing Media		
Water spray. Carbo	on dioxide (CO2). Foam. Dry chemical. Use extingu	ishing measures that are a	ppropriate to local circumstances and the
surrounding enviro	nment.	-	

Specific hazards arising from the chemical

Issuing Date 04/08/2014

Odor Petroleum distillates

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear s	self-contained breathing apparatus press	ure-dem	nand, MSHA/NIOSH (approved or	equivalent) and full protective gear.

NFPA	Health 1	Flammability 1	Instability 0	
HMIS	Health 1	Flammability 1	Instability 0	
		-	-	

0. AGGIDENTAE RELEASE MEASORES
Use personal protective equipment. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Do not flush into surface water or sanitary sewer system.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / nationa regulations (see section 13).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust) Not applicable.

6 ACCIDENTAL RELEASE MEASURES

7. HANDLING AND STORAGE					
Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid breathing mist.					
Storage	5 5				
Storage TemperatureMinimum35 °F / 2 °CMaximum86 °F / 30 °CStorage ConditionsIndoorXOutdoorHeatedRefrigerated					

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2- propenyl)oxy]-, chloride,polymer with 2- propenamide	No data available	No data available	No data available
Petroleum distillates, hydrotreated light	525 mg/m ³ TWA	No data available	No data available
Sorbitan oleate	No data available	No data available	No data available
Nonyl phenol polyethylene glycol ether	No data available	No data available	No data available

Engineering Measures

Personal Protective Equipment Eye/Face Protection Skin Protection Respiratory Protection

General Hygiene Considerations

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	Viscosity	Viscous
Color	Milky	Odor	Petroleum distillates
Odor Threshold	Not applicable	Appearance	Opaque
рН	9	Specific Gravity	1.03
Evaporation Rate	< 1 (Butyl acetate=1)	Percent Volatile (Volume)	58
VOC Content (%)	30	VOC Content (g/L)	309
Vapor Pressure	0.03 mmHg @ 70°F	Vapor Density	> 1 (Air = 1.0)
Solubility	Emulsifiable	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	468 °F / 242 °C	Flammability (solid, gas)	No data available
Flash Point	Does not flash	Method	Not applicable
Autoignition Temperature	No information available.		
Flammability Limits in Air %	No information available.	Upper No data available Lower	No data available

10. STABILITY AND REACTIVITY

Chemical Stability Conditions to Avoid Incompatible Products Stable. Hazardous polymerization does not occur. Keep away from open flames, hot surfaces, and sources of ignition Strong oxidizing agents

Hazardous Decomposition Products Possibility of Hazardous Reactions

Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas. None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

-	ed on chapter 3.1 of the GHS document (Rev. 3, 2009):
Oral LD50	> 5,000 mg/kg (Rat)
Dermal LD50	> 5,000 mg/kg (Rat)
Inhalation LC50	
Gas	No information available
Mist	No information available
Vapor	No information available
Principle Route of Exposure	Eye contact, Skin contact, Inhalation.
Primary Routes of Entry Acute Effects	Inhalation
Eyes	May cause eye irritation.
Skin	May cause skin irritation.
Inhalation	May cause irritation of respiratory tract.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic Toxicity	Prolonged skin contact may defat the skin and produce dermatitis.
Target Organ Effects	Respiratory system
Aggravated Medical Conditions	Respiratory disorders, Skin disorders.
Component Information	,,

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Ethanaminium, N,N,N-trimethyl-	no data available	no data available	no data available	no data available	no data available
2-[(1-oxo-2-propenyl)oxy]-,					
chloride,polymer with 2-					
propenamide					
Petroleum distillates,	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	no data available	no data available	no data available
hydrotreated light					
Sorbitan oleate	no data available	no data available	no data available	no data available	no data available
Nonyl phenol polyethylene	= 2590 mg/kg (Rat)	= 1780 µL/kg (Rabbit)	no data available	no data available	no data available
glycol ether					

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Ethanaminium, N,N,N-trimethyl-	no data available	no data available	no data available	no data available	no data available
2-[(1-oxo-2-propenyl)oxy]-,					
chloride,polymer with 2-					
propenamide					
Petroleum distillates,	no data available	no data available	no data available	no data available	no data avalilable
hydrotreated light					
Sorbitan oleate	no data available	no data available	no data available	no data available	no data available
Nonyl phenol polyethylene	no data available	no data available	no data available	no data available	no data available
glycol ether					

Carcinogenicity	There are no known carcinogenic chemicals in this product.				
Component	ACGIH	IARC	NTP	OSHA	Other
Ethanaminium, N,N,N-trimethyl- 2-[(1-oxo-2-propenyl)oxy]-, chloride,polymer with 2- propenamide	not applicable	not applicable	not applicable	not applicable	not applicable
Petroleum distillates, hydrotreated light	not applicable	not applicable	not applicable	not applicable	not applicable
Sorbitan oleate	not applicable	not applicable	not applicable	not applicable	not applicable
Nonyl phenol polyethylene glycol ether	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information						
Toxicity to fish			Daphnia magna (Water flea)			
10-100 mg/L 96h		> 50 mg/L 48h				
Component Information						
Component	Toxicity to Algae	Toxicity	to Fish	Microtox	Water Flea	log Pow
	I	1		T	1	

0C86 - CHEM-AQUA 84250

Issuing Date 04/08/2014

Ethanaminium, N,N,N-trimethyl-2- [(1-oxo-2-propenyl)oxy]-, chloride,polymer with 2- propenamide	no data available	no data available	no data available	no data available	N/A
Petroleum distillates, hydrotreated light	no data available	LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h LC50 = 45 mg/L Pimephales promelas 96 h	no data available	4720: 96 h Den- dronereides heteropoda mg/L LC50	N/A
Sorbitan oleate	no data available	no data available	no data available	no data available	N/A
Nonyl phenol polyethylene glycol ether	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability Bioaccumulation

No information available. No information available. No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Container Disposal

Mobility

Dispose of in accordance with local regulations. Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION					
DOT	Not regulated				
TDG	Not regulated				
ICAO	Not regulated				
ΙΑΤΑ	Not regulated				
IMDG/IMO	Not regulated				

15. REGULATORY INFORMATION

Inventories	
TSCA	Complies
DSL	Complies
U.S. Federal Regulations	

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard	
Yes	No	No	No	No	
ERCLA					
Comp	ponent	Hazardous Substance	es RQs	CERCLA EHS RQs	
Ethanaminium, N,N,N-trimethyl-2-[(1-oxo-2-propenyl)		Not applicable		Not applicable	
oxy]-, chloride,polymer with 2-propenamide					
Petroleum distillates, hydrotreated light		Not applicable		Not applicable	
Sorbitan oleate		Not applicable	Not applicable		
Nonyl phenol polyethylene glycol ether		Not applicable		Not applicable	

16. OTHER INFORMATION

Prepared By	Angela Hutson			
Supercedes Date	08/31/2010			
Issuing Date	04/08/2014			
Reason for Revision	No information available.			
Glossary	No information available.			
List of References.	No information available.			
CHEM-AQUA INCassumes no responsibility for personal injury (

CHEM-AQUA, INCassumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage

or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.