# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

Printing date: April 03	, 2018	Revision: April 03, 2018
1 Identification		
<sup>.</sup> Product identi	fier	
<ul> <li>Trade name: <u>Ma</u></li> <li>Product code: N</li> </ul>	Inganous Sulfate Solution IN5150SS	
· Recommended	use and restriction on use use: Laboratory chemicals use: No relevant information available.	
Details of the Manufacturer/S AquaPhoenix Sc 860 Gitts Run Ro Hanover, PA 173 Phone: (717)632 Toll-Free: (866)6 info@aquaphoer	entific, Inc. ad 31 -1291 32-1291	
• Emergency tele ChemTel Inc. (800)255-3924 ( +1 (813)248-058	North America)	
2 Hazard(s) ide	ntification	
( <b>/</b>	of the substance or mixture	
	290 May be corrosive to metals.	
	Causes severe skin burns and eye damage.	
•	<ul><li>318 Causes serious eye damage.</li><li>373 May cause damage to the brain through prolo exposure: Inhalation.</li></ul>	
• Label element • GHS label element • The product is cl • Hazard pictogra	<b>s</b> ents assified and labeled according to the Globally Harm	nonized System (GHS).
GHS05 GHS08		
	n <b>ts:</b> rosive to metals. vere skin burns and eye damage. e damage to the brain through prolonged or repe <b>tatements:</b> Keep only in original container. Do not breathe mist/vapors/spray.	eated exposure. Route of exposure:
P280	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye pro	otection.
1 200		(Cont'd on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

Trade name: Manganous Sulfate Solution

(Cont'd. of page 1) P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. Get medical advice/attention if you feel unwell. P314 Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards There are no other hazards not otherwise classified that have been identified.

# **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Components:		
7732-18-5	water	75-90%
	sulfuric acid	5-10%
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
7664-38-2	phosphoric acid	5-10%
	🚸 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
10034-96-5	manganese (II) sulfate monohydrate	1-5%
	🗞 STOT RE 2, H373	
	nformation:	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

#### Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

#### • After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

Seek immediate medical help for blistering or open wounds.

#### · After eve contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

#### Trade name: Manganous Sulfate Solution

(Cont'd. of page 2)

Most important symptoms and effects, both acute and delayed: Caustic effect on skin and mucous membranes. Breathing difficulty Coughing Gastric or intestinal disorders Nausea Vomiting.
Danger: May cause neurotoxic effects. Danger of gastric perforation. Causes serious eye damage. May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalation.
Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand.

# 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

#### 6 Accidental release measures

#### • **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

#### Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### Methods and material for containment and cleaning up

Use limestone to neutralize and absorb spill.

Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

#### Trade name: Manganous Sulfate Solution

(Cont'd. of page 3)

#### 7 Handling and storage

#### · Handling

Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Open and handle receptacle with care.

Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Store only in the original receptacle.

• **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

• **Specific end use(s)** No relevant information available.

#### 8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:			
7664-93-9 sulfu	ric acid		
PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>		
REL (USA)	Long-term value: 1 mg/m <sup>3</sup>		
TLV (USA)	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction		
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1		
EV (Canada)	Long-term value: 0.2 mg/m <sup>3</sup>		
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica		
7664-38-2 phos	phoric acid		
PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>		
REL (USA)	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>		
TLV (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		
EL (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		
EV (Canada)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³		
LMPE (Mexico)	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>		

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

. . . . . . . .

Printing date: April 03, 2018

40004 00 F

Revision: April 03, 2018

Trade name: Manganous Sulfate Solution

/11)

16-4-

(Cont'd. of page 4)

10034-96-5 manganese (II) sulfate monohydrate	
PEL (USA)	Ceiling limit value: 5 mg/m³ as Mn
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn
TLV (USA)	Long-term value: 0.02* 0.1** mg/m³ as Mn; *respirable **inhalable fraction
EL (Canada)	Long-term value: 0.2 mg/m³ as Mn; R
LMPE (Mexico)	Long-term value: 0.2 mg/m³ como Mn
The usual preca	ntrols tive and hygienic measures: autionary measures for handling chemicals should be followed. a foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

#### • Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

Use suitable respiratory protective device when aerosol or mist is formed.

# Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves Nitrile rubber, NBR Natural rubber, NR Neoprene gloves Laminated film gloves.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Acid resistant protective clothing.

• **Limitation and supervision of exposure into the environment** No relevant information available.

• Risk management measures No relevant information available.

(Cont'd. on page 6)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

#### Trade name: Manganous Sulfate Solution

(Cont'd. of page 5)

9 Physical and chemical properties		
Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Acrid	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<2	
Melting point/Melting range:	Not determined.	
<ul> <li>Boiling point/Boiling range:</li> </ul>	Not determined.	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.	
· Vapor pressure:	Not determined.	
<sup>·</sup> Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
<ul> <li>Solubility in / Miscibility with</li> </ul>		
Water:	Soluble.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

· Reactivity: Corrosive action on metals.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

# Possibility of hazardous reactions

Reacts with alkali (lyes).

Toxic fumes may be released if heated above the decomposition point.

(Cont'd. on page 7)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

Trade name: Manganous Sulfate Solution

(Cont'd. of page 6)

 Conditions to avoid No relevant information available.
 Incompatible materials Metals.
 Alkalis
 Hazardous decomposition products

Under fire conditions only: Sulfur oxides (SOx) Phosphorus oxides (e.g. P2O5) Toxic metal oxide smoke

#### 11 Toxicological information

#### <sup>·</sup> Information on toxicological effects

- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Caustic effect on skin and mucous membranes.
- **On the eye:** Strong irritant with the danger of severe eye injury.
- Sensitization: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### • NTP (National Toxicology Program):

7664-93-9 sulfuric acid

#### **OSHA-Ca** (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

- STOT-repeated exposure:
- May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalation.
- Aspiration hazard: Based on available data, the classification criteria are not met.

#### **12 Ecological information**

<sup>·</sup> Toxicity

- Aquatic toxicity Harmful to aquatic life with long lasting effects.
- Persistence and degradability No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.

(Cont'd. on page 8)

Κ

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

#### Trade name: Manganous Sulfate Solution

(Cont'd. of page 7)

#### <sup>•</sup> Additional ecological information

#### · General notes:

Do not allow product to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

#### Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

· Other adverse effects No relevant information available.

#### **13 Disposal considerations**

#### <sup>·</sup> Waste treatment methods

#### · Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· UN-Number	
DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric aci Phosphoric acid)
· ADR, IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (SULPHURIC ACID, PHOSPHORIC ACID)
·IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Sulphur acid, Phosphoric acid)
<sup>·</sup> Transport hazard class(es)	
· DOT	
er aller ordersource 3	
· Class	8 Corrosive substances
· Label	8

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

de name: Manganous Sulfate Solution		
		(Cont'd. of pag
· ADR		
1 A A A A A A A A A A A A A A A A A A A		
· Class	8 (C1) Corrosive substances	
· Label	8	
· IMDG, IATA		
· Class	8 Corrosive substances	
·Label	8	
Packing group	Ш	
DOT, ADR, IMDG, IATA	III	
<ul> <li>Environmental hazards</li> </ul>		
· Marine pollutant:	No	
<sup>•</sup> Special precautions for user	Warning: Corrosive substances	
<sup>·</sup> Danger code (Kemler):	80	
· EMS Number:	F-A,S-B	
· Segregation groups	Acids	
<sup>·</sup> Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

# **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7664-93-9 sulfuric acid

Section 313 (Specific toxic chemical listings):

7664-93-9 sulfuric acid

10034-96-5 manganese (II) sulfate monohydrate

• TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

(Cont'd. on page 10)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: April 03, 2018

Revision: April 03, 2018

Trade name: Manganous Sulfate Solution

(Cont'd. of page 9)

D

#### • Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

10034-96-5 manganese (II) sulfate monohydrate

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision April 03, 2018 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. (Cont'd. on page 11)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

#### Printing date: April 03, 2018

Revision: April 03, 2018

#### Trade name: Manganous Sulfate Solution

(Cont'd. of page 10)

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com