According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 1 of 9

Lead Strip 2"x1/4"

SECTION 1: Identification

Product identifier

Product name: Lead Strip 2"x1/4" **Product code:** NC0905953

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291 Supplier: United States

Fisher Science Education 6771 Silver Crest Road Nazareth, PA 18064 800 955-1177

Emergency telephone number:

United States ChemTel Inc

+1(800)255-3924 +1(813)248-0585

SECTION 2: Hazard(s) identification

GHS classification:

Acute toxicity (oral), category 4

Acute toxicity (inhalation), category 4

Specific target organ toxicity - repeated exposure, category 2

Carcinogenicity, category 2

Reproductive toxicity, category 1A

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

Label elements

Hazard pictograms:







Signal word: Danger

Hazard statements:

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 2 of 9

Lead Strip 2"x1/4"

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

P273 Avoid release to the environment.

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell.

P308+P313 If exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7439-92-1	Lead Strips	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Move to fresh air

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After swallowing:

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

Do not induce vomiting

Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 3 of 9

Lead Strip 2"x1/4"

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 4 of 9

Lead Strip 2"x1/4"

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Lead Strips	7439-92-1	ACGIH TLV TWA 0.05 mg/m³ as Pb

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Gray solid
Odor	Odorless
Odor threshold	Not determined or not available
рН	Not determined or not available
Melting point/freezing point	327.4 C
Initial boiling point/range	1740 C
Flash point (closed cup)	Not determined or not available
Evaporation rate	Not determined or not available
Flammability (solid, gas)	Not determined or not available
Upper flammability/explosive limit	Not determined or not available
Lower flammability/explosive limit	Not determined or not available
Vapor pressure	Not determined or not available
Vapor density	Not determined or not available
Density	Not determined or not available
Relative density	11.35

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 5 of 9

Lead Strip 2"x1/4"

Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available
Auto/Self-ignition temperature	Not determined or not available
Decomposition temperature	Not determined or not available
Dynamic viscosity	Not determined or not available
Kinematic viscosity	Not determined or not available
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

None under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None known.

Conditions to avoid:

Incompatible materials

Incompatible materials:

strong acids, ammonium nitrate, hydrogen peroxide, sodium azide, zirconium, sodium acetylide, and chlorine.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Harmful if swallowed Harmful if inhaled

Product data: No data available.

Substance data:

Name	Route	Result
Lead Strips	oral	LD50 - Woman - 450 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.
Substance data: No data available.
Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 6 of 9

Lead Strip 2"x1/4"

Assessment: Suspected of causing cancer

Product data: No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Lead Strips	Group 2A - Probably carcinogenic to humans

National Toxicology Program (NTP):

Name	Classification
Lead Strips	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: May damage fertility or the unborn child

Product data: No data available.

Substance data:

Name	Result
Lead Strips	Component may cause genetic defects.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Lead Strips	Repeated exposure causes organ toxicity.

Specific target organ toxicity (repeated exposure)

Assessment: May cause damage to organs through prolonged or repeated exposure

Product data: No data available. **Substance data:** No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Very toxic to aquatic life **Product data:** No data available.

Substance data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 7 of 9

Lead Strip 2"x1/4"

Name	Result
Lead Strips	Ec50 - Marine Microalga - 0.9 g/L - 72 hr
	LC50 - Water flea - 0.53 g/L - 48 hr

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 8 of 9

Lead Strip 2"x1/4"

Packing group	None
Environmental hazards	Marine Pollutant
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Bulk Name	None	
Ship type	None	
Pollution category	None	

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

7439-92-1 Lead Strips	Listed
-----------------------	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

7439-92-1	Lead Strips	Listed
-----------	-------------	--------

CERCLA:

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know: 7439-92-1 lead strins

	7439-92-1	lead strips	Listed
Nev	w Jersey Right to K	now:	

7439-92-1 llead strips

.	7455 52 1	icaa sarps	Listea
	7/130-02-1	lead strips	Lictad

New York Right to Know: 7439-92-1 lead strips

Pennsylvania Right to Know:			
	7439-92-1	lead strips	Listed

Listed

California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause cancer.

7439-92-1	Lead Strips
-----------	-------------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

7439-92-1	Lead Strips
	· '

SECTION 16: Other information

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.12.2016 Page 9 of 9

Lead Strip 2"x1/4"

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-0-0 **HMIS:** 2-0-0

Initial preparation date: 05.12.2016

End of Safety Data Sheet