

3E Company  
3207 Grey Hawk Court, Suite 200  
Carlsbad, CA 92010  
U.S. Toll Free: 1-800-451-8346 or 1-760-602-8703  
North America: 1-800-931-0537/Mexico 00-1-800-931-0537 or 1-760-602-8822  
Fax: 1-760-602-8888  
Email: msds@3ecompany.com

# Material Safety Data Sheet Transmittal Form

July 02, 2019

Request #: 328273  
Processed By: rletuli

Recipient:  
  
MATT HOKE  
  
Email: MHOKE@AQUAPHOENIXSCI.COM

Requester:  
  
MATT HOKE  
CUSTOMER  
Email: MHOKE@AQUAPHOENIXSCI.COM  
Phone: 717-632-1291

Thank you for using 3E's MSDS Paperless Compliance™ service. This service may eliminate the requirement to maintain MSDS on site. Below is a list of the MSDS you requested. Please verify that the MSDS sheet(s) enclosed/attached match what you have ordered.

The information contained in this facsimile transmission is intended only for the use of the individual or entity named above and is privileged and confidential. If you are not the intended recipient, please do not read, copy, use or disclose this communication to others. Any dissemination, distribution or copying of this information other than to the person or entity named above is strictly prohibited. If you have received this facsimile in error, you should shred this information.

3E COMPANY does not develop, prepare, or review the contents of any MSDS; the MSDS is prepared by the manufacturer. The statements, technical information and recommendations contained herein are transmitted without warranty or guarantee of any kind, expressed or implied, by 3E COMPANY. Furthermore, 3E COMPANY assumes no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

PID/VID	Manufacturer ORDERED/Actual	Product Name ORDERED/Actual	UPC	Item
v9818807	GREENBRIER/Diamond Cosmetics	SUPER HIGH GLOSS NAIL POLISH TOPCOAT/Miracle Dry Nail Polish		185261

END OF ORDER DETAIL - Request# 328273



3E Company is North American's leader in hazardous materials information management. 3E simplifies compliance for over 75,000 business locations worldwide. Services include: MSDS on Demand, 3E On-line, Government Disclosures, Hazmat Transportation Services, Emergency Response and Chemical Spill/Exposure Hotlines. For more information call **1-800-360-3220 or 1-760-602-8700 or visit us at [www.3ecompany.com](http://www.3ecompany.com)**

# DIAMOND COSMETICS INC.

10551 NW 53RD STREET. SUNRISE, FL 33351

## SAFETY DATA SHEET

### SECTION1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

#### 1.1 - IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

Product name: Miracle Dry Nail Polish

Product Class: NAIL POLISH

#### 1.2 - FINAL USE

Cosmetics / Coatings and Paints / Nail

#### 1.3 - COMPANY IDENTIFICATION

Diamond Cosmetics Inc.

Address: 10551 NW 53Rd Street. Sunrise, FL 33351

TEL: 954-572-3462 FAX: 954-572-4020

#### 1.4 - EMERGENCY TELEPHONE NUMBER

Chem - Tel Inc. 800-255-3924

### SECTION2 INFORMATION ON INGREDIENTS

INCI NAME	CAS No.	%
BUTYL ACETATE	123-86-4	25
ETHYL ACEATE	141-78-6	46.47
ISOPROPYL ALCOHOL	67-63-0	10
CELLULOSE ACETATE BUTYRATE	9004-36-8	8
SUCROSE BENZOATE	12738-64-6	5
PHTHALIC ANHYDRIDE / TRIMELLITIC ANHYDRIDE / GLYCOL COPOLYMER	186688-25-5	5
CAMPHOR	76-22-2	0.5
<b>MAY CONTAIN</b>		
Aloe	-	0.01
Calcium Pantothenate	-	0.01
Garlic Extract	-	0.01
TOTAL		100

### SECTION3 HAZARDS IDENTIFICATION

#### 3.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Hazard Class	Hazard Category
Flammable Liquid	Category 2
Acute Oral Toxicity	Category 4
Skin Corrosion / Irritation	Category 2
Serious Eye Damage / Eye Irritation	Category 2
STOT – Single Exposure	Category 3

#### 3.2 LABEL ELEMENTS



GHS02; FLAMMABLE



GHS07; IRRITANT



GHS09

**SIGNAL WORD: danger**

**HAZARD STATEMENTS:**

- H225 Highly flammable liquid and vapor
- H302 Harmful if swallowed
- H315 Causes skin irritation
- H319 Cause serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness and dizziness
- H410 Very toxic to aquatic life with long lasting effects

**3.3 HAZARDS TO HEALTH AND ENVIRONMENT**

**Most important adverse effects**

Skin Irritation	Mild skin irritant, can cause non-allergic contact dermatitis
Eye Irritation	Eye irritant – both liquid and vapor
Respiratory Sensitization	Prolonged inhalation may be harmful. Can cause headaches, vomiting, and narcosis. May cause lung irritation.
Ingestion Hazard	Causes gastro-intestinal irritation, vomiting, and diarrhea. Kidney damage.

**Potential environmental effects**

Highly Flammable
------------------

**SECTION4 FIRST-AID MEASURES**

**4.1 - DESCRIPTION OF FIRST AID MEASURES**

INGESTION : SEEK IMMEDIATE MEDICAL ATTENTION. Do NOT induce vomiting.

INHALATION : Remove to fresh air. Seek medical attention.

SKIN CONTACT: Wash affected area with soap and water.

EYES : Irrigate with large amounts of water. Seek medical attention.

**4.2 - MOST IMPORTANT SYMPTOMS AND EFFECTS**

Symptoms: Drowsiness, headaches, nausea, vomiting, dermatitis, diarrhea, narcosis

Effects: Non-allergic dermatitis. Skin and eye irritation. Vapor from solvents may cause: ill effects to the renal system; central nervous system problems; irritation to the respiratory tracts and other various mucosal membranes.

**4.3 – INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

Hazards: No data available

Treatment: Treat symptomatically

**SECTION5 FIREFIGHTING MEASURES**

**5.1 - EXTINGUISHING MEDIA**

Suitable extinguishing measures

Small fire: Carbon dioxide, foam or dry chemical extinguishers.

Large fire: Water or foam extinguishers, water fog.

Note: In all cases keep nearby containers cool by spraying with water fog.

Unsuitable extinguishing measures: Do not use a solid water stream as it may scatter and spread fire.

## 5.2 - SPECIAL HAZARDS ARISING FROM SUBSTANCE OR MIXTURE

Specific hazards during fire fighting: Vapors are heavier than the air and spread along the ground. Vapors may form explosive mixtures with air. Flashback possible. Under conditions giving incomplete combustion, hazardous gases produced may consist of: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), carbon oxides, nitrous oxides.

## 5.3 – ADVICE TO FIREFIGHTERS

For fires wear self-contained breathing apparatus. Do not inhale vapors/smoke.

## SECTION6 ACCIDENTAL RELEASE MEASURES

### 6.1 - PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use suitable protective clothing/equipment.

Eliminate all sources of ignition. No Smoking. Use only spark resistant tools. Bond and ground Containers.

### 6.2 - ENVIRONMENTAL PRECAUTIONS

Do not allow to enter water or drains.

Dispose in accordance with federal, state, local and regional regulations.

Local authorities should be advised if significant spills cannot be contained.

### 6.3 - METHODS OF CONTAINMENT AND CLEANING UP

Eliminate sources of ignition.

Small Spills - Absorb spill with vermiculite, earth, sand, or other inert material, then place in a container for hazardous waste.

Large Spills - Contain spill with absorbent. Prevent runoff from entering drains, sewers, or streams.

Absorb spill with vermiculite, earth, sand, or other inert material, then place in a container for hazardous waste.

### 6.4 – REFERENCE TO OTHER SECTIONS

For personal protection, see section 8

For disposal considerations, see section 13

## SECTION7 HANDLING AND STORAGE

### Handling

User Exposure:Use protective clothing and gloves.Avoid inhalation.Avoid contact with eyes,skin and clothing.Avoid prolonged or repeated exposure.Keep away from ignition sources,heat and flame.

Incompatibilities:strong oxidizing agents and foods.No smoking at working site.

## SECTION8 EXPOSURE CONTROLS/PPE

### 8.1 - EXPOSURE LIMIT VALUES

	OSHA – PEL	ACGIH-TLV	EU EXPOSURE
Ethyl Acetate	400 ppm	400 ppm	400 ppm
Butyl Acetate	150 ppm	150 ppm	150 ppm
Isopropyl Alcohol	200 ppm	400 ppm	400 ppm

Ventilation of appropriate design is necessary to meet the above levels.

## 8.2. – EXPOSURE CONTROLS

Use only with adequate ventilation; local exhaust or general room ventilation is usually required.

## 8.3. – ENVIRONMENTAL EXPOSURE CONTROLS

Do not allow to enter water ways or drains.

Federal, state, local and regional regulations authorities should be advised if significant spills cannot be contained.

## 8.4. – HAZARD RATING

HMIS Rating

(0=least, 1=slight, 2=moderate, 3=serious, 4=severe)

Health: 2 Fire: 3 Reactivity:1 PP:G

## SECTION9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. – GENERAL INFORMATION

**Appearance:** Liquid

**Odor:** Characteristic Ester Odor

### 9.2. – IMPORTANT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION

Odor Threshold: No data available

PH: Not applicable

Melting/Freezing Point: Undefined

Initial Boiling Point and Boiling Point Range: 75-80° C

Flash Point: -4°C or 24°F Method: TCC (Tag Closed Cup)

Evaporation Rate: Undefined

Flammability: Flammable, Category 1

Upper/lower explosion limits: Undefined

Vapor Pressure: Undefined

Vapor Density: Heavier than air

Relative Density: Undefined

Solubility: Undefined

Water Solubility: Insoluble

N-Octanol/Water Partition coefficient: Undefined

Autoignition Temperature: Undefined

Decomposition Temperature: Undefined

Viscosity: 320-360 CPS

Explosive Properties: Vapors may form explosive mixture with air.

Oxidizing Properties: Not applicable

Specific Gravity (H2O=1): 0.891 – 0.931

## SECTION10 STABILITY AND REACTIVITY

### 10.1 - REACTIVITY

Vapors may form explosive mixture with air.

### 10.2 - CHEMICAL STABILITY

Stable under recommended storage conditions. Store away from direct sunlight.

### 10.3 – POSSIBILITY OF HAZARDOUS REACTION

Hazardous Polymerization will not occur.

#### 10.4 - CONDITIONS TO AVOID

Flame, electric spark, static and heat.

#### 10.5 – INCOMPATIBLE MATERIALS

Strong oxidizing agents. Acids, Alkaline, and Peroxides.

#### 10.6 - HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of carbon, nitrous oxides.

### SECTION11 TOXICOLOGICAL INFORMATIONS

#### 11.1 – PRODUCT INFORMATION

Inhalation	May cause drowsiness and dizziness based on components. May cause irritation of respiratory tract.
Eye Contact	Irritating to eyes
Skin Contact	May cause irritation

#### 11.2 – ACUTE TOXICITY

Substance	LD50 ORAL [mg/kg]	LD50 DERMAL [mg/kg]	LC50 INHALATION [mg/l]
Ethyl Acetate	5,620	18,000	6
Butyl Acetate	10,700	17,600	21
Isopropyl Alcohol	5,045	12,800	73

#### 11.3 – CHRONIC TOXICITY AND CMR EFFECTS

Reproductive Toxicity: Not classified

Mutagenicity: Not classified

Carcinogenicity: The table below indicates whether each agency has listed any ingredients as a carcinogen

Components	NTP	IARC	OSHA
Isopropyl Alcohol		Group 3	

IARC (International Agency for Research on Cancer)

Group 2B – Probably carcinogenic to Humans

Group 3 – Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safe and Health Administration to the US Department of Labor)

X – Present

### SECTION12 ECOTOXICOLOGICAL INFORMATIONS

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethyl Acetate	3300 mg/L (IUCLID: 48 hr. Scenedesmus quadricauda)	LC50: 230mg/L (IUCLID: 96hr, Fathead minnow)	Bacteria: 2900mg/L (IUCLID: 16hr. Pseudomonas putida)	720 mg/L (IUCLID 48hr, Daphnia magna)

Butyl Acetate	675 mg/L (IUCLID: 72 hr. Desmodesmu s sucspicatus)	LC50: 100 mg/L (IUCLID:	Not available	72 mg/L (IUCLID 72hr, Daphnia
Isopropyl Alcohol	ERC 50, alga Scenedesmus sp, static, growthrate inhibition, 72hr: >1000 mg/L NOEC, alga Scenedesmus sp, static, growth inhibition, (cell density reduction) 7 d: 1800 mg/L	EC50, fathead minnow, static, 24hr immobilization: > 1000 mg/L	ERC50: activated sludge: > 1,000 mg/L	Water flea Daphnia magna, static renewal, 21 d, NOEC: 30mg/L

### SECTION13 DISPOSAL CONSIDERATIONS

#### 13.1 – WASTE TREATMENT METHODS

##### 13.1.1. – PRODUCT/PACKAGING DISPOSAL

##### WASTE FROM RESIDUES / UNUSED PRODUCTS:

Do not dispose in sewers/sewer system. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, waterways or the soil. Inform the responsible authorities in case of leaks into the atmosphere or of entry into waterways, soil or drains.

Consult a regulatory specialist to determine appropriate state, local or regional reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Dispose of in accordance with federal, state, local and regional regulations or contact a hazardous waste removal, treatment and disposal company.

##### UNCLEANED EMPTY PACKAGING:

Do not burn, cut, weld or grind an empty container. Emptied containers retain product residue and vapors. Follow label warnings even after container is emptied.

### SECTION14 TRANSPORT INFORMATION

**Flash point** -4°C or 24°F (Tag Closed Cup)

Marine Pollutant Yes

Triphenyl Phosphate\*

\*Please refer to the 2014 CFR 49 Title – 49 Subtitle B Chapter I Supchapter C Part 171 subpart 171.4 (c)

Bulk Transport / IBC Codes: Not applicable

**DOT** Proper Shipping Name Paint

Technical Name Lacquer (Ethyl Acetate, Butyl Acetate)

U.N. number 1263

Hazard Class 3 (Flammable liquid)

Packing Group II

**IATA** Proper Shipping Name Paint

Technical Name Lacquer (Ethyl Acetate, Butyl Acetate)

U.N. number 1263

Hazard Class 3 (Flammable liquid)

Packing Group II

**IMDG** Proper Shipping Name Paint

Technical Name Lacquer (Ethyl Acetate, Butyl Acetate)

U.N. number 1263

Hazard Class 3 (Flammable liquid)

Packing Group II

**MEX** Proper Shipping Name Paint

Technical Name Lacquer (Ethyl Acetate, Butyl Acetate)

U.N. number 1263

Hazard Class 3 (Flammable liquid)

Packing Group II

**ADR** Proper Shipping Name Paint

Technical Name Lacquer (Ethyl Acetate, Butyl Acetate)

U.N. number 1263

Hazard Class 3 (Flammable liquid)

Packing Group II

## SECTION15 REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UNITED STATES FEDERAL REGULATIONS:

SARA: See Section 3 for reportable material.

SARA TITLE III: See Section 3.

CERCLA: See Section 3.

TSCA: Components in this product have been verified as being on the TSCA Inventory.

#### European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

#### CANADA WHMIS:

B2 – Flammable and Combustible Material

D2B – Eye irritation – toxic – other

#### STATE REGULATIONS:

Proposition 65: None

### 15.2 – CHEMICAL SAFETY ASSESSMENT

None conducted on mixture

## SECTION16 OTHER INFORMATION

16.1 – PRINT DATE: 15-Feb-2017

16.2 – FURTHER INFORMATION



The information provided on this SDS is believed to be accurate and represents the best information currently available to us. This information is designed only as a guide for safe handling, storage, transportation and disposal and not a guarantee of product characteristics. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising.

## **DISCLAIMER**

While Diamond Cosmetics Inc. believes that the data contained herein are accurate and derived from qualified sources, the data are not to be taken as a warranty or representation for which DIAMOND COSMETICS, INC. assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data information must be determined by the user to be in accordance with applicable Federal, state and local laws regulations.

Diamond Cosmetics Inc. requires all Customers who receive this Security Data Record to study it carefully in order to be informed of any dangers presented by the product. As far as security is concerned, the Customer should:

- ★ Inform his employees, agents and sub-contractors of information contained in this form.
- ★ Supply one copy of this form to each one of his own Customers for this product.
- ★ Ask for these same Customers to inform in turn their own Employees and Customers.