Page: 1/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

1 Identification

· Product identifier

· Trade name: Chloride Titrant · Product code: SN3412SS

· Recommended use and restriction on use · Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier: AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

· Signal word: Danger · Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P234 Keep only in original container.
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage. Store locked up. P405 Store in corrosive resistant container with a resistant inner liner. P406 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
7761-88-8	silver nitrate	Ox. Sol. 2, H272 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	6.6%	
7732-18-5	Water		93.4%	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Strong irritant with the danger of severe eye injury.

Gastric or intestinal disorders when ingested.

· Danger:

Danger of gastric perforation.

Causes serious eve damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 2)

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

Substance/product is oxidizing when dry.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Neutralized material is an oxidizer.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: Substance/product is oxidizing when dry.
- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Due to photo-sensitivity, store product in brown-glass receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 3)

Store away from metals.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Keep containers tightly sealed.

Protect from sunlight.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

		(Cont'd. of page 4)
Form:	Liquid	
Color:	Colorless	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<7.0	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	100-101 °C (212-213.8 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Contains oxidizing agent.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.22 g/cm³ (10.18 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water	e): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

Protect from sunlight.

Do not allow to dry out.

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with alkali (lyes).

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid No relevant information available.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 5)

Incompatible materials

Metals. Alkalis.

· Hazardous decomposition products

Under fire conditions only: Nitrogen oxides (NOx) Metal oxide smoke.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- ·Toxicity
- · Aquatic toxicity

The product contains materials that are harmful to the environment.

Very toxic to aquatic life with long lasting effects.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 6)

- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name	
·DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Silver nitrate)
· ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(SILVER NITRATE), ENVIRONMENTALLY
	HAZARDOUS
· IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(SILVER NITRATE), MARINE POLLUTANT
· IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(SILVER NITRATE)
· Transport hazard class(es)	
· DOT	





· Class 8 · Label 8

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

	(Cont'd. of page 7)
· ADR/RID/ADN	
<u> </u>	
· Class · Label	8 (C1) 8
· IMDG	
¥2>	
· Class	8
·Label	8
IATA	
Class	8
· Label	8
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	III
· Environmental hazards	Product contains environmentally hazardous substances: silver nitrate
· Marine pollutant:	Yes (DOT)
•	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler): EMS Number:	80 F-A,S-B
· Segregation groups	Acids, heavy metals and their salts (including their organometallic compounds)
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 8)

- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7761-88-8 silver nitrate

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Ox. Sol. 2: Oxidizing solids - Category 2

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 26, 2019

Trade name: Chloride Titrant

(Cont'd. of page 9)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com