acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

I identification	1	Identific	cation
------------------	---	-----------	--------

· Product identifier

- · Trade name: Ethanol, 95%, ACS
- · Product code: ET1000
- · CAS Number: 64-17-5
- · Recommended use and restriction on use
- Recommended use: Laboratory chemicals
- · Restrictions on use: No relevant information available.

• Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms:



· Signal word: Danger

· Hazard statements:

- H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.

· Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 1)

 	regulations.
P501	Dispose of contents/container in accordance with local/regional/national/international
	Store in a well-ventilated place. Keep cool.
	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
P337+P313	If eye irritation persists: Get medical advice/attention.
	present and easy to do. Continue rinsing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	water/shower.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	If an alvin (ar bair). Take off immediately all contaminated elething. Dince alvin with

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

64-17-5 Ethanol	Flam. Liq. 2, H225 Eye Irrit. 2A, H319	>80%
7732-18-5 Water		<20%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- \cdot Most important symptoms and effects, both acute and delayed:
- Causes eye irritation. Breathing difficulty Coughing Causes mild skin irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Dizziness Acidosis

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 2)

Disorientation Unconsciousness

· Danger:

May cause neurotoxic effects.

Danger of impaired breathing.

 \cdot Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Water fog / haze Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder
 For content of the powder
- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture Highly flammable liquid and vapor.
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit. • Additional information:
- Eliminate all ignition sources if safe to do so.
- Use large quantities of foam as it is partially destroyed by the product.
- Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation.
 Keep away from ignition sources.
 Protect from heat.
 Environmental precautions
 Do not allow to enter sewers/ surface or ground water.
 Inform respective authorities in case of seepage into water course or sewage system.
 Methods and material for containment and cleaning up
 Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
 Send for recovery or disposal in suitable receptacles.
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 3)

7 Handling and storage

· Handling

- Precautions for safe handling: Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.
- Information about protection against explosions and fires: Highly flammable liquid and vapor.
 Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Flammable gas-air mixtures may be formed in empty containers/receptacles.

· Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- \cdot Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidizing agents.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

 \cdot Components with limit values that require monitoring at the workplace:

64-17-5 Ethano	1
PEL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm
REL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m ³ , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m ³ , 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm
	A3
	PEL (USA) REL (USA) TLV (USA) EL (Canada) EV (Canada)

· Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Do not inhale dust / smoke / mist.
- Engineering controls: Provide adequate ventilation.
- · Protection of hands:



Protective gloves

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 4)

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Material of gloves Laminated film gloves. Nitrile rubber, NBR Neoprene gloves
- Butyl rubber, BR
- Not suitable are gloves made of the following materials: PVC gloves
- PVA gloves
- · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Solvent resistant protective clothing
- · Limitation and supervision of exposure into the environment
- No relevant information available.

9 Physical and chemical prope	rties
 Information on basic physical a Appearance: 	nd chemical properties
Form:	Liquid
Color:	Clear, colorless
· Odor:	Like alcohol
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Melting point/Melting range: 	Not determined.
 Boiling point/Boiling range: 	78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits	
Lower:	3.5 Vol %
Upper:	15 Vol %
 Oxidizing properties: 	Not determined.
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density at 20 °C (68 °F):	0.79 g/cm ³ (6.59 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
	(Cont'd. on page 6

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

		(Cont'd. of page 5
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity		
	Not data was in a d	
Dynamic:	Not determined.	
Dynamic: Kinematic:	Not determined.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with oxidizing agents.

Highly flammable liquid and vapor.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

• **Conditions to avoid** Keep ignition sources away - Do not smoke. Store away from oxidizing agents.

· Incompatible materials No relevant information available.

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

· Acute toxi	city:	exicological effects	
64-17-5 Et			
		7,060 mg/kg (rat)	
Inhalative		20,000 mg/l (rat)	
· Primary ir	ritant effe	ect:	
 On the ski 	in:		
Based on a	available (data, the classification criteria are not met.	
Causes mi	ld skin irri	tation.	
· On the eye	e: Irritating	g effect.	
· Sensitizati	ion: Base	d on available data, the classification criteria are not met.	
			(Cont'd. on page

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

	(Cont'd. of page
 IARC (International Agency for Research on Cancer): 	
64-17-5 Ethanol	
NTP (National Toxicology Program):	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
Probable route(s) of exposure:	
Ingestion.	
Inhalation.	
Eye contact.	
Skin contact.	
Acute effects (acute toxicity, irritation and corrosivity):	
Irritating to eyes.	
Causes mild skin irritation.	
Repeated dose toxicity: No relevant information available.	
Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
Carcinogenicity: Based on available data, the classification criteria are not met.	
Reproductive toxicity: Based on available data, the classification criteria are not met.	
• STOT-single exposure: Based on available data, the classification criteria are not met.	
• STOT-repeated exposure: Based on available data, the classification criteria are not me	.t
• Aspiration hazard: Based on available data, the classification criteria are not met.	ι.
Ecological information	

- Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 7)

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN1170	
UN proper shipping name DOT ADR, IMDG IATA	Ethanol ETHANOL (ETHYL ALCOHOL) ETHANOL	
Transport hazard class(es)		
DOT		
Class	3	
ADR	3	
Class Label	3 (F1) 3	
IMDG, IATA		
Class	3	
Label	3	
· Packing group · DOT, ADR, IMDG, IATA	П	
Environmental hazards	Not applicable.	
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 33 F-E,S-D	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 8)

· Transport/Additional information:

· DOT

· Quantity limitations

On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · United States (USA)
- · SARA

Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

All ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

All ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

(Cont'd. on page 10)

1

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 27, 2018

Revision: August 27, 2018

Trade name: Ethanol, 95%, ACS

(Cont'd. of page 9) ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com