# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Г

Revision: July 24, 2018

· Product ide	entifier
	: <u>Hardness Titrant High</u> e: DUED2070-P
· Recommend	led use and restriction on use led use: Laboratory chemicals on use: No relevant information available.
• Manufacture AquaPhoenix 860 Gitts Run Hanover, PA Phone: (717) Toll-Free: (86	s Scientific, Inc. n Road 17331 632-1291 66)632-1291 ioenixsci.com nicals Inc. emper Rd H 45241
• Emergency f ChemTel Inc (800)255-392	
	0585 (International)
+1 (813)248-	
+1 (813)248- 2 Hazard(s) · Classificati	0585 (International)
+1 (813)248- <b>Hazard(s)</b> Classificati STOT RE 2 <b>Label elem</b> GHS label el The product	0585 (International) identification on of the substance or mixture H373 May cause damage to the respiratory tract through prolonged or repeated exposure Route of exposure: Inhalation. ents ements s classified and labeled according to the Globally Harmonized System (GHS).
+1 (813)248- 2 Hazard(s) • Classificati STOT RE 2 • Label elem • GHS label el The product	0585 (International) identification on of the substance or mixture H373 May cause damage to the respiratory tract through prolonged or repeated exposure Route of exposure: Inhalation. ents ements s classified and labeled according to the Globally Harmonized System (GHS).
<ul> <li>+1 (813)248-</li> <li>2 Hazard(s)</li> <li>Classificati STOT RE 2</li> <li>Label elem</li> <li>GHS label el The product i</li> <li>Hazard pictor</li> <li>GHS08</li> <li>Signal word</li> <li>Hazard state H373 May ca exposu</li> <li>Precautiona P260 Do not P314 Get me</li> </ul>	0585 (International) identification on of the substance or mixture H373 May cause damage to the respiratory tract through prolonged or repeated exposure Route of exposure: Inhalation. ents ements s classified and labeled according to the Globally Harmonized System (GHS). ograms: : Warning

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

#### Trade name: Hardness Titrant High

(Cont'd. of page 1)

Chemical characterization: Mixtures     Components:		
139-33-3 Disodium dihydrogenethylenediaminetetraacetate STOT RE 2, H373 Acute Tox. 4, H332	<6%	
1310-73-2 Sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1,	H318 <1%	
7786-30-3 magnesium chloride	<1%	
7732-18-5 Water	>90%	

# 4 First-aid measures

#### <sup>.</sup> Description of first aid measures

#### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air.

If experiencing respiratory symptoms: Call a doctor.

#### After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed:
- Gastric or intestinal disorders when ingested.
- · Danger:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

#### · Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

# **5 Fire-fighting measures**

- Extinguishing media
- · Suitable extinguishing agents:
- The product is not flammable.

Use fire fighting measures that suit the environment.

(Cont'd. on page 3)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

Trade name: Hardness Titrant High

(Cont'd. of page 2)

• For safety reasons unsuitable extinguishing agents: No relevant information available. • Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

# Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

For large spills, wear protective clothing. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

- Environmental precautions No special measures required.
- Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# 7 Handling and storage

# <sup>.</sup> Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- <sup>•</sup> Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.

 $\cdot$  Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials. Store away from foodstuffs.

- Further information about storage conditions: Keep containers tightly sealed.
- Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

#### <sup>·</sup> Control parameters

· Components with limit values that require monitoring at the workplace:

# 1310-73-2 Sodium hydroxide

PEL (USA) Long-term value: 2 mg/m<sup>3</sup>

(Cont'd. on page 4)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

Trade name: Hardness Titrant High (Cont'd. of page 3) REL (USA) Ceiling limit value: 2 mg/m<sup>3</sup> TLV (USA) Ceiling limit value: 2 mg/m<sup>3</sup> EL (Canada) Ceiling limit value: 2 mg/m<sup>3</sup> EV (Canada) Ceiling limit value: 2 mg/m<sup>3</sup> LMPE (Mexico) Ceiling limit value: 2 mg/m<sup>3</sup> Exposure controls · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. · Protection of hands: Protective gloves · Material of gloves Butyl rubber, BR Natural rubber, NR Neoprene gloves Nitrile rubber, NBR Fluorocarbon rubber (Viton) Sensibilization by the components in the glove materials is possible. Eye protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties · Appearance:

Appearance:

 Form:
 Color:
 Colorless
 Odor:
 Odorless
 Odor threshold:
 Not determined.

 PH-value at 20 °C (68 °F):
 8-10
 Melting point/Melting range:
 Not determined.

(Cont'd. on page 5)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

#### Trade name: Hardness Titrant High

00-105 °C (212-221 °F) he product is not flammable. lot applicable. lot determined. lot determined. roduct does not present an explosion hazard.	
lot applicable. lot determined. lot determined. roduct does not present an explosion hazard.	
lot determined. lot determined. roduct does not present an explosion hazard.	
lot determined. roduct does not present an explosion hazard.	
roduct does not present an explosion hazard.	
· · ·	
lot determined	
lot determined. lot determined.	
lot determined.	
.01-1.05 g/cm <sup>3</sup> (8.43-8.76 lbs/gal) lot determined. lot determined. lot determined.	
ully miscible.	
lot determined.	
lot determined. lot determined.	
	t determined. t determined. t determined. lly miscible. t determined.

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
- Contact with acids releases toxic gases. Exothermic reaction with acids.
- Reacts with strong oxidizing agents.
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- Hazardous decomposition products Under fire conditions only: Nitrogen oxides
- Carbon monoxide and carbon dioxide
- Chlorine compounds

(Cont'd. on page 6)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

## Trade name: Hardness Titrant High

(Cont'd. of page 5)

# **11** Toxicological information Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: **ATE (Acute Toxicity Estimate)** Inhalative LC50/4h >204 mg/l · Primary irritant effect: · On the skin: Based on available data, the classification criteria are not met. • On the eve: Based on available data, the classification criteria are not met. • Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. · NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): No relevant information available. · Repeated dose toxicity: Possible risk of irreversible effects. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • Reproductive toxicity: Based on available data, the classification criteria are not met. • STOT-single exposure: Based on available data, the classification criteria are not met. · STOT-repeated exposure: May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** · Toxicitv · Aquatic toxicity No relevant information available. · Persistence and degradability No relevant information available. · Bioaccumulative potential: No relevant information available. · Mobility in soil: No relevant information available. Additional ecological information · General notes: Do not allow product to reach ground water, water course or sewage system. Results of PBT and vPvB assessment • **PBT:** Not applicable.

· **vPvB:** Not applicable.

(Cont'd. on page 7)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

Trade name: Hardness Titrant High

(Cont'd. of page 6)

• Other adverse effects No relevant information available.

# **13 Disposal considerations**

#### <sup>·</sup> Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## <sup>·</sup> Uncleaned packagings

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number		
· DOT, ADR, IMDG, IATA	Not regulated.	
<sup>·</sup> UN proper shipping name		
· DOT, ADR, IMDG, IATA	Not regulated.	
<ul> <li>Transport hazard class(es)</li> </ul>		
· DOT, ADR, IMDG, IATA		
Class	Not regulated.	
· Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

# **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

(Cont'd. on page 8)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

Trade name: Hardness Titrant High

(Cont'd. of page 7)

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

(Cont'd. on page 9)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 29, 2018

Revision: July 24, 2018

# Trade name: Hardness Titrant High

(Cont'd. of page 8) Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com